

* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, NATIONAL HOSPITAL ASSOCIATION - BEAVER ISLAND FRUIT ACRES

(Name of applicant)

of 732 S.W. 3rd Avenue, County of Multnomah

(Mailing address)

State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation October 1906

Portland, Oregon

1. The source of the proposed appropriation is Willamette River and Mission Lake

(Name of stream)

a tributary of adjoining property

2. The amount of water which the applicant intends to apply to beneficial use is 450 g.p.m. at

~~cubic feet per second~~ 135 ft. total t.d.h. and 550 g.p.m. at 140 ft. t.d.h.

(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation

(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

(see attached)

4. The point of diversion is located ft. and ft. from the

(N. or S.)

(E. or W.)

corner of

(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the of Sec. , Tp.

(Give smallest legal subdivision)

(N. or S.)

R. , W. M., in the county of

(E. or W.)

5. The to be

(Main ditch, canal or pipe line)

(Miles or feet)

in length, terminating in the of Sec. , Tp.

(Smallest legal subdivision)

(N. or S.)

R. , W. M., the proposed location being shown throughout on the accompanying map.

(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom

feet; material to be used and character of construction

(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate

(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 15 H.P. close coupled type centrifugal

(Size and type of pump)

pump with a 2" discharge and 3" suction. 25 H.P. close coupled type centrifugal

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

pump with a 3" discharge and 4" suction.

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
5 S.	3 W.	34	S.E. $\frac{1}{4}$ of S.W. $\frac{1}{4}$	12 A.
6 S.	3 W.	3	N.W. $\frac{1}{4}$ of N.W. $\frac{1}{4}$	40 A.
6 S.	3 W.	3	N.E. $\frac{1}{4}$ of N.W. $\frac{1}{4}$	8 A.
6 S.	3 W.	3	S.W. $\frac{1}{4}$ of N.W. $\frac{1}{4}$	30 A.
6 S.	3 W.	3	N.W. $\frac{1}{4}$ of S.W. $\frac{1}{4}$	2 A.
6 S.	3 W.	4	N.E. $\frac{1}{4}$ of S.E. $\frac{1}{4}$	9 A.
6 S.	3 W.	4	S.E. $\frac{1}{4}$ of N.E. $\frac{1}{4}$	40 A.
6 S.	3 W.	4	N.E. $\frac{1}{4}$ of N.E. $\frac{1}{4}$	25 A.
6 S.	3 W.	4	N.W. $\frac{1}{4}$ of N.E. $\frac{1}{4}$	9 A.
6 S.	3 W.	4	S.W. $\frac{1}{4}$ of N.E. $\frac{1}{4}$	25 A.
				200

Government Lot Three (3) in Section Three (3) Township Six (6) South, Range Three (3) West of W M according to the U S Government survey, excepting the North two hundred (200) feet thereof; and also excepting the West 25 links of Government Lot Four (4) the West 25 links of the North 200 feet of Lot Three (3) in said Section Three (3), Township Six (6) South, Range Three (3) West of Willamette Meridian; containing 22.71 acres, more or less;

Government Lot Four (4) and the North two hundred (200) feet of Government Lot Three (3)

(continued under Remarks) (If more space required, attach separate sheet)

(a) Character of soil Sandy Loam

(b) Kind of crops raised Walnuts, filberts, alfalfa, pasture, fruit, and truck.

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal Subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Under Item #4:

Diversion Point #1 is 3700 ft. west and 368 ft. south of N.E. corner of Section #3, T. 6 S. R. 3 W., W. M. in N.E. $\frac{1}{4}$ of N. W. $\frac{1}{4}$ section 3.

Diversion Point #2 is 4958 ft. west and 2732 ft. south of N.E. corner of Section #3, T. 6 S. R. 3 W., W. M. in N.W. $\frac{1}{4}$ of S.W. $\frac{1}{4}$ section 3.

Diversion Point #3 is 5770 ft. west and 2847 ft. south of N.E. corner of Section #3, T. 6 S. R. 3 W., W. M., in N.E. $\frac{1}{4}$ of S.E. $\frac{1}{4}$ Section #4.

Diversion Point #4 is 6962 ft. west and 894 ft. south of N.E. corner of Section #3, T. 6 S. R. 3 W., W. M., in N.W. $\frac{1}{4}$ of N.E. $\frac{1}{4}$ section 4.

Diversion Point #5 is 5740 ft. west and 400 ft. south of N.E. corner of Section #3, T. 6 S. R. 3 W., W. M. in N.E. $\frac{1}{4}$ of N.E. $\frac{1}{4}$ section 4.

Under Item #8

The legal description of Beaver Island is as follows:

12.81 A. Sec. 34, T 5 S. R 3 W
 12 A. 4. T 6 S. R 3 W
 Lots 8 & 9-75.58 A. Sec. 4 T 6 S. R 3 W
 45.88 A Sec. 3. T 6 S. R 3 W
 22.71 Sec. 3 T 6 S. R 3 W

1. The first part of the document
describes the general situation
of the country and the
state of the economy.

2. The second part of the document
describes the state of the
economy and the state of the
country.

3. The third part of the document
describes the state of the
economy and the state of the
country.

4. The fourth part of the document
describes the state of the
economy and the state of the
country.

5. The fifth part of the document
describes the state of the
economy and the state of the
country.

6. The sixth part of the document
describes the state of the
economy and the state of the
country.

Municipal or Domestic Supply—

10. (a) To supply the city of _____

(Name of) County, having a present population of _____
and an estimated population of _____ in 19 _____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$5,647.96 _____
12. Construction work will begin on or before May 25, 1950 _____
13. Construction work will be completed on or before June 10, 1950 except diversion point 2 & 3. _____
14. The water will be completely applied to the proposed use on or before May 1, 1952 _____

NATIONAL HOSPITAL ASSOC. - BEAVER ISLAND FRUIT ACRES
(Signature of applicant)

(sgd) C. C. Bechtold
C.C. Bechtold, Vice-President

Remarks: (continued from Item 8)

in Section Three (3), Township Six (6) South, Range Three (3) West of Willamette Meridian, according to the U S Government survey; excepting, however, the West 25 links of said premises and also saving and excepting the following described portion of said premises, to-wit; Beginning at a stake on the north line of said section, 19.11 chains East of the northwest corner of said section; thence South 24 deg 23' East 3.75 chains to a stake; thence North 65 deg 37' East 2.48 chains to a stake; thence North 24 deg 23' west 2.64 chains to a stake on the north line of said Section; thence West 2.72 chains to the place of beginning; containing 45.88 acres, more or less;

All of Lot Five (5) in Section Thirty-four (34), Township Five (5) South Range Three (3) West Willamette Meridian, containing 12.81 acres, more or less:

Lots numbered Eight (8) and Nine (9), Section Four (4), in Township Six (6) South of Range Three (3) West of the Willamette Meridian in Yamhill County, State of Oregon, containing 75.58 acres;

Also all that portion of the real property conveyed Will C Miller by warranty deed from Raleigh M Dawne, on the 15th day of August, 1908, which deed is recorded in Volume 54, at page 142 of the Record of Deeds for Yamhill County, Oregon, lying on the East side of the Willamette River in Sections Thirty-three (33) and Thirty-four (34) in Township Five (5) South of Range Three (3) West and Section Four (4), in Township Six (6) South of Range Three (3) West and containing 12 acres, more or less (approximately 20 acres), the land hereby conveyed lying and being in Yamhill County, Oregon.

STATE OF OREGON, {
County of Marion, { ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____ completion _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before August 10, 1950.

WITNESS my hand this 10th day of July, 1950

CHAS. E. STRICKLIN

STATE ENGINEER

By Ed K. Humphrey, Assistant

eg

Application No. 24889

Permit No. 19681

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 19th day of June
1950, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

January 31, 1951

Recorded in book No. 48 of

Permits on page 19681

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 64 C. &

76 Z

Fees Paid 30.50

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 2.23 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from Willamette River and
Mission Lake, being 1.23 c.f.s. from river and 1.00 c.f.s. from lake.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a
diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the
irrigation season of each year, and shall be still further limited to a diversion
of not to exceed 2.23 c.f.s.,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 19, 1950

Actual construction work shall begin on or before January 31, 1952 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before
October 1, 1952

Complete application of the water to the proposed use shall be made on or before
October 1, 1953

WITNESS my hand this 31st day of January, 1951.

CHAS. E. STRICKLIN

STATE ENGINEER