* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Coos Bay-North Bend Water Board (Name of applicant)
of 264 S. Broadway, Coos Bay (Mailing address)
State of, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation .The Board
Members are the authorized agents of the incorporated Cities of Coos Bay and
North Bend 1. The source of the proposed appropriation is Pony Creek and Upper Pony Creek Reservoir
1. The source of the proposed appropriation is Pony Creek and Upper Pony Creek Reservoir. (Name of stream) , a tributary of Pony Slough and Coos Bay
2. The amount of water which the applicant intends to apply to beneficial use is15
cubic feet per second. (If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is
4. The point of diversion is located 380 ft. S. and 350 ft. E. from the N.W. (N. or S.) corner of S.W./4 of S.W./4 Section 28 T. 25S, R 13W, W.M. (Section or subdivision)
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the NW/4, SW/4, SW/4 of Sec. 28, Tp. 25S, (Give smallest legal subdivision) (N. or S.)
R13W, W. M., in the county of
5. The pipe line thru dam to be 220 feet (Main ditch, canal or pipe line) to be
in length, terminating in the NW/4, SW/4, SW/4 of Sec. 28 Tp. 25S
(Smallest legal subdivision) (N. or S.) R, W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)
DESCRIPTION OF WORKS
Diversion Works—
feet; material to be used and character of construction sandy clay (Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)
(b) Description of headgate 36" Square cast iron (Timber, concrete, etc., number and size of openings)
(c) If water is to be pumped give general description(Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

[•] A different form of application is provided where storage works are contemplated.

headgate. At headgate: width on top (at water line) feet; grade feet; width on be feet; depth of water feet fall put thousand feet. (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; width on bottom feet; width on bottom feet; depth of water grade feet; width on bottom feet; depth of water grade feet; depth of pipe, feet fall per one thousand feet. (c) Length of pipe, feet fall per one thousand feet. (c) Length of pipe, feet fall per one thousand feet. (c) Length of pipe, feet fall per one thousand feet. (c) Length of pipe, feet fall per one thousand feet. (c) Length of pipe, feet fall per one thousand feet. (c) Length of pipe, feet fall per one thousand feet. (c) Length of pipe, feet fall per one thousand feet. (d) Length of pipe, feet feet from intake and place of use from intake into feet from intake and place of use, feet from intake and place of use, feet from intake and place of use. (a) Character of soil feet for power feet feet from intake from intake and place of use feet feet from intake and place of use feet feet feet feet feet feet feet fe	Canal System or I 7. (a) Giv	_	each point of co	anal where materially ch	anged in size, stating miles fron
thousand feet. (b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water from intake feet; width on bottom feet; depth of water from intake from intake, feet; depth of water (c) Length of pipe, ft.; size at intake, in.; size at in.; size at flace of use in.; difference in elevation be intake and place of use, ft. Is grade uniform? Sec. ft. 8. Location of area to be irrigated, or place of use (see attached) Township hange Section Forty-sere Treet North-sere of the irrigated of	neadgate. At hea	ıdgate: width on	top (at water l	ine)	feet; width on botton
(b) At	·····	feet; depth of w	ater	feet; grade	feet fall per on
rade	nousana jeet. (b) At		miles from hea	adgate: width on top (at	water line)
rade		feet; width on	bottom	feet; depth	of water fee
rom intake					
rom intake	(c) Length	h of pipe,	ft.; s	ize at intake,	in.; size at f
take and place of use,					i.
Sec. ft. 8. Location of area to be irrigated, or place of use			•		
8. Location of area to be irrigated, or place of use	_				
Township Range Section Forty-acce Tract Number decree The Bet Irrisofted (If more apace required, atlach separate sheet) (a) Character of soil (b) Kind of crops raised (b) Kind of crops raised (c) Total amount of power to be developed		·	irrigated or pla	ce of use (see attac	ch ed)
(a) Character of soil (b) Kind of crops raised (b) Kind of crops raised (c) Total amount of power to be developed					Number Acres
(a) Character of soil	<u> </u>		i	. ,	10 25 27 27 27
(a) Character of soil		METTE MEMBER			
(a) Character of soil					
(a) Character of soil				<u> </u>	
(a) Character of soil	<u> </u>		· .		· · · · · · · · · · · · · · · · · · ·
(a) Character of soil (b) Kind of crops raised		_			
(a) Character of soil				<u> </u>	
(a) Character of soil		`		·	
(a) Character of soil	·				
(a) Character of soil (b) Kind of crops raised					
(a) Character of soil					
(a) Character of soil (b) Kind of crops raised	·				
(a) Character of soil (b) Kind of crops raised					
(b) Kind of crops raised	(a) Chana	atom of soil			
Power or Mining Purposes— 9. (a) Total amount of power to be developed		·		·	
9. (a) Total amount of power to be developed	(b) Kind o	of crops raised .			
(b) Quantity of water to be used for power	_	-	anom to be devel	anad	theometical homography
(c) Total fall to be utilized		-			_
(d) The nature of the works by means of which the power is to be developed (e) Such works to be located in		_ ,	_		sec. ji.
(e) Such works to be located in				•	
Tp, R, W. M. (f) Is water to be returned to any stream? (g) If so, name stream and locate point of return, Sec, Tp, R, (No. E. or W.)	(d) The	e nature of the ı	vorks by means	of which the power is to	be developed
(f) Is water to be returned to any stream?					
(f) Is water to be returned to any stream?	(e) Suc	ch works to be l	ocated in	(Legal Subdivision)	of Sec.
(g) If so, name stream and locate point of return, Sec, Tp, R, (No. E. or W.)	p(No. N. or S.)	, R(No. E	, W. M	•	
, Sec. , Tp. , R. , (No. N. or S.) (No. E. or W.)	(f) Is u	vater to be retur	rned to any stre	am?(Yes or No)	
(i) The nature of the mines to be served	(i) The	nature of the m	ines to be serve	d	

Location of Service Area

Township	Range	Section	Tract	
25 S.	13W	8	$SE_4^{\frac{1}{2}}$ of the $SE_2^{\frac{1}{2}}$	<u>L</u>
		9	SEL " " NW] SW- " " NE	
and the second of the second o		Mark Strain	$SW_{\overline{4}}$ " " $NE_{\overline{2}}$ All " " $SW_{\overline{2}}$ All " " $SE_{\overline{2}}$	4
 State of the second s		10	NE1 " " NE2	
er Carrott Carro			SW4 " " NE	Ţ
			All " " SE3 SE3 " " SW3	1
i de la Estado de Secuelos. Estados estados estados estados en estados e		Marie Communication of the Com	NW 1 " SW 2 SW 4 " " SW 4	1
	***	15	A11	Ī
		- '	NE 4	
			$SE_{\frac{1}{4}}$ $NW_{\frac{1}{4}}$ " " $NW_{\frac{1}{4}}$	Ļ
		\$ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	NE4 " " NW4	
		17	$NE^{\frac{1}{4}}$ " $NE^{\frac{1}{4}}$	ī
		21	$N\mathbf{E}_{f 4}^{\perp}$	
		22	NW4 NE4	
		23 25	SE_{4}^{-1} SE_{4}^{-1} SW_{4}^{-1} SW_{4}^{-1} SW_{4}^{-1} of the SW_{4}^{-1}	ī
		26	NW¼	
			SW_{4}^{1} SE_{4}^{1} of the SE_{4}^{1} SW_{4}^{1} " SE_{4}^{2}	1
		27	ne4 sr1	
			NE_{4}^{\perp} SE_{4}^{\perp} NW_{4}^{\perp} of the NW_{4}^{\perp} NE_{4}^{\perp} " NW_{4}^{\perp} SE_{4}^{\perp} " NW_{4}^{\perp}	i.
,			SE4 " " NW4	
		34	ne≟ Sæ4	
		35	All	
•		36	NW≟ NE ÷	
		e V	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
26S	13W	2	NE of the NE To	-
		J. 3	SEL " " NWA	ì
			All " " SE	
		<i>;</i>	$SE_{4}^{\frac{1}{4}}$ " $SW_{4}^{\frac{1}{4}}$ " $SW_{4}^{\frac{1}{4}}$	
		14	SE4 " " SE4 SW4 " " SB4	
		9	N <u>E¼</u> " " NE¼ SE¼ " " NE¼	

Item #8 Cont.

Township	Range	Section	Tract
26S	13 W	10	All of the NW2 NW2 NW2 NEX NEX NEX NEX

The above being all that territory within the incorporated boundaries of the cities Coos Bay, North Bend and Eastside and the following platted subdivisions and Government tracts outside of the said city boundaries.

- 1. Those portions of Boulevard Park Addition and Schetters Addition lying in the NW_{4}^{1} & the NE_{4}^{1} of the SE_{4}^{1} of Section 22, Township 25 South of Range 13 W.
- 2. All of the First Addition to Marshfield, Township 25 South, Section 34 and Township 26 South, Section 3, Range 13 W.
- 3. All of Englewood Gardens, Section 3, Township 26 South, Range 13 W.
- 4. All of Libby Meadows, Section 3,4, 9 & 10, Township 26 South, Range 13W.
- 5. All of Bunker Hill & West Bunker Hill, Section 35, Township 25, South, Range 13 W.
- 5a. also in Township 25 South, Range 13 W, Sec. 36, $NW_{\frac{1}{4}}$ of the $SW_{\frac{1}{4}}$, Sec. 36, $SW_{\frac{1}{4}}$ of the $NW_{\frac{1}{4}}$, Sec. 35 $SE_{\frac{1}{4}}$ of the $SE_{\frac{1}{4}}$.
- 6. Bay Park Addition, Sec. 2, Township 26 South, Range 13 W.

10. (a) To supply the city of Coos Bay	and North Bend and vicinity.
Coos County, having a prese	ent population of
id an estimated population of 15,000	·
	of families to be supplied
<u></u>	1, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$.15	0,000 including clearing
12. Construction work will begin on or befo	ore July 1, 1950
13. Construction work will be completed or	n or beforeOctober 15, 1950
14. The water will be completely applied to	the proposed use on or before Completion of dam
	Coog Dorr Namth Band Water Board
	Coos Bay - North Bend Water Board (Signature of applicant)
	- Colland
	Chairman
Remarks:	
,	•
·	
	1
TATE OF OREGON,	•
County of Marion, ss.	
•	foregoing application, together with the accompanying
	pletion
	ion must be returned to the State Engineer, with correc
ons on or beforeAugust 10th	, 19.50
WITNESS my hand thisl0th day	ofJuly
	OVIAGO DO COMPTOVE TV
	CHAS. E. STRICKLIN

Application No.	24923
Permit No	19689

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No	
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on the 26th day of June,	
	19. 50, at 8:00 o'clock A. M.	
	Returned to applicant:	
	Corrected application received:	
	Approved:	
	January 31, 1951	
	Recorded in book No. 48 of	
	Permits on page19689	
·	CHAS. E. STRICKLIN STATE ENGINEER	
	Drainage Basin No. 17 Page 10 D	
	Fees Paid 48.00	
	PERMIT	
STATE OF OREGON,) .	FERMIT	
County of Marion, This is to certify that SUBJECT TO EXISTING RI	I have examined the foregoing application and IGHTS and the following limitations and condition	do hereby grant the same, ons:
The ri ght herein grant	ed is limited to the amount of water which can l	be applied to beneficial use
and shall not exceed1	5.0 cubic feet per second measured at the 1	point of diversion from the
stream, or its equivalent in c	ase of rotation with other water users, from Por	my Creek and reservoir
to be constructed under	r Application No. R-24922, Permit No. R-	-1064
	water is to be applied is municipal	
	opropriation shall be limited to	- of one cubic foot ner
	ppropriation shall be timiled to	
		•••••
······		
		·
	reasonable rotation system as may be ordered by	
# : *	is permit is August 11, 1950	
	ork shall begin on or before January 31,	
thereafter be prosecuted with	h reasonable diligence and be completed on or be	
October 1, 1952		
•		
•	of the water to the proposed use shall be made or	ı or before
Complete application of October 1, 1953 Ex	of the water to the proposed use shall be made or	