

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Myrtle Point Veneer Co., Inc.
(Name of applicant)
of Norway, Oregon.
(Mailing address)
State of Washington, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation May 17, 1947
Seattle, Washington

1. The source of the proposed appropriation is Coquille River
(Name of stream)
a tributary of Pacific Ocean

2. The amount of water which the applicant intends to apply to beneficial use is 2.40/100
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is manufacturing
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1310 ft. N. and 2060 ft. W. from the S. E.
(N. or S.) (E. or W.)
corner of the SW¹/₄ of Section 32, T. 28 S., R. 12 W. W. M. A pipe reference post
(Section or subdivision)
stands 2006 ft. north and 1171 ft. west of the same point.
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW¹/₄ of the SW¹/₄ of Sec. 32, Tp. 28 S.
(Give smallest legal subdivision) (N. or S.)
R. 12 W., W. M., in the county of Coos.
(E. or W.)

5. The pipe line to be 350 ft.
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SW¹/₄ of the SW¹/₄ of Sec. 32, Tp. 28 S.
(Smallest legal subdivision) (N. or S.)
R. 12 W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 10 feet, length on top 3720 feet, length at bottom
feet; material to be used and character of construction earth
(Loose rock, concrete, masonry,

This pond utilizes a natural poorly drain area. Pond elevation to be 2 1/2 ft. below
rock and brush, timber crib, etc., wasteway over or around dam) natural river bank levees.

(b) Description of headgate none
(Timber, concrete, etc., number and size of openings)

Pond to be filled by natural high waters and filling to be maintained by pumping
during dry season.

(c) If water is to be pumped give general description 6-inch centrifugal pump powered
(Size and type of pump)
by 20 horse electric motor lifting water 26 ft.
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from

headgate. At headgate: width on top (at water line) feet; width on bottom

feet; depth of water feet; grade feet fall per one

(b) At miles from headgate: width on top (at water line)

feet; width on bottom feet; depth of water feet;

grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, ft.; size at

from intake ft.; size at place of use ft.; difference in elevation between

intake and place of use, ft. Is grade uniform? no Estimated capacity,

2.40/100 sec. ft.

8. Location of area to be irrigated, or place of use SW 1/4, Sec. 32, T. 28 S., R. 12 W., W. M.

Number Acres To Be Irrigated

Forty-acre Tract

Section

Range

Township

WILLAMETTE MERIDIAN

Exhibit A

Description of Reservoir Area

Being and lying in the Southwest Quarter of Section 32, Township 28 South, Range 12

West, Willamette Meridian, Coos County, Oregon, More particularly described as

follows: Beginning at a pipe post in the westerly right-of-way line of the Southern

Pacific Railway which is the Southeast corner of a tract of land described in Book

167 at page 103, Deed records of Coos County and is 1494.44 feet North and 657.24 feet

West of the South one quarter corner of said Section 32 and running thence: South

78° 45' West, 154.45 feet, to the bank of the Coquille River, thence: along the bank

of said River South 26° 08' East 175.3 feet to a pipe post, thence: North 76° 06'

East, 225.7 feet to a pipe post, thence: South 26° 28' East, 354.4 feet, to a pipe post,

thence: South 51° 01' East 538.3 feet to a pipe post, thence: North 75° 51' East

733.6 feet to a pipe post, thence: North 1° 43' East, 513.8 feet to a pipe post in

the westerly right-of-way line of the Southern Pacific Railway, thence: North 42° 17'

West, 283.5 feet along said westerly right-of-way line to the point of beginning.

Containing 20.0 acres more or less.

(continued under Remarks: (If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in

(Legal Subdivision)

W. M., R. (No. N. or S.), (No. E. or W.)

(f) Is water to be returned to any stream? passage to Coquille River

(Yes or No)

(g) If so, name stream and locate point of return Coquille River

SW 1/4, Sec. 32, T. 28 S., R. 12 W., W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of
(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 10,000.00.....

12. Construction work will begin on or before July 15, 1950.....

13. Construction work will be completed on or before Sept. 15, 1950.....

14. The water will be completely applied to the proposed use on or before April 1, 1951.....

Myrtle Point Veneer Company, Inc.

By O. C. Davenport.....
(Signature of applicant)

Remarks: (Item 8 continued).....

Exhibit B.....

Description of the area submerged by the proposed reservoir.....

The area in which we propose to build our pond is more or less a natural basin but is flooded each year by the river therefore we plan to build our dykes high enough to keep out the flood water but do not plan to fill the pond to its full depth. We will only need enough water to float our logs approximately 4(four) feet or 80(eighty) acre feet.

Description of Myrtle Point Veneer Co., Inc.
accompanying application to appropriate water.

A parcel of land situated in the SW¹/₄ of Section 32, T. 28 S., R. 12 W. W. M., Coos County, Oregon, described as follows:

Beginning at a pipe post on the west side of the Southern Pacific Railroad right of way which is 1492.44 ft. north and 657.24 ft. west of the southeast corner of the said SW¹/₄; thence N. 42° 17' W. 965.84 ft.; thence S. 01° 27' W. 965.25 ft.; thence along the right bank of the Coquille River Southeasterly 100.0 ft.; thence S. 26° 08' E. 175.3 ft.; thence N. 76° 06' E. 225.7 ft.; thence S. 26° 28' E. 354.4 ft.; thence S. 54° 01' E. 538.3 ft.; thence N. 75° 51' E. 733.6 ft.; thence N. 01° 43' E. 513.8 ft.; thence N. 42° 17' W. 283.5 ft. to the place of beginning.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

Application No. 24929

Permit No. 19690

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 27th day of June, 1950, at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

January 31, 1951

Recorded in book No. 48 of Permits on page 19690

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 17 Page 11

Fees Paid 24.00

PERMIT

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 2.40 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Coquille River and reservoir to be constructed under Application No. R-25061, Permit No. R-1067.

The use to which this water is to be applied is manufacturing

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 27, 1950

Actual construction work shall begin on or before January 31, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 31st day of January, 1951

CHAS. E. STRICKLIN STATE ENGINEER