

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Claire A Richardson and Marjorie E. Richardson (Name of applicant) of P.O. Box 86 Hillsboro (Mailing address), Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Spring (Name of stream), a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is .025 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1390 ft. N and 105 ft. E from the 1/4 corner of on South Line of Section 36 Township 1 North of Range 3 West of W.M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the N W 1/4 of SE 1/4 of Sec. 36, Tp. 1 N, R. 3 W, W.M., in the county of Washington.

5. The Pipeline to be 285 feet in length, terminating in the SW 1/4 of SE 1/4 of Sec. 36, Tp. 1 N, R. 3 W, W.M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 H.P. electric deep well pump lift of 20 feet (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 285 ft. m/1 ft.; size at intake, 1 1/2 in.; size at 285 ft. from intake 1 1/4 in.; size at place of use 1 1/4 in.; difference in elevation between intake and place of use, 20 ft. Is grade uniform? n0 Estimated capacity, 500 gal. per. min. ~~500 gal.~~

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 N	3 W	36	NW 1/4 of SE 1/4) 0.37 & SW 1/4 of SE 1/4) 1.82	2.19

Parcel 1-- Beginning 24 rods South of the Northwest corner of Block 10, Hillsboro Garden Tracts, for a beginning point; thence South along the West line of Block 10 to the North line of Main Street Extended; Hillsboro, Oregon; thence East along the North line of Main Street 10 rods; Thence North parallel with the West line of Block 10 to a point 24 rods South of the North line of Block 10; thence West parallel with the North line of said Block 10 to the place of beginning.

Parcel 2- Beginning at the Southeast corner of the above tract, thence East along the North line of Main Street Extended 97.5 feet to a point 150 feet West of the Southeast corner of that certain tract described in Deed Book 219 page 107 Deed Records of Washington County, Oregon; Thence North parallel with West line of Block 10, Hillsboro Garden Tracts 176 feet; thence West parallel with the North line of Main Street as Extended 97.5 feet to the East line of First Tract above described; thence South along the East line of said Tract 176 feet to the place of beginning. Recorded in Book 259 page 521 Washington County Deed Records.

(If more space required, attach separate sheet)

(a) Character of soil Willamette & Wapato

(b) Kind of crops raised pasture & garden

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Application No. 24975

Permit No. 19699

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 11th day of July, 1950, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

January 31, 1951

Recorded in book No. 48 of

Permits on page 19699

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 62S

Fees Paid 15.00

PERMIT

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.025 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring

The use to which this water is to be applied is irrigation of not to exceed 2.19 acres

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be still further limited to a diversion of not to exceed 0.025 c.f.s.,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 11, 1950

Actual construction work shall begin on or before January 31, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 31st day of January, 1951

CHAS. E. STRICKLIN STATE ENGINEER