LERTIFICATE NO. 20/32

## \* APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

I, J. H. Aten  (Name of applicant)	
ofRoute 1 Beaverton,	,
(Mailing address)  State ofOregon, do hereby make application for a permit to appropri	ate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:	
If the applicant is a corporation, give date and place of incorporation	
1. The source of the proposed appropriation is unnamed drainage ditch	***********
(Name of Stream)	
, a tributary ofTualatin River	
2. The amount of water which the applicant intends to apply to beneficial use is	
cubic feet per second. (If water is to be used from more than one source, give quantity from each)	
**3. The use to which the water is to be applied isirrigation	
(Irrigation, power, mining, manufacturing, domestic supplies	, etc.)
4. The point of diversion is located 585 ft. S and 2170 ft. W from the	SE
corner of the MB4 WW4 Of Bec. 12, 1. 2 S., R. 2 W., W. M.	•
(Section or subdivision)	·
· · · ·	
(If preferable, give distance and bearing to section corner)	••••••
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)	•
being within the SW\frac{1}{4} \text{ NW\frac{1}{4}} \text{ (Give smallest legal subdivision)} of Sec. 12 , Tp. 2 S. (N. or	s.)
R. 2 W., W. M., in the county of Washington	
5. The to be	*******
in length, terminating in the	
R, W. M., the proposed location being shown throughout on the accompanying ma	p.
DESCRIPTION OF WORKS	
Diversion Works—	
diversion 6. (a) Height of/dam feet, length on top150 feet, length at	
150 feet; material to be used and character of construction boards (Loose rock, concrete,	
rock and brush, timber crib, etc., wasteway over or around dam)	
(b) Description of headgate	
(c) If water is to be pumped give general description 2 in cent. pump	
(Size and type of pump)  6 hp gas engine	
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)  8 — 10 gpm sprinklers	

<sup>\*</sup> A different form of application is provided where storage works are contemplated.

<sup>\*\*</sup> Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

headgate. At headgate: width on top (at water line)				feet; width on bottom	
f	eet; depth of w	ater	feet; grade	feet fall per one	
housand feet. (b) At		. miles from h	eadgate: width on top (at i	water line)	
				of water feet;	
			usand feet. 1000; 3" p		
				in.; size at ft.	
				difference in elevation between	
				Estimated capacity,	
-			is grade anijorm:	Estimated capacity,	
O T //	•				
	<u> </u>			Number Acres	
Township	Range	Section	Forty-acre Tract	To Be Irrigated	
2 5	2 W	12	SW <sup>1</sup> / <sub>4</sub> NW <sup>1</sup> / <sub>4</sub>	12	
		11	SE <sup>1</sup> / <sub>4</sub> NE <sup>1</sup> / <sub>4</sub>	8 20	
			-		
	ich water is	s to be used	d is a part of that mo	ore explicitly described by	
1	ollows:				
applicant as f J. A. Aten app	ollows: lication of	irrigton pe	ermit tion of 19 acre tract		
J. A. Aten app  Commencing	Collows: lication of 919.5 ft S.	irrigton pe Descript O. Deg. 21	ermit tion of 19 acre tract Min. E. of the N. E.	Cor of the Thos. D. Humphre	
J. A. Aten app Commencing D.L.C. in Sec	ollows: lication of 919.5 ft S. 12 T 2 S. R.	irrigton pe Descript O. Dog. 21 2 W. Will.	ermit tion of 19 acre tract Min. E. of the N. E. Mer. in Wash. County	Cor of the Thos. D. Humphre state of Ore. thence N. 8	
J. A. Aten app Commencing D.L.C. in Sec deg. 26 Min. W E. 800 ft then	ollows: lication of 919.5 ft S. 12 T 2 S. R. 1. 1327.6 ft. 1. ce S. 5 deg	Descript  O. Deg. 21  2 W. Will.  thence S 3	ermit tion of 19 acre tract Min. E. of the N. E. Mer. in Wash. County deg 15 Min. W. 366.	Cor of the Thos. D. Humphro state of Ore. thence N. 88 deg. 26 Min of the road thence along	
Commencing O.L.C. in Sec leg. 26 Min. W E. 800 ft then the center of	ollows: lication of 919.5 ft S. 12 T 2 S. R. 1. 1327.6 ft. 1. ce S. 5 deg said road S.	Descript O. Deg. 21 2 W. Will. thence S 45 Min W. 6	ermit tion of 19 acre tract Min. E. of the N. E. Mer. in Wash. County deg 15 Min. W. 366. fol ft to the center of Min E. 278 ft; thence	Cor of the Thos. D. Humphre state of Ore. thence N. 88 deg. 26 Min of the road thence along	
Commencing O.L.C. in Sec leg. 26 Min. W E. 800 ft then the center of ft; thence N.	ollows: lication of  919.5 ft S. 12 T 2 S. R. 1327.6 ft. 1327.6 ft. 1327.6 ft. 144 deg. 17 I	Descript O. Deg. 21 2 W. Will. thence S 45 Min W. 6 88 deg 35 Min. E. 353.	ermit tion of 19 acre tract Min. E. of the N. E. Mer. in Wash. County 35 deg 15 Min. W. 366. 691 ft to the center of Min E. 278 ft; thence 2 ft thence N. 24 deg	Cor of the Thos. D. Humphro state of Ore. thence N. 88 deg. 26 Min of the road thence along	
Commencing O.L.C. in Sec deg. 26 Min. WE. 800 ft then the center of ft; thence N. 28 d	ollows: lication of 919.5 ft S. 12 T 2 S. R. 1. 1327.6 ft. ce S. 5 deg said road S. 14 deg. 17 Meg. 35 Min M	Descript O. Deg. 21 2 W. Will. thence S 45 Min W. 6 86 deg 35 Win. E. 353.	ermit tion of 19 acre tract Min. E. of the N. E. Mer. in Wash. County 35 deg 15 Min. W. 366. 691 ft to the center o Min E. 278 ft; thence 2 ft thence N. 24 deg thence N 30 deg. 56 Mi	Cor of the Thos. D. Humphre state of Ore. thence N. 88 deg. 26 Min of the road thence along N 68 deg 37 Min E. 232.2 ll Min. E. 142.5 ft. n W 271.1 ft to place of	
Commencing D.L.C. in Sec deg. 26 Min. WE. 800 ft then the center of ft; thence N. 28 degining 19.96	ollows: lication of  919.5 ft S. 12 T 2 S. R. 1. 1327.6 ft. 1. 15 deg said road S. 14 deg. 17 Reg. 35 Min Facres.	Descript  O. Deg. 21  2 W. Will.  thence S  45 Min W. 6  88 deg 35  Min. E. 353.  Descript	ermit tion of 19 acre tract Min. E. of the N. E. Mer. in Wash. County deg 15 Min. W. 366. 691 ft to the center of Min E. 278 ft; thence 2 ft thence N. 24 deg thence N 30 deg. 56 Min.	Cor of the Thos. D. Humphre state of Ore. thence N. 88 deg. 26 Min of the road thence along N 68 deg 37 Min E. 232.2 deg. 11 Min. E. 142.5 ft. n W 271.1 ft to place of	
Commencing D.L.C. in Sec deg. 26 Min. W E. 800 ft then the center of ft; thence N. thence N. 28 d begining 19.96	Collows: Col	Descript O. Deg. 21 2 W. Will. thence S 45 Min W. 6 86 deg 35 Win. E. 353. 5. 320 ft. t  Descript	ermit tion of 19 acre tract Min. E. of the N. E. Mer. in Wash. County deg 15 Min. W. 366. 91 ft to the center of Min E. 278 ft; thence 2 ft thence N. 24 deg thence N 30 deg. 56 Mi ption of 10 acre Tract 39 in Township 2 south	Cor of the Thos. D. Humphre state of Ore. thence N. 88 deg. 26 Min of the road thence along N 68 deg 37 Min E. 232.2 ll Min. E. 142.5 ft. n W 271.1 ft to place of Range 2 West described.	
Commencing O.L.C. in Sec deg. 26 Min. W E. 800 ft then the center of ft; thence N. thence N. 28 d begining 19.96	Collows: Col	Descript O. Deg. 21 2 W. Will. thence S 45 Min W. 6 86 deg 35 Win. E. 353. 5. 320 ft. t  Descript	ermit tion of 19 acre tract Min. E. of the N. E. Mer. in Wash. County deg 15 Min. W. 366. 91 ft to the center of Min E. 278 ft; thence 2 ft thence N. 24 deg thence N 30 deg. 56 Mi ption of 10 acre Tract 39 in Township 2 south	Cor of the Thos. D. Humphre state of Ore. thence N. 88 deg. 26 Min of the road thence along N 68 deg 37 Min E. 232.2 ll Min. E. 142.5 ft. n W 271.1 ft to place of Range 2 West described.	
Commencing O.L.C. in Section 26 Min. W E. 800 ft then the center of ft; thence N. Thence N. 28 d pegining 19.96	Collows: Col	Descript O. Deg. 21 2 W. Will. thence S 45 Min W. 6 86 deg 35 Win. E. 353. 5. 320 ft. t  Descript	ermit tion of 19 acre tract Min. E. of the N. E. Mer. in Wash. County deg 15 Min. W. 366. 91 ft to the center of Min E. 278 ft; thence 2 ft thence N. 24 deg thence N 30 deg. 56 Mi ption of 10 acre Tract 39 in Township 2 south	Cor of the Thos. D. Humphre state of Ore. thence N. 88 deg. 26 Min of the road thence along N 68 deg 37 Min E. 232.2 ll Min. E. 142.5 ft. n W 271.1 ft to place of Range 2 West described.	
Commencing O.L.C. in Sec deg. 26 Min. W E. 800 ft then the center of ft; thence N. thence N. 28 d begining 19.96  Part of The Commencing at to John Kenning Tunning So 35° stake thence N (a) Charac	collows: lication of  919.5 ft S.  12 T 2 S. R.  1. 1327.6 ft.  1.	Descript O. Deg. 21 2 W. Will. thence S 45 Min W. 6 86 deg 35 Win. E. 353 C. 320 ft. t  Descript Cey D.L.C. 3 esterly correlated Sept 12.3 ft to a 31 ft to a	ermit tion of 19 acre tract Min. E. of the N. E. Mer. in Wash. County deg 15 Min. W. 366. 691 ft to the center of Min E. 278 ft; thence 2 ft thence N. 24 deg thence N 30 deg. 56 Mi ention of 10 acre Tract 39 in Township 2 south the control of 10 acre Tract 39 in Township 2 south	Cor of the Thos. D. Humphre state of Ore. thence N. 88 deg. 26 Min of the road thence along N 68 deg 37 Min E. 232.2 ll Min. E. 142.5 ft. n W 271.1 ft to place of Range 2 West described. onveyed by investment Co k 59 records of Wash County 188° 25' W 411.6 ft to the corresponding.	
Commencing O.L.C. in Sec deg. 26 Min. W E. 800 ft then the center of ft; thence N. thence N. 28 d begining 19.96  Part of The Commencing at to John Kennin running So 35° stake thence N (a) Charac	collows: lication of  919.5 ft S.  12 T 2 S. R.  1. 1327.6 ft.  1.	Descript O. Deg. 21 2 W. Will. thence S 45 Min W. 6 86 deg 35 Win. E. 353 C. 320 ft. t  Descript Cey D.L.C. 3 esterly correlated Sept 12.3 ft to a 31 ft to a	ermit tion of 19 acre tract Min. E. of the N. E. Mer. in Wash. County deg 15 Min. W. 366. 91 ft to the center of Min E. 278 ft; thence 2 ft thence N. 24 deg thence N 30 deg. 56 Mi ption of 10 acre Tract 39 in Township 2 south	Cor of the Thos. D. Humphre state of Ore. thence N. 88 deg. 26 Min of the road thence along N 68 deg 37 Min E. 232.2 ll Min. E. 142.5 ft. n W 271.1 ft to place of Range 2 West described. onveyed by investment Co k 59 records of Wash County 188° 25' W 411.6 ft to the corresponding.	
Commencing O.L.C. in Sec deg. 26 Min. W E. 800 ft then the center of ft; thence N. thence N. 28 d begining 19.96  Part of The Commencing at to John Kennin running So 35° stake thence (a) Charac (b) Kind of	collows: col	Descript O. Deg. 21 2 W. Will. thence S 45 Min W. 6 88 deg 35 Min. E. 353 1. 320 ft. t  Descript Expression of the company of	ermit tion of 19 acre tract Min. E. of the N. E. Mer. in Wash. County deg 15 Min. W. 366. ft to the center of Min E. 278 ft; thence ft thence N. 24 deg thence N 30 deg. 56 Min otion of 10 acre Tract fin Township 2 south her of tract of land country an iron stake thence N mercured, attach separate sheet an iron stake thence S meaverdam beans truck garde	Cor of the Thos. D. Humphre state of Ore. thence N. 88 deg. 26 Min of the road thence along N 68 deg 37 Min E. 232.2 ll Min. E. 142.5 ft. n W 271.1 ft to place of Range 2 West described. onveyed by investment Co k 59 records of Wash County 88° 35' F 1783.5 ft to iron 88° 26' W 411.6 ft to the content of t	
Commencing O.L.C. in Sec leg. 26 Min. W E. 800 ft then the center of ft; thence N. Ehence N. 28 d begining 19.96  Part of The Commencing at to John Kennin running So 35° stake thence N (a) Charac (b) Kind of Power or Mining I 9. (a) Total	collows: col	Descript O. Deg. 21 2 W. Will. thence S 45 Min W. 6 88 deg 35 Min. E. 353 C. 320 ft. t  Descripted Descripted Descripted D.L.C. sterly corrected dated September 12 of the to a september 2 of the corrected Descripted Desc	ermit tion of 19 acre tract Min. E. of the N. E. Mer. in Wash. County deg 15 Min. W. 366. 691 ft to the center of Min E. 278 ft; thence 2 ft thence N. 24 deg thence N 30 deg. 56 Min. Option of 10 acre Tract 39 in Township 2 south her of tract of land control of tract of land control of the tract of land control of the thence N an iron stake thence N beans truck garde	Cor of the Thos. D. Humphre state of Ore. thence N. 88 deg. 26 Min of the road thence along N 68 deg 37 Min E. 232.2 ll Min. E. 142.5 ft. n W 271.1 ft to place of Range 2 West described. onveyed by investment Cook 59 records of Wash County 88°26 W 411.6 ft to the manner of beginning. In theoretical horsepower.	
Commencing D.L.C. in Sec deg. 26 Min. W E. 800 ft then the center of ft; thence N. thence N. 28 d begining 19.96  Part of The Commencing at to John Kennin running So 35° stake thence (a) Charac (b) Kind of Power or Mining 1 9. (a) Tota (b) Qua	collows: col	Descript O. Deg. 21 2 W. Will. thence S 45 Min W. 6 88 deg 35 Min. E. 353 1. 320 ft. t  Descript The sterly correctly correctly correctly correctly correctly correctly for the sterly correctly correctly for the sterly correctly correctly for the sterly correctly for the sterly correctly for the sterly correctly for the	ermit tion of 19 acre tract Min. E. of the N. E. Mer. in Wash. County deg 15 Min. W. 366. 691 ft to the center of Min E. 278 ft; thence 2 ft thence N. 24 deg thence N 30 deg. 56 Min. Otion of 10 acre Tract 39 in Township 2 south her of tract of land control o	Cor of the Thos. D. Humphre state of Ore. thence N. 88 deg. 26 Min of the road thence along N 68 deg 37 Min E. 232.2 ll Min. E. 142.5 ft. n W 271.1 ft to place of Range 2 West described. onveyed by investment Cook 59 records of Wash County 88°26 W 411.6 ft to the manner of beginning. In theoretical horsepower.	
Commencing D.L.C. in Sec deg. 26 Min. W E. 800 ft then the center of ft; thence N. thence N. 28 d begining 19.96  Part of The Commencing at to John Kennin running So 35° stake thence (a) Charac (b) Kind of Power or Mining 1 9. (a) Tota (b) Qua	collows: col	Descript O. Deg. 21 2 W. Will. thence S 45 Min W. 6 88 deg 35 Min. E. 353 1. 320 ft. t  Descript The sterly correctly correctly correctly correctly correctly correctly for the sterly correctly correctly for the sterly correctly correctly for the sterly correctly for the sterly correctly for the sterly correctly for the	ermit tion of 19 acre tract Min. E. of the N. E. Mer. in Wash. County deg 15 Min. W. 366. 691 ft to the center of Min E. 278 ft; thence 2 ft thence N. 24 deg thence N 30 deg. 56 Min. Option of 10 acre Tract 39 in Township 2 south her of tract of land control of tract of land control of the tract of land control of the thence N an iron stake thence N beans truck garde	Cor of the Thos. D. Humphre state of Ore. thence N. 88 deg. 26 Min of the road thence along N 68 deg 37 Min E. 232.2 ll Min. E. 142.5 ft. n W 271.1 ft to place of Range 2 West described. onveyed by investment Cook 59 records of Wash County 88°26 W 411.6 ft to the manner of beginning. In theoretical horsepower.	
Commencing D.L.C. in Sec deg. 26 Min. W E. 800 ft then the center of ft; thence N. 28 d begining 19.96  Part of The Commencing at to John Kennin running So 35° stake thence N (a) Charac (b) Kind o Power or Mining I 9. (a) Tota (b) Qua (c) Tota	collows: lication of  919.5 ft S.  12 T 2 S. R.  1. 1327.6 ft.  2. 1327.6 ft.  2. 1327.6 ft.  3. 1. 1227.6 ft.  3.	Descript  O. Deg. 21  2 W. Will.  thence S  45 Min W. 6  88 deg 35  Min. E. 353.  Descripted Septions  2 If to a seption of the Company  pasture  ower to be dev  to be used for dized	ermit  tion of 19 acre tract  Min. E. of the N. E.  Mer. in Wash. County  deg 15 Min. W. 366.  701 ft to the center of  Min E. 278 ft; thence  2 ft thence N. 24 deg  thence N 30 deg. 56 Min.  Township 2 south  mer of tract of land county  and from stake thence N  and from stake thence N  Beaverdam  beans truck garde  reloped  reloped  feet.  (Head)	Cor of the Thos. D. Humphre state of Ore. thence N. 88 deg. 26 Min of the road thence along N 68 deg 37 Min E. 232.2 ll Min. E. 142.5 ft. n W 271.1 ft to place of Range 2 West described. onveyed by investment Cook 59 records of Wash County 88°26 W 411.6 ft to the manner of beginning. In theoretical horsepower.	
Commencing O.L.C. in Sec leg. 26 Min. W E. 800 ft then the center of ft; thence N. Enerce N. 28 c begining 19.96  Part of The Commencing at to John Kennin running So 35° stake thence N (a) Charac (b) Kind o  Power or Mining I  9. (a) Tota (b) Qua (c) Tota	collows: lication of  919.5 ft S.  12 T 2 S. R.  1. 1327.6 ft.  2. 1327.6 ft.  2. 1327.6 ft.  3. 1. 1227.6 ft.  3.	Descript  O. Deg. 21  2 W. Will.  thence S  45 Min W. 6  88 deg 35  Min. E. 353.  Descripted Septions  2 If to a seption of the Company  pasture  ower to be dev  to be used for dized	ermit  tion of 19 acre tract  Min. E. of the N. E.  Mer. in Wash. County  deg 15 Min. W. 366.  fol ft to the center of  Min E. 278 ft; thence  2 ft thence N. 24 deg  thence N 30 deg. 56 Min  ption of 10 acre Tract  3 in Township 2 south  ner of tract of land control tract of land contr	Cor of the Thos. D. Humphre state of Ore. thence N. 88 deg. 26 Min of the road thence along N 68 deg 37 Min E. 232.2 ll Min. E. 142.5 ft. n W 271.1 ft to place of Range 2 West described. onveyed by investment Co ok 59 records of Wash County 188° 25' W 411.5 ft to the content of beginning. In theoretical horsepower.  theoretical horsepower.	
Commencing O.L.C. in Sec leg. 26 Min. W E. 800 ft then the center of ft; thence N. Chence N. 28 d begining 19.96  Part of The Commencing at to John Kennin Tunning So 35° stake thence N (a) Charac (b) Kind of (b) Kind of (c) Tota (d) The	collows: lication of  919.5 ft S.  12 T 2 S. R.  1. 1327.6 ft.  1. 1227.6 ft.  1. 1327.6 ft.  1.	irrigton per Descript O. Deg. 21 2 W. Will. thence S 3 45 Min W. 6 88 deg 35 Min. E. 353.   C. 320 ft. to be sterly correct dated September 12 3 ft to a s	ermit tion of 19 acre tract Min. E. of the N. E. Mer. in Wash. County deg 15 Min. W. 366. 691 ft to the center of Min E. 278 ft; thence 2 ft thence N. 24 deg thence N 30 deg. 56 Min. Option of 10 acre Tract 30 in Township 2 south her of tract of land control of tract of land control of tract of land control of the thence N an iron stake thenc	Cor of the Thos. D. Humphre state of Ore. thence N. 88 deg. 26 Min of the road thence along N 68 deg 37 Min E. 232.2 ll Min. E. 142.5 ft. n W 271.1 ft to place of Range 2 West described. onveyed by investment Co k 59 records of Wash County 88 25 W 411.6 ft to the correction of beginning. In theoretical horsepower.  theoretical horsepower.  theoretical horsepower.	
Commencing O.L.C. in Secolog. 26 Min. Web. E. 800 ft then the center of	collows: lication of  919.5 ft S.  12 T 2 S. R.  1. 1327.6 ft.  1. 1327. ft	Descript O. Deg. 21 2 W. Will. thence S 45 Min W. 6 88 deg 35 Min. E. 353 1. 320 ft. t  Descript L. 3 ft to a 32 ft to a	tion of 19 acre tract Min. E. of the N. E.  Mer. in Wash. County deg 15 Min. W. 366. fol ft to the center of Min E. 278 ft; thence for the N. 24 deg thence N. 30 deg. 56 Mi  otion of 10 acre Tract for in Township 2 south her of tract of land c to 1002 page 115 bee an iron stake thence N an iron stake thence N Beaverdam  beans truck garde  reloped  reloped  reloped  feet.  (Head)  ns of which the power is to	Cor of the Thos. D. Humphre state of Ore. thence N. 88 deg. 26 Min of the road thence along N 68 deg 37 Min E. 232.2 ll Min. E. 142.5 ft. n W 271.1 ft to place of Range 2 West described. onveyed by investment Co ok 59 records of Wash County 188° 25' W 411.5 ft to the content of beginning. In theoretical horsepower.  theoretical horsepower.	
Commencing O.L.C. in Secolog. 26 Min. Web. 800 ft then the center of the commencing at the commencing at the commencing at the center of the c	collows: lication of  919.5 ft S.  12 T 2 S. R.  1327.6 ft.  12 E S. 5 deg  said road S.  14 deg. 17 I  eg. 35 Min I  acres.  S. D. Humphn  the south We  gton by deed  51. West 85  ter of soil	Descript O. Deg. 21 2 W. Will. thence S 45 Min W. 6 88 deg 35 fin. E. 353. The sterly correctly correctly correctly correctly correctly for the sterly correctly correctly correctly correctly for the sterly correctly for the sterly correctly correctly correctly for the sterly correctly corre	ermit tion of 19 acre tract Min. E. of the N. E. Mer. in Wash. County deg 15 Min. W. 366. 71 ft to the center of Min E. 278 ft; thence 2 ft thence N. 24 deg thence N 30 deg. 56 Mi  ption of 10 acre Tract 3 in Township 2 south her of tract of land c to 1002 page 145 bood an iron stake thence N an iron stake thence N an iron stake thence S Beaverdam  beans truck garde  reloped  reloped  reloped  (Head)  ns of which the power is to  (Legal Subdivision)  M.	Cor of the Thos. D. Humphre state of Ore. thence N. 88 deg. 26 Min of the road thence along N 68 deg 37 Min E. 232.2 ll Min. E. 142.5 ft. n W 271.1 ft to place of Range 2 West described. onveyed by investment Co k 59 records of Wash County 88 25 W 411.6 ft to the correction of beginning. In theoretical horsepower.  theoretical horsepower.  theoretical horsepower.	
Commencing D.L.C. in Sec deg. 26 Min. W E. 800 ft then the center of ft; thence N. thence N. 28 d begining 19.96  Part of Tho Commencing at to John Kennin running So 35 stake (a) Charac (b) Kind of (c) Tota (d) The  (e) Such Tp.  (No. N. or S.) (f) Is w	collows: lication of  919.5 ft S.  12 T 2 S. R.  1. 1327.6 ft.  12 E. S. 5 deg  said road S.  144 deg. 17 I  eg. 35 Min I  acres.  S. D. Humphr  the south We  gton by deed  for ops raised  Purposes—  al amount of po-  chity of water  al fall to be util  nature of the re  h works to be I  ater to be return  ater to be return  ater to be return	Descript O. Deg. 21 2 W. Will. thence S 45 Min W. 6 88 deg 35 Min. E. 353. C. 320 ft. t  Descript The sterly corrected and served serve	ermit tion of 19 acre tract Min. E. of the N. E. Mer. in Wash. County deg 15 Min. W. 366. 71 ft to the center of Min E. 278 ft; thence 2 ft thence N. 24 deg thence N 30 deg. 56 Mi  ption of 10 acre Tract 30 in Township 2 south her of tract of land c to 1002 page 115 book an iron stake thence N an iron stake thence N an iron stake thence S an	Cor of the Thos. D. Humphre state of Ore. thence N. 88 deg. 26 Min of the road thence along N 68 deg 37 Min E. 232.2 ll Min. E. 142.5 ft. n W 271.1 ft to place of Range 2 West described. onveyed by investment Co k 59 records of Wash County 88.25 W 411.6 ft to the core beginning. In theoretical horsepower.  theoretical horsepower.  sec. ft.  be developed	
Commencing D.L.C. in Sec deg. 26 Min. W E. 800 ft then the center of ft; thence N. thence N. 28 d begining 19.96  Part of The Commencing at to John Kennin running So 35 stake thence (b) Kind of (b) Kind of (c) Tota (d) The  (e) Such Tp.  (no. N. or S.) (f) Is w (g) If so	collows: col	irrigton per Descript O. Deg. 21 2 W. Will. thence S 3 45 Min W. 6 88 deg 35 Min. E. 353. I. 320 ft. to Descript of the degree of the Electric States of the Ele	ermit  tion of 19 acre tract  Min. E. of the N. E.  Mer. in Wash. County  deg 15 Min. W. 366.  71 ft to the center of  Min E. 278 ft; thence  2 ft thence N. 24 deg  thence N 30 deg. 56 Min.  ption of 10 acre Tract  3 in Township 2 south  ner of tract of land control of tract of land control of tract of land control of the server dam  beans truck garde  reloped  reloped  reloped  (Head)  ns of which the power is to  (Legal Subdivision)  M.  ream?  (Yes or No)  pint of return	Cor of the Thos. D. Humphre state of Ore. thence N. 88 deg. 26 Min of the road thence along N 68 deg 37 Min E. 232.2 ll Min. E. 142.5 ft. n W 271.1 ft to place of Range 2 West described. onveyed by investment Co k 59 records of Wash County 88 25 W 411.6 ft to the correction of beginning. In theoretical horsepower.  theoretical horsepower.  theoretical horsepower.	

(i) The nature of the mines to be served .....

10. (a) To supply the ci	ty of
Cor	unty, having a present population of
(Name of)	f
	use state number of families to be supplied
	(Answer questions 11, 12, 13, and 14 in all cases)
44 Tist of Local Com-	12000
	oposed works, \$1200.
	vill begin on or before
	will be completed on or before — Completed —
	impletely applied to the proposed use on or before3 yrs. after
approval.	
	(Sgd) J H Aten (Signature of applicant)
	(Signature or applicant)
Remarks:	
	6
······································	
	······································
	have examined the foregoing application, together with the accompanyin
naps and data, and return the	same for
In order to retain its pri	iority, this application must be returned to the State Engineer, with corre
ions on or before	, 19

Application	No.	25035	
Permit No		19722	

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

	Division No District No	
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on the25th day ofJuly,	
	19.50, at .9:15 o'clock	
	Returned to applicant:	
•	Corrected application received:	
	Approved:	
	January 31, 1951	
	Recorded in book No. 118 of	
	Permits on page 19722	
	CHAS. E. STRICKLIN STATE ENGINEER	
	Drainage Basin No. 2 Page 62 T	
	Fees Paid 15.00	
	PERMIT	
STATE OF OREGON,	·SS.	
County of Marion,  This is to certify the	at I have examined the foregoing application and do hereby g	rant the same,
	RIGHTS and the following limitations and conditions: anted is limited to the amount of water which can be applied to	n heneficial use
•	• 25 cubic feet per second measured at the point of dive	•
	n case of rotation with other water users, from unnamed dra	
	is water is to be applied is irrigation	
If for irrigation, this	s appropriation shall be limited to	e cubic foot per
second or its equiva	lent for each acre irrigated and shall be further 1	imited to a
diversion of not to	exceed 21 acre feet per acre for each acre irrigate	d during the
irrigation season of	each year,	
·		
	· · · · · · · · · · · · · · · · · · ·	
	· · · · · · · · · · · · · · · · · · ·	
1 -1 -11 1124 4		
•	th reasonable rotation system as may be ordered by the proper st this permit isJuly 25, 1950	
	1	
	work shall begin on or before January 31, 1952	
	with reasonable diligence and be completed on or before	
	on of the water to the proposed use shall be made on or before	
	nn of the water to the proposed use shall be made on or before	······································
		-
witness my hand	this 31st day of January ,19 51	
`	CHAS. E. STRICKLIN	STATE ENGINEER