* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Wm. E. Jan	sen		
	(Name (of applicant)	
(Mailing	address)	by make application for a per	·
		gon, SUBJECT TO EXISTING	*
		•	,
If the applicant is a c	orporation, give date and pl	lace of incorporation	•••••••••••••••••••••••••••••••••••••••
1. The source of the p	proposed appropriation is	Tualatin River (Name of stream	a)
	, a tributa	ary of Willamette Rive	r
2. The amount of wa	ter which the applicant inte	ends to apply to beneficial use	is 0.395
a			
		from more than one source, give quantity for	
**3. The use to which t	he water is to be applied is	irrigation (Irrigation, power, mining, manufactur	ing, domestic supplies, etc.)
~			***************************************
4. The point of diver	sion is located 662.1 ft	S and 717.8 ft. W (E. or	from the SE
		(N. or S.) (E. or	•
corner of	(Section	on or subdivision)	***************************************
	(If preferable, give distance and	bearing to section corner)	······································
		t be described. Use separate sheet if necess	
being within theSE	(Give smallest legal subdivision)	of Sec11	, Tp1S, (N. or S.)
	he county of Washingto		
5. Thepipe	line (portable) (Main ditch, canal or pipe line)	to be UliO	feet Miles or feet)
in length, terminating in the		of Sec11	•
		shown throughout on the acc	
	DESCRIPTION	OF WORKS	·
Diversion Works—			
		ngth on top	-
feet; mater	ial to be used and character	r of construction	(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wastew			***************************************
	= :	imber, concrete, etc., number and size of or	
(0) 2000 pion of no		imber, concrete, etc., number and size of op	
(c) If water is to be		ption lan x 2" centrifu	
powered by 20 HePe g	asolene engine. Total and type of engine or motor to be used	l head to be lifted - 30 d, total head water is to be lifted, etc.)	
<u> </u>	•		

^{*} A different form of application is provided where storage works are contemplated.

^{**} Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem. Oregon.

`

Canal System or 7. (a) Giv	-	t each point of	canal where materially chang	ed in size. statina miles from
			r line)	
thousand feet.	. feet; depth of ι	vater	feet; grade neadgate: width on top (at wat	feet fall per one
	. feet; width on	bottom	feet; depth of u	vater feet,
grade	feet fa	all per one thou	usand feet.	
(c) Lengt	h of pipe,62	0 ft.	; size at intake,3"	in.; size at 440 ft
from intake	3" in	.; size at place	of use3" & 2" in.; dif	ference in elevation between
	of use,30 sec. ft.	ft.	Is grade uniform?roll	Ling Estimated capacity
		irrigated, or n	place of use	
Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
15	THE MICHAELE SW	10	SE l SEl	0.8
	3W	11	SW ¹ / ₂ SW ¹ / ₂	17.3
ls .	3W	11	SE ¹ / ₄ SW ¹ / ₄	12.1
	3W	11	SW ¹ / ₄ SE ¹ / ₄	1.5
			Total	31.7
			,	
	•			
, 1				
				,
			,	
			e required, attach separate sheet)	· · · · · · · · · · · · · · · · · · ·
(a) Chara	icter of soil	Willa	mette loam	
(b) Kind	of crops raised	grain,	seed, and pasture	
Power or Mining				
		7	veloped	
	-		r powers	ec. ft.
			(Head)	
(d) Th	ne nature of the	works by mea	ns of which the power is to be	developed
	······································		······································	
			(Legal Subdivision)	of Sec
Tp(No. N. or S.				
			(Yes or No)	
			oint of return	
			, Tp(No. N. or S.)	· · · · · ·
(h) Th	ne use to which	power is to be	e applied is	
(i) The	e nature of the 1	nines to be ser	ved	

STATE ENGINEER

	or Domestic Supply—
	(a) To supply the city of
	Name of) County, having a present population of
	mated population ofin 19
	(b) If for domestic use state number of families to be supplied
	(Answer questions 11, 12, 13, and 14 in all cases)
11.	Estimated cost of proposed works, \$ 800.00
12.	Construction work will begin on or before July 1, 1950
	Construction work will be completed on or before July 1, 1951
	The water will be completely applied to the proposed use on or before September 1. 1952
	(Sgd) Wm.E. Jänsen . (Signature of applicant)
sec Tls 4.0 the dow	Legal Description (124-301) Commencing at a point on the ction line 5.50 chains east of the southwest corner of section 11, 8, R3W, W.M., and running thence N10°E 2.00 chains; thence N5°W 00 chains; thence N32°W 1.50 chains; thence N43°26' W 10.10 chains; ence N75°W 3.00 chains to the center of the Tualatin River; thence on the center of said river to where the said center intersects the st line of lot 4 in section 11, T1S, R3W, W.M. aforesaid; thence
501	th to the southeast corner of said lot 4, thence west on the section
lir Als W.M nor the 161	the to the place of beginning, containing 42 acres more or less. so, beginning at a point on the north line of section 14, T1S, R3W, so, which point is the northeast corner of the west half of the thwest quarter of said section 14, and thence south 40 chains to e south line of the northwest quarter of section 14; thence east if feet; thence north 40 chains to the north line of section 14; thence st 16½ feet to the place of beginning.
lir Als W.M nor the 162 wes	we to the place of beginning, containing 42 acres more or less. so, beginning at a point on the north line of section 14 , TlS, R3W, i., which point is the northeast corner of the west half of the thwest quarter of said section 14 , and thence south 40 chains to e south line of the northwest quarter of section 14 ; thence east g feet; thence north 40 chains to the north line of section 14 ; thence et $16\frac{1}{2}$ feet to the place of beginning.
lir Als W.M nor the 162 wes	we to the place of beginning, containing 42 acres more or less. so, beginning at a point on the north line of section 14 , TlS, R3W, i., which point is the northeast corner of the west half of the thwest quarter of said section 14 , and thence south 40 chains to e south line of the northwest quarter of section 14 ; thence east g feet; thence north 40 chains to the north line of section 14 ; thence et $16\frac{1}{2}$ feet to the place of beginning.
lir Als W.M. nor the 162 wes	ne to the place of beginning, containing 42 acres more or less. so, beginning at a point on the north line of section 14, T1S, R3W, so, which point is the northeast corner of the west half of the thwest quarter of said section 14, and thence south 40 chains to e south line of the northwest quarter of section 14; thence east if feet; thence north 40 chains to the north line of section 14; thence st 16½ feet to the place of beginning.
lir Als W.M nor the 161 wes	ne to the place of beginning, containing 42 acres more or less. so, beginning at a point on the north line of section 14, T1S, R3W, so, which point is the northeast corner of the west half of the thwest quarter of said section 14, and thence south 40 chains to e south line of the northwest quarter of section 14; thence east feet; thence north 40 chains to the north line of section 14; thence st 16½ feet to the place of beginning.
lir Als W.M nor the 161 wes	ne to the place of beginning, containing \$\frac{1}{2}\$ acres more or less. 30, beginning at a point on the north line of section \$1\text{h}\$, \$TIS\$, \$R3W\$, 4., which point is the northeast corner of the west half of the chains to the court of said section \$1\text{h}\$, and thence south \$10\$ chains to the south line of the northwest quarter of section \$1\text{h}\$; thence east a feet; thence north \$10\$ chains to the north line of section \$1\text{h}\$; thence set \$16\frac{1}{2}\$ feet to the place of beginning.
lir Als W.M nor the 162 wes	ne to the place of beginning, containing \$\frac{1}{2}\$ acres more or less. 30, beginning at a point on the north line of section \$1\frac{1}{4}\$, \$TIS, \$R3W\$, 4., which point is the northeast corner of the west half of the rethwest quarter of said section \$1\frac{1}{4}\$, and thence south \$10\$ chains to be south line of the northwest quarter of section \$1\frac{1}{4}\$; thence east \$16\frac{1}{2}\$ feet to the place of beginning.
lir Als W.M. nor the 16-	to the place of beginning, containing 42 acres more or less. so, beginning at a point on the north line of section 14, TlS, R3W, f., which point is the northeast corner of the west half of the thwest quarter of said section 14, and thence south 40 chains to e south line of the northwest quarter of section 14; thence east f feet; thence north 40 chains to the north line of section 14; thence et 16½ feet to the place of beginning.
lir Als W.M. nor the 162 wes	to the place of beginning, containing 42 acres more or less. so, beginning at a point on the north line of section 14, TlS, R3W, so, which point is the northeast corner of the west half of the thwest quarter of said section 14, and thence south 40 chains to e south line of the northwest quarter of section 14; thence east feet; thence north 40 chains to the north line of section 14; thence at 16½ feet to the place of beginning.
lir Als W.M. nor the 16- wes	to the place of beginning; containing 42 acres more or less. so, beginning at a point on the north line of section 14, T1S, R3W, so, which point is the northeast corner of the west half or the thwest quarter of said section 14, and thence south 40 chains to e south line of the northwest quarter of section 14; thence east if feet; thence north 40 chains to the north line of section 14; thence st 16½ feet to the place of beginning.
lir Als W.M. nor the 161	to the place of beginning, containing 1/2 acres more or less. so, beginning at a point on the north line of section 11, T15, R3W, le, which point is the northeast corner of the west half of the thwest quarter of said section 11, and thence south 10 chains to e south line of the northwest quarter of section 11; thence east a feet; thence north 10 chains to the north line of section 11; thence at 16½ feet to the place of beginning.
lir Als W.M. nor the 161 wes	to the place of beginning, containing 1/2 acres more or less. so, beginning at a point on the north line of section 11, T15, R3W, le, which point is the northeast corner of the west half of the thwest quarter of said section 11, and thence south 10 chains to e south line of the northwest quarter of section 11; thence east feet; thence north 10 chains to the north line of section 11; thence at 16½ feet to the place of beginning.
lir Als W.M. nor the 16- wes	to the place of beginning, containing 1/2 acres more or less. 10, beginning at a point on the north line of section 11, T15, R3W, 11., which point is the northeast corner of the west half of the 12. the thing the northwest quarter of section 11, and thence south 10 chains to 13. section 11, and thence south 10 chains to 14. section 11, thence east 15. feet; thence north 10 chains to the north line of section 11; thence 15. st 16½ feet to the place of beginning.
Tir Als W.M. nor the 16- Wes STATE Of	The to the place of beginning, containing 1/2 acres more or less. The point is the northeast corner of the west half of the three three of said section 11, and thence south 10 chains to be south line of the northwest quarter of section 11; thence east of feet; thence north 10 chains to the north line of section 11; thence at 16½ feet to the place of beginning. The orthogonal of the northwest quarter of section 11; thence at 16½ feet to the place of beginning. The orthogonal of the northwest quarter of section 11; thence at 16½ feet to the place of beginning.
This	the to the place of beginning, containing \$\frac{1}{2}\$ acres more or less. To beginning at a point on the north line of section \$\frac{1}{14}\$, \$TIS, \$RW,\$ The which point is the northeast corner of the west half of the three of said section \$\frac{1}{14}\$, and thence south \$\frac{1}{14}\$ ochains to a south line of the northwest quarter of section \$\frac{1}{14}\$; thence east a feet; thence north \$\frac{1}{10}\$ chains to the north line of section \$\frac{1}{14}\$; thence at \$16\frac{1}{2}\$ feet to the place of beginning. FOREGON, of Marion, \$\frac{1}{3}\$ss. is to certify that \$I\$ have examined the foregoing application, together with the accompanying the section \$\frac{1}{14}\$ of \$\frac{1}{14}\$ and \$\frac{1}{14}\$ are section \$\frac{1}{14}\$.
STATE Of County This	The to the place of beginning, containing \$\frac{1}{2}\$ acres more or less. So, beginning at a point on the north line of section \$1\text{lh}\$, \$R3\text{W}\$, So, which point is the northeast corner of the west half of the three three three quarter of said section \$1\text{lh}\$, and thence south \$10\$ chains to be south line of the northwest quarter of section \$1\text{lh}\$; thence east a feet; thence north \$10\$ chains to the north line of section \$1\text{lh}\$; thence so the \$16\frac{1}{2}\$ feet to the place of beginning. FOREGON, \$\rightarrow\$ ss.
STATE Of County This maps and of In of	To the place of beginning, containing \$12\$ acres more or less. To beginning at a point on the north line of section ll, TIS, RW, I, which point is the northeast corner of the west half of the threst quarter of said section ll, and thence south \$10\$ chains to a south line of the northwest quarter of section ll; thence east if feet; thence north \$10\$ chains to the north line of section ll; thence It \$16\frac{1}{2}\$ feet to the place of beginning. FOREGON, of Marion, Is to certify that I have examined the foregoing application, together with the accompanying lata, and return the same for

Application No	25044
Permit No.	19728

PERMIT
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on the 27th day of July	
	19.50, at 8:00 o'clock A. M.	
	Returned to applicant:	
	Corrected application received:	
	Approved: January 31, 1951	•
	Recorded in book No. 48 of	
	Permits on page19728	
,	CHAS. E. STRICKLIN STATE ENGINEER	•
	Drainage Basin No. 2 Page 54-C	
	Fees Paid 15.30	•
	PERMIT	•
STATE OF OREGON,)s.		
The right herein gran and shall not exceed 0.	t I have examined the foregoing application and RIGHTS and the following limitations and conditated is limited to the amount of water which can cubic feet per second measured at the case of rotation with other water users, from	be applied to beneficial use point of diversion from the
The use to which this	water is to be applied is irrigation	
second or its equival diversion of not to e irrigation season of	ent for each acre irrigated and shall be ented to acre irrigated and shall be each acre for each acre for each acre each year,	e further limited to a re irrigated during the
and shall be subject to such The priority date of t Actual construction to thereafter be prosecuted we	reasonable rotation system as may be ordered by his permit is July 27, 1950 work shall begin on or before January 31, ith reasonable diligence and be completed on or before January 31,	the proper state officer. 1952 and shall
• - •	of the water to the proposed use shall be made	on or before
	this 31st day of January	, 19. 5 1 .
	CHAS. E. STRICKI	
Paymits for nower developme	nt are cubiant to the navment of ennual fees as provided in section	STATE ENGINEER