

SUPPLEMENTAL
* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Larry D. Lucas (Name of applicant) of Agness (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Rilea Creek (Name of stream), a tributary of Rogue River

2. The amount of water which the applicant intends to apply to beneficial use is 0.15 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic, Stock and Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.) See Remarks

4. The point of diversion is located 144.7 ft. N and 80.4 ft. E from the SW corner of Section 7 T35S R11W (Section or subdivision) (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the (Lot 13) NW 1/4 of the SW 1/4 of Sec. 7, Tp. 35 S, R. 11 W, W. M., in the county of Curry

5. The Pipe line to be 1800 feet in length, terminating in the Lot 1 of Sec. 13, Tp. 35 S, R. 12 W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 6 feet, length on top 12 feet, length at bottom 8 feet; material to be used and character of construction Concrete (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated. ** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1800 ft.; size at intake, 2 in.; size at 800 ft. from intake 1 1/2 for 240 feet in.; size at place of use 1 1/4 in.; difference in elevation between intake and place of use, 80 ft. Is grade uniform? Yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
WILLAMETTE MERIDIAN				
35 S	11 W	7	Lot 14 (SW 1/4 SW 1/4)	3 and stock
35 S	11 W	18	Lot 10 (NW 1/4 NW 1/4)	1 and stock and domestic
35 S	12 W	13	Lot 4 (NE 1/4 NE 1/4)	3 and stock, dom. & pool
35 S	12 W	12	Lot 1 (SE 1/4 SE 1/4)	stock and domestic

Property on which water is to be used is a part of that more explicitly described by applicant as follows:

Larry D. Lucas
Agness, Oregon.

Legal Description to accompany Application for Water Permit.

~~Section 18, Township 35 South, Range 11 West, W. M. Government Lots 10 and 14
Section 7, Township 35 South, Range 11 West, W. M. Government Lot 14
Except U. S. F. S. tract of 2 1/2 acres. Except School district tract of 1.0 acre.
Section 13, Township 35 South, Range 12 West, W. M. Government Lot 4.
Section 12, Township 35 South, Range 12 West, W. M. A tract described as follows:
Beginning at the Southeast corner of Section 12, T25S, R12W, W. M., Curry County, Oregon;
Thence North along the East line of Section 12, a distance of 750 feet, more or less, to the Southerly branch of Rilea Creek;
Thence Southwesterly along the South bank of Rilea Creek 144 feet, more or less, to~~

(If more space required, attach separate sheet)

(CONTINUED UNDER REMARKS)

- (a) Character of soil River Bench Land (Loam)
- (b) Kind of crops raised Garden and lawn

Power or Mining Purposes—

- 9. (a) Total amount of power to be developed theoretical horsepower.
- (b) Quantity of water to be used for power sec. ft.
- (c) Total fall to be utilized feet.
(Head)
- (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

- (f) Is water to be returned to any stream?
(Yes or No)
- (g) If so, name stream and locate point of return
....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

- (h) The use to which power is to be applied is
- (i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied See Remarks

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 750⁰⁰.....
- 12. Construction work will begin on or before Jan 1951.....
- 13. Construction work will be completed on or before Jan 1952.....
- 14. The water will be completely applied to the proposed use on or before Jan 1952.....

(Sgd) Larry D. Lucas
(Signature of applicant)

Remarks: This form is supplemental to Application No. 25057 dated
7-28-50. The water applied for herein is to augment the supply now
obtained under other appropriations.
points of use will be in 4 sections as shown on the map.
Domestic use will be in the hotel (which is in both Sections 13 and 18)
and 4 detached dwellings operated in connection with the hotel.
Stock will be watered in Sections 7, 13 and 18.
The swimming pool (Concrete 20' x 30' x 5' is in Section 13.
Irrigation is for garden (supplying the hotel) lawn and shrubbery,
and a small amount of pasture.

(Continued from Item 8)

a point 100 feet distant perpendicularly from said East line of said Section 12;
Thence South 650 feet, more or less, to the South line of said Section 12;
Thence East along said South line of said Section 12, 100 feet to the point of beginning.
#####

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

Application No. 25057

Permit No. 19733

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 28th day of July, 1950, at 2:55 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

January 31, 1951

Recorded in book No. 48 of Permits on page 19733

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 15 Page 78 H

Fees Paid 25.00

PERMIT

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.15 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Rilea Creek

The use to which this water is to be applied is stock, domestic, irrigation and swimming pool, being 0.088 cfs for irrigation and 0.062 cfs for stock, domestic and pool.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 1/2 acre feet per acre for each acre irrigated during the irrigation season from April 2 to October 31 of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 28, 1950

Actual construction work shall begin on or before January 31, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 31st day of January, 1951

CHAS. E. STRICKLIN

STATE ENGINEER