

ASSIGNED. See Min. Rec. Vol. 3 Page 639

\* APPLICATION FOR PERMIT

CERTIFICATE NO. 20134

To appropriate the Public Waters of the State of Oregon

I, Frances E. Johnson (Name of applicant) of Ashland Rt. 1, Box 491 (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Toleman Creek and Private spring (Name of stream) Trib. Neal Creek, a tributary of Bear Creek

2. The amount of water which the applicant intends to apply to beneficial use is 0.015 cubic feet per second. being 0.01 cfs from creek, and 0.005 cfs from private spring (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is domestic and irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1126 ft. N. and 1182 ft. E. from the S.W. corner of section 13 to Toleman Creek. (Section or subdivision)

Also 1660 feet north and 291 feet east from same corner to private spring.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 SW 1/4 of Sec. 13, Tp. 39 S. (Give smallest legal subdivision) (N. or S.)

R. 1 E., W. M., in the county of Jackson (E. or W.)

5. The pipe line to be 100 feet (Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the NW 1/4 SW 1/4 of Sec. 13, Tp. 39 S. (Smallest legal subdivision) (N. or S.)

R. 1 E., W. M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry)

Spring boxed in with 3x3x2 foot concrete box (rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate piped direct to 1000 gal. service tank. (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 3/4" centrifugal pump and powered by 3/4 H.P. electric motor. (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated.

\*\* Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.



Municipal or Domestic Supply—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied ..... One.....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 300,00 .....
- 12. Construction work will begin on or before ..... one year from date of priority.....
- 13. Construction work will be completed on or before ..... two years from dat of priority.....
- 14. The water will be completely applied to the proposed use on or before ..... three years from date priority.....

(Sgd) Frances E. Johnson  
(Signature of applicant)

Rt 1 #491 Ashland Ore.

Remarks: Deed Records of Jackson County Vol. 300 page 357 show  
the applicant owns the following property:  
Beginning at a point on the southeast right of way line of the  
Crowson Road, which point is 13 chains East and 8.04 chains South  
of the Northwest corner of Donation Land Claim No. 54 in Township  
39 fo Range 1 East of the willamette Meridian in Jackson County,  
Oregon. Thence South 59° 15' East 380 to the centerline of Toleman  
Creek; thence along said line North 30° 45' East 45 feet; thence  
Norte 1° 56' East 105.43 feet to the Northeast corner of that  
tract conveyed to Esley; thence along the Southwesterly line of said  
tract North 39° 29' West 265 feet to the Crowson road right of way;  
thence along said road South 50° 04' West 239.60 feet to the point  
of beginning.

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

Application No. 25062  
Permit No. 19735

PERMIT  
TO APPROPRIATE THE PUBLIC  
WATERS OF THE STATE  
OF OREGON

Division No. District No.

This instrument was first received in the  
office of the State Engineer at Salem, Oregon,  
on the 31 day of July  
1950, at 8 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

January 31, 1951

Recorded in book No. 48 of

Permits on page 19735

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 15 Page 24 A

Fees Paid 25.00

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same,  
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use  
and shall not exceed 0.015 cubic feet per second measured at the point of diversion from the  
stream, or its equivalent in case of rotation with other water users, from Toleman Creek and a  
spring

The use to which this water is to be applied is domestic & irrigation, being 0.005 c.f.s.  
from spring for domestic and 0.01 c.f.s. from creek for irrigation.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per  
second or its equivalent for each acre irrigated and shall be further limited to  
a diversion of not to exceed 1/8 acre feet per acre for each acre irrigated during  
the irrigation season from April 2, to October 31, of each year, and shall be  
still further limited to a diversion of not to exceed 0.01 c.f.s.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is July 31, 1950

Actual construction work shall begin on or before January 31, 1952 and shall  
thereafter be prosecuted with reasonable diligence and be completed on or before  
October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 31st day of January, 1951.

CHAS. E. STRICKLIN

STATE ENGINEER