

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Harbor Plywood Corporation of Oregon
(Name of applicant)
of C/O Harbor Plywood Corporation, Hoquiam,
(Mailing address)
State of Washington, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation May 13, 1940
Salem, Oregon

1. The source of the proposed appropriation is Log Pond and Cow Creek
(Name of stream)
a tributary of Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 1.78
cubic feet per second. See remarks
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Log pond, boilers
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)
and fire protection

4. The point of diversion is located 1,835 ft. S and 2,350 ft. E from the NW
(N. or S.) (E. or W.)
corner of Sec. 26, T. 30S., R. 6W., W.M.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE 1/4 NW 1/4 as projected of Sec. 26, Tp. 30S
(Give smallest legal subdivision) (N. or S.)
R. 6W, W. M., in the county of Douglas
(E. or W.)

5. The Pipe line to be 2,850 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SW 1/4 SE 1/4 of Sec. 23, Tp. 30S
(Smallest legal subdivision) (N. or S.)
R. 6W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2-500 gpm centrifical
(Size and type of pump)

pumps - station arg - with 2-20 horse power
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

electric motors - static head of 45.32 feet

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 2,850 ft.; size at intake, 6 in.; size at ft. from intake in.; size at place of use 6 in.; difference in elevation between intake and place of use, 45.32 ft. Is grade uniform? Yes Estimated capacity, 2.23 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
30 S	6W	23	NE $\frac{1}{4}$ SE $\frac{1}{4}$	(as Projected)
30 S	6W	23	NW $\frac{1}{4}$ SE $\frac{1}{4}$	(as Projected)
30 S	6W	23	SW $\frac{1}{4}$ SE $\frac{1}{4}$	(as Projected)
30 S	6W	23	SE $\frac{1}{4}$ SE $\frac{1}{4}$	(as Projected)
30 S	6W	23	NE $\frac{1}{4}$ SW $\frac{1}{4}$	(as Projected)
30 S	6W	23	NW $\frac{1}{4}$ SW $\frac{1}{4}$	(as Projected)
30 S	6W	23	SE $\frac{1}{4}$ SW $\frac{1}{4}$	(as Projected)
30 S	6W	26	NE $\frac{1}{2}$ NW $\frac{1}{4}$	(as Projected)
30 S	6W	26	SE $\frac{1}{4}$ NW $\frac{1}{4}$	(as Projected)
30 S	6W	22	SE $\frac{1}{4}$ NW $\frac{1}{4}$	

(Portions of the following 40 acre tracts; the exact areas of which are more particularly described in the schedule attached hereto and made a part of this application.)

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

LEGAL DESCRIPTIONS

(Supplemental to paragraph 8 of the application of
HARBOR PLYWOOD CORPORATION OF OREGON for a per-
mit to appropriate the public waters of the
State of Oregon.)

The following described tracts are all situated in County of Douglas and State of Oregon.

TRACT A

Beginning at a 1/2 inch square headed bolt on the South right-of-way line of the Southern Pacific Railroad, thirty feet out at right angles from the center line, said beginning point being 2826.3 feet South and 92.4 feet, or 1.4 chains East of the Northwest corner of the Isaac A. Flint Donation Land Claim No. 45, Township 30 South, Range 6 West W. M.; thence along the southerly side of said railroad right-of-way North 59° 04' East 332.0 feet; thence along a fence line South 10° 45' East 1000.0 feet; thence West 471.0 feet; thence North 808.7 feet to the place of beginning, containing 8.0 acres, more or less, all the above being situated in Section 23, Township 30 South, Range 6 West, W. M.

Also, beginning at a 3/4 inch pipe which is 3635.0 feet South and 92.4 feet or 1.4 chains East of the Northwest corner of the Isaac Flint Donation Land Claim No. 45, Township 30 South, Range 6 West, Willamette Meridian; thence running from said beginning point East 471.0 feet; thence South 10° 45' East 92.4 feet; thence West 488.2 feet; thence North 90.8 feet to the place of beginning, containing 1.0 acre, more or less, and situated in Section 23, Township 30 South, Range 6 West, Willamette Meridian.

TRACT B

That portion of the Isaac Flint Donation Land Claim No. 45, Township 30 South, Range 6 West, W.M., which is described as follows; beginning at an iron pipe on the South right of way line of the Southern Pacific Railroad Company, said beginning point being 1887.6 feet South and 1184.2 feet East of the Northwest corner of the Isaac Flint Donation Land Claim; thence running South 42° 47' East 1039.0 feet to an iron pipe; thence South 63° 28' West 725.6 feet; thence South 60° 43' West 970.2 feet to a point on the East line of property described in County Clerk's Deed Records in Vol. 110, Pg. 45, Instrument No. 41996; thence running North 10° 45' West 1001.0 feet along the East side of said described property to the Northeast corner of said described property at the South right of way of said railroad; thence running North 59° 22' East 1131.1 feet to the place of beginning, containing 31.4 acres, more or less, and situated in Section 23, Township 30 South, Range 6 West of Willamette Meridian, Douglas County, Oregon.

TRACT C

All that portion of the I. B. Nichols D. L. C. No. 44, in Township 30 South, Range 6 West, of the Willamette Meridian, described as follows:

Beginning at a point on Section line 32.39 chains East of the Southwest corner of Section 23, and running thence North 28.20 chains; thence East 3.30 chains; thence South 28.20 chains; thence West 3.30 chains to the place of beginning.

Also, that portion of the Isaac A. Flint D. L. C. in Township 30 South, Range 6 West, of the Willamette Meridian, described as follows: Beginning at the Southwest corner of said D. L. C. on Section line 35.69 chains East of the Southwest corner of Section 23, and running thence North 26.50 chains thence East 1.40 chains; thence South 26.50 chains; thence West 1.40 chains to the place of beginning.

Except that portion of the above described property lying North of the Railroad right of way.

TRACT D

That portion of the James Catching D. L. C. in Township 30 South, Range 6 West, of the Willamette Meridian, described as follows: Beginning at a point on Section line 32.39 chains East of the Southwest corner of Section 23 and running thence South 24.68 chains; thence North 87° East 5.40 chains; thence North 24.40 chains; thence West 4.70 chains to the place of beginning.

Also, that portion of the Southeast quarter of the Northwest quarter of Section 22, Township 30 South, Range 6 West of the Willamette Meridian described as follows: Beginning at a point 47.64 chains West of the Quarter stake between Sections 22 and 23, and running thence West 12.36 chains; thence North 20 chains; thence East 12.36 chains; thence South 20 chains to the place of beginning.

TRACT E

All that portion of the I. B. Nichols Donation Claim No. 44, in Township 30 South, Range 6 West, of the Willamette Meridian, described as follows: Beginning at a point on Section line 27.74 chains East of the Southwest corner of Section 23, and running from thence North 28.20 chains; thence East 4.65 chains; thence South 28.20 chains; thence West 3.66 chains; thence South 29.40 chains; thence West 99 links; thence North 29.40 chains to place of beginning containing 13.11 acres: ALSO, that portion of the James Catching Donation Claim No. 43, Township 30 South, Range 6 West, described as follows: Beginning at the Northwest corner of said claim on Section line 28.73 chains East of Southwest corner of Section 23, running from thence South 24.65 chains; thence East 3.66 chains; thence North 24.65 chains; thence West 3.66 chains to place of beginning containing 9.02 acres: ALSO, that portion of lot number six in Section 23, Township 30 South, Range 6 West, described as follows: Beginning at a point 56 links East of the quarter stake between Sections 22 and 23 and running from thence East 19.44 chains; thence South 12.20 chains; thence West 19.44 chains; thence North 12.20 chains to place of beginning containing 23.23 acres.

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 20,000

12. Construction work will begin on or before Three months after approval

13. Construction work will be completed on or before Three months after approval

14. The water will be completely applied to the proposed use on or before Three months after approval.

(Sgd) Jack R Rehm V-P

(Signature of applicant)

Harbor Plywood Corp.

Remarks: 1. This application No., permit No.

as well as application No. 20324, permit No. 15855 is intended for

use in conjunction with Reservoir application No., permit

No.

2. Log pond will cover 13.52 acres.

STATE OF OREGON,

County of Marion,

ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

Application No. 25112

Permit No. 19760

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 9th day of August 1950, at 1:00 o'clock P.M.

Returned to applicant:

Corrected application received:

Approved:

January 31, 1951

Recorded in book No. 48 of Permits on page 19760

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 16 Page 8

Fees Paid 22.00

PERMIT

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.78 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Cow Creek and reservoir to be constructed under Application No. R-25111, Permit No. R-1069

The use to which this water is to be applied is manufacturing, including log pond, boiler plant and fire protection.

If for irrigation, this appropriation shall be limited to - - - - - of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 9, 1950

Actual construction work shall begin on or before January 31, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 31st day of January, 1951

CHAS. E. STRICKLIN

STATE ENGINEER