Fig. 23486

* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

We I, Mr. and Mrs. George U. Benz. (Name of applicant)	
of Route #1, Box #317, Tigard,	
State ofOregon, do hereby make application for a permit to approp	
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:	
If the applicant is a corporation, give date and place of incorporation	*************************
1. The source of the proposed appropriation is an Unnamed Creek (Name of stream)	
, a tributary of Tualatin River	•••••
2. The amount of water which the applicant intends to apply to beneficial use is0.04	***************************************
cubic feet per second. (If water is to be used from more than one source, give quantity from each)	
**3. The use to which the water is to be applied is	lies, etc.)
4. The point of diversion is located 125.9 ft. N and 20.0 ft. E from the corner of lot #21 of Willow-Brook Farm (Section or subdivision)	eNW _.
(If preferable, give distance and bearing to section corner) (If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SW4NF4 of Sec. 15 , Tp. 29 (Give smallest legal subdivision)	•••••••
R. 1W W. M., in the county of Washington	
5. The pipeline to be 120 feet (Main ditch, canal or pipe line)	
in length, terminating in the SWINKI of Sec. 15, Tp. 2S (Smallest legal subdivision)	or S.)
R, W. M., the proposed location being shown throughout on the accompanying	
DESCRIPTION OF WORKS	
Diversion Works—	
6. (a) Height of dam feet, length on top feet, length a	t bottom
feet; material to be used and character of construction	
rock and brush, timber crib, etc., wasteway over or around dam)	
(b) Description of headgate(Timber, concrete, etc., number and size of openings)	
(c) If water is to be pumped give general description one pump325 gal. p.h. turbine (Size and type of pump)	
PACO PUMP. 14.P. electric motor, total suction lift-8fttotal discharge lift (Size and type of engine or motor to be used, total head water is to be lifted, etc.)	t-30ft.
pump to be stationary.	

^{*} A different form of application is provided where storage works are contemplated.

^{**} Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

_	-	_	er line)	•
housand feet.	feet; depth of u	ater	feet; grade	feet fall per or
(b) At		miles from	headgate: width on top (at wat	er line)
	feet; width on b	ottom	feet; depth of u	vater fee
rade	feet fall	per one the	usand feet.	
(c) Lengt	th of pipe,120	ft. ft	.; size at intake, 1½	in; size at40
om intake	3/4 in.; s	rize at place	of usein.; dif	ference in elevation betwe
ntake and place	e of use,3 <u>8</u>	} ft.	Is grade uniform?yes	Estimated capaci
<u>.056</u>	sec. ft.			
		rigated, or	place of use	
	Range			Number Acres
Township	E. or W. of Willamette Meridian	Section	Forty-acre Tract	To Be Irrigated
25	lW	15	$SW_{4}^{1}NE_{4}^{1}$	3.5
•				,
		_		
	,		,	
		(If more space	required, attach separate sheet)	
(a) Chare	acter of soilWa	pato clay	and Willamette loam	
, ,	•		garden & pasture	
			Revivering basining	
ower or Mining		nner to he d	eveloped	theoretical horsenous
, ,			-	-
		•	or powers	ec. jt.
(c) To	otal fall to be util	ized	feet.	
(d) Th	ne nature of the w	orks by mea	ens of which the power is to be a	leveloped
			· · · · · · · · · · · · · · · · · · ·	••••••
(e) Si	ich works to be lo	cated in	(Legal Subdivision)	of Sec.
	, R(No. E. c			
			stream?(Yes or No)	
			(Yes or No) oint of return	
	•		•	
	·····	DEC	, Tp. (No. N. or S.)	(No. E. or W.)
			e applied is	

Mumerpar or	Domestic Suppry—
10. (a)) To supply the city of
(Nar	
(-134	ated population of in 19
(b,) If for domestic use state number of families to be supplied
	(Answer questions 11, 12, 13, and 14 in all cases)
11. Es:	timated cost of proposed works, \$.300.00
	nstruction work will begin on or before August 15, 1950
	nstruction work will be completed on or before Sept 1, 1950
	e water will be completely applied to the proposed use on or before Sept.15, 1950
	George U. Benz (Signature of applicant)
	Mrs. Margaret S. Benz
ashington eginning a re east li 595.1 fee	ok Farm, a duly recorded subdivision in section 15, T2S, R 1W, W.M. in County, Oregon, and more particularly described as follows, to wit: at the northeast corner of said lot #21 and running thence south along me of lot 21 a distance of 294.2 feet to an iron pipe; thence N85°27! at to an iron pipe on the west line of lot; thence north 248.0 feet to est corner of lot 21; thence east along the north line of lot 21 to the
lace of be for 10t 22 if the sout of 22 to tine of lothich an ir	eginning, being the said northeast corner of lot 21; and all of that part in Willow-Brook Farm subdivision described as follows, to wit: Beginning theast corner of lot 22 and running thence west along the south line of the southwest corner of lot 22 and running thence north along the west 22 a distance of 130.3 feet to a point on the west line of lot 22 from con pipe bears S77°32'E 20.5 feet; thence S77°32'E 607.8 feet to the said eginning, being the southeast corner of said lot 22.
lace of be for 10t 22 it the sout ot 22 to tine of lot nich an ir lace of be	n Willow-Brook Farm subdivision described as follows, to wit: Beginning theast corner of lot 22 and running thence west along the south line of the southwest corner of lot 22 and running thence north along the west 22 a distance of 130.3 feet to a point on the west line of lot 22 from con pipe bears S77°32'E 20.5 feet; thence S77°32'E 607.8 feet to the said
Lace of be lace of lot 22 is the sout of 22 to the lace of be	In Willow-Brook Farm subdivision described as follows, to wit: Beginning theast corner of lot 22 and running thence west along the south line of the southwest corner of lot 22 and running thence north along the west 22 a distance of 130.3 feet to a point on the west line of lot 22 from con pipe bears \$77°32'E 20.5 feet; thence \$77°32'E 607.8 feet to the said eginning, being the southeast corner of said lot 22.
Lace of be lot 22 in the sout of 22 to the lot lot lot lot lot lot lace of be	In Willow-Brook Farm subdivision described as follows, to wit: Beginning theast corner of lot 22 and running thence west along the south line of the southwest corner of lot 22 and running thence north along the west 22 a distance of 130.3 feet to a point on the west line of lot 22 from on pipe bears \$77°32'E 20.5 feet; thence \$77°32'E 607.8 feet to the said eginning, being the southeast corner of said lot 22.
Lace of be lot 22 in the sout of 22 to the lot lot lot lot lot lot lace of be	In Willow-Brook Farm subdivision described as follows, to wit: Beginning theast corner of lot 22 and running thence west along the south line of the southwest corner of lot 22 and running thence north along the west 22 a distance of 130.3 feet to a point on the west line of lot 22 from 20 pipe bears S77°32'E 20.5 feet; thence S77°32'E 607.8 feet to the said eginning, being the southeast corner of said lot 22.
Lace of be lot 22 in the sout of 22 to the lot lot lot lot lot lot lace of be	In Willow-Brook Farm subdivision described as follows, to wit: Beginning theast corner of lot 22 and running thence west along the south line of the southwest corner of lot 22 and running thence north along the west 22 a distance of 130.3 feet to a point on the west line of lot 22 from 20 pipe bears \$77°32'E 20.5 feet; thence \$77°32'E 607.8 feet to the said againing, being the southeast corner of said lot 22.
ace of be lot 22 if the sout of 22 to the sout of lot ich an ir lace of be	In Willow-Brook Farm subdivision described as follows, to wit: Beginning theast corner of lot 22 and running thence west along the south line of the southwest corner of lot 22 and running thence north along the west 22 a distance of 130.3 feet to a point on the west line of lot 22 from 20 pipe bears S77°32'E 20.5 feet; thence S77°32'E 607.8 feet to the said aginning, being the southeast corner of said lot 22.
lace of be lot 22 if the sout of 22 to the ne of lot nich an ir lace of be	n Willow-Brook Farm subdivision described as follows, to wit: Beginnin theast corner of lot 22 and running thence west along the south line of the southwest corner of lot 22 and running thence north along the west 22 a distance of 130.3 feet to a point on the west line of lot 22 from on pipe bears S77°32'E 20.5 feet; thence S77°32'E 607.8 feet to the said aginning, being the southeast corner of said lot 22.
Lace of be lot 22 it the sout of 22 to the lot ine of lot lace of be	in Willow-Brook Farm subdivision described as follows, to wit: Beginning theast corner of lot 22 and running thence west along the south line of the southwest corner of lot 22 and running thence north along the west 22 a distance of 130.3 feet to a point on the west line of lot 22 from ron pipe bears \$77°32'E 20.5 feet; thence \$77°32'E 607.8 feet to the said aginning, being the southeast corner of said lot 22.
Lace of be lot 22 in the sout of 22 to the sout of lot in an ir lace of be	in Willow-Brook Farm subdivision described as follows, to wit: Beginnin cheast corner of lot 22 and running thence west along the south line of the southwest corner of lot 22 and running thence north along the west 22 a distance of 130.3 feet to a point on the west line of lot 22 from non pipe bears S77°32'E 20.5 feet; thence S77°32'E 607.8 feet to the said aginning, being the southeast corner of said lot 22.
Lace of be lot 22 in the sout of 22 to the sout of lot in an ir lace of be	In Willow-Brook Farm subdivision described as follows, to wit: Beginning the corner of lot 22 and running thence west along the south line of the southwest corner of lot 22 and running thence north along the west 22 a distance of 130.3 feet to a point on the west line of lot 22 from on pipe bears S77° 32'E 20.5 feet; thence S77° 32'E 607.8 feet to the said aginning, being the southeast corner of said lot 22.
lace of be for 10t 22 it the sout of 22 to tine of lot nich an ir lace of be	In Willow-Brook Farm subdivision described as follows, to wit: Beginning theast corner of lot 22 and running thence west along the south line of the southwest corner of lot 22 and running thence north along the west 22 a distance of 130.3 feet to a point on the west line of lot 22 from on pipe bears S77°32'E 20.5 feet; thence S77°32'E 607.8 feet to the said aginning, being the southeast corner of said lot 22.
Lace of be lace of be lace of lot 22 to the sout ine of lot lace of be	In Willow-Brook Farm subdivision described as follows, to wit: Beginnin theast corner of lot 22 and running thence west along the south line of the southwest corner of lot 22 and running thence north along the west; 22 a distance of 130.3 feet to a point on the west line of lot 22 from on pipe bears S77° 32'E 20.5 feet; thence S77° 32'E 607.8 feet to the said aginning, being the southeast corner of said lot 22. **DREGON,** SS.**
Lace of be for 10t 22 it the sout of 22 to the sout of 10t ine of 10t ine of 10t ine of be for an ir lace of be for a fo	In Willow-Brook Farm subdivision described as follows, to wit: Beginnin theast corner of lot 22 and running thence west along the south line of the southwest corner of lot 22 and running thence north along the west; 22 a distance of 130.3 feet to a point on the west line of lot 22 from on pipe bears S77° 32'E 20.5 feet; thence S77° 32'E 607.8 feet to the said aginning, being the southeast corner of said lot 22. **DREGON,** SS.**
lace of be for 10t 22 It the sout of 22 to the ine of lot ine of lot ine of be for an ir lace of be for a fo	The Willow-Brook Farm subdivision described as follows, to wit: Beginnin theast corner of lot 22 and running thence west along the south line of the southwest corner of lot 22 and running thence north along the west 22 a distance of 130.3 feet to a point on the west line of lot 22 from on pipe bears S77° 32'E 20.5 feet; thence S77° 32'E 607.8 feet to the said aginning, being the southeast corner of said lot 22. **DREGON,** SS. Marion,** Ss. Marion,** Ss. Marion,** Ss. Marion,** Ss. Marion,** Ss. Marion,** Ss. Marion,** Ss. Marion,** Ss. Marion,** Ss. Marion,** Ss. Marion,** Ss. Marion,** Ss. Marion,** Ss. Marion,** Ss. Marion,** Ss. Marion,** Ss. Marion,** Ss. Marion,** Ss. Marion,** Ss. Marion,** Ss. Marion,** Ss. Marion,** Marion,** Ss. Marion,** Mari
lace of be for 10t 22 it the sout of 22 to the ine of lot ine of lot ine of be for an ir lace	The Willow-Brook Farm subdivision described as follows, to wit: Beginnin theast corner of lot 22 and running thence west along the south line of the southwest corner of lot 22 and running thence north along the west 2.2 a distance of 130.3 feet to a point on the west line of lot 22 from on pipe bears S77° 32'E 20.5 feet; thence S77° 32'E 607.8 feet to the said aginning, being the southeast corner of said lot 22. **DREGON,** OREGON,** Ass.** Marion,** **Ss.** Marion,** **Ss.** Marion,** **Location application, together with the accompanying the southeast corner application, together with the accompanying to certify that I have examined the foregoing application, together with the accompanying the southeast corner application, together with the accompanying to certify that I have examined the foregoing application, together with the accompanying the southeast corner and said application, together with the accompanying the southeast corner and said application, together with the accompanying the southeast corner and said application, together with the accompanying the southeast corner and said application, together with the accompanying the southeast corner and said application, together with the accompanying the southeast corner and said application, together with the accompanying the southeast corner and said application, together with the accompanying the southeast corner and said application.
lace of be f lot 22 I t the sout ot 22 to t ine of lot hich an ir lace of be TATE OF C County of This is haps and dat In orde	The Willow-Brook Farm subdivision described as follows, to wit: Beginnin theast corner of lot 22 and running thence west along the south line of he southwest corner of lot 22 and running thence north along the west 22 a distance of 130.3 feet to a point on the west line of lot 22 from on pipe bears S77°32'E 20.5 feet; thence S77°32'E 607.8 feet to the said aginning, being the southeast corner of said lot 22. **DREGON** Ss. Marion** Marion** Ss. Marion** Ss. Marion** The description of the same for Marion** Marion** Said return the same for Marion** Marion** Said return the same for Marion** Said Ret

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No						
	This instrument was first received in the office of the State Engineer at Salem, Oregon,						
	on the 10th day of August,						
	19.50, at 1:00 o'clock P. M.						
	Returned to applicant:						
	Corrected application received:						
	Approved:						
•	January 31, 1951	•					
	Recorded in book No. 48 of						
	Permits on page19762						
	CHAS. E. STRICKLIN						
	Drainage Basin No. 2 Page 62 T	ý.					
	Fees Paid15.00						
	•						
STATE OF OREGON,	PERMIT						
County of Marion, ss. This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:							
The right herein grant	ed is limited to the amount of water which can	be applied to beneficial use					
and shall not exceedQ.Q4.	cubic feet per second measured at the	point of diversion from the					
stream, or its equivalent in c	ase of rotation with other water users, from	an unnamed creek					
The use to which this	water is to be applied isirrigation						
second or its equivale	opropriation shall be limited to1/80thent for each acre irrigated and shall be	pe further limited to a					
	eed 21 acre feet per acre for each ac						
_	ch year,						
and shall be subject to such 1	easonable rotation system as may be ordered by	y the proper state officer.					
The priority date of th	nis permit is August 10, 1950						
Actual construction w	ork shall begin on or beforeJanuary 31.	1952 and shall					
0-1-1 1 1000	h reasonable diligence and be completed on or i	before					
•	of the water to the proposed use shall be made	on or before					
October 1, 1953							
•	uis 31st day of January						
· · · · · · · · · · · · · · · · · · ·	CHAS. E. STRIC	•					
	······································	STATE TO CINTED					