

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Glenn Crisell (Name of applicant) of Route 2 - Aurora (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Willamette River (Name of stream), a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.82 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 800 ft. N. and 1100 ft. W. from the SE corner of Sec. 22, T. 3 S., R. 1 W., W. M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 SE 1/4 of Sec. 22, Tp. 3 S., R. 1 W., W. M., in the county of Clackamas

5. The Pipe line to be 1900' in length, terminating in the of Sec. of Tp. R. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam none feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 20 H. P. Electric (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

App. 34 10 - g.p.m. sprinklers

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1900 ft.; size at intake, 5 in; size at ft. from intake in.; size at place of use 3 in.; difference in elevation between intake and place of use, 51 ft. Is grade uniform? No Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
3 S	1 W	22	SE $\frac{1}{4}$ SE $\frac{1}{4}$	10.2
			SW $\frac{1}{4}$ SE $\frac{1}{4}$	4.9
		27	NW $\frac{1}{4}$ NE $\frac{1}{4}$	23.8
			NE $\frac{1}{4}$ NE $\frac{1}{4}$	17.7
			SW $\frac{1}{4}$ NE $\frac{1}{4}$	6.6
			SE $\frac{1}{4}$ NE $\frac{1}{4}$	0.9
				<u>64.1</u>

Property on which water is to be used is a part of that more explicitly described by applicant as follows:

An undivided one-half of the following:
Beginning at an iron pipe on the South line of Section 27, Tp. 3 S, R. 1 West of the Willamette Meridian, that is 573.54 feet East of the quarter Section corner between Sections 27 and 31 of Tp. 3 South, of Range 1 West of the Willamette Meridian; thence East 362.01 feet along the South line of said Section 27 to a point; thence North 32 degrees 51' East 707.67 feet to a point; thence North 3114.76 feet to
(contd. under Remarks:) (If more space required, attach separate sheet)

(a) Character of soil Willamette loam

(b) Kind of crops raised Pasture & Alfalfa

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 3500.00

12. Construction work will begin on or before One year from approval date

13. Construction work will be completed on or before two years " " "

14. The water will be completely applied to the proposed use on or before Three years
from approval date

(Sgd) Glenn Crisell
(Signature of applicant)

Remarks: (Continued from Item 8)

an iron pipe; thence North 54 degrees 10' East 811.09 feet to a point; thence North 2195.18 feet to a point on the South side of the Willamette River; Thence following the South side of the Willamette River upstream South 73 degrees 48' West 395.43 feet to a point; thence continuing along the South side of the Willamette River upstream 57 degrees 00' West 1582 feet to a point; thence South 19 degrees 00' East 316.34 feet to a point; thence East 198.00 feet to a point; thence South 5109.72 feet to the point of beginning; containing 123.73 acres, more or less.

Also beginning at a point on the South line of Section 27, Tp. 3 S. of R. 1. West of the Willamette Meridian, that is 535.26 feet West of the quarter Section corner between Sections 27 and 34, T. 3 South, R. 1 West, of the Willamette Meridian; thence North 827.97 feet to a point; thence West 1841.40 feet to a point; thence South 827.97 feet to a point on the South line of Section 27, tp. 3 South, R. 1 West of the Willamette Meridian; thence East 1841 feet to the point of beginning, containing 34.54 acres, more or less.

Also a strip of lane 20 feet wide to be used as and for a roadway described as follows, to-wit: Beginning at the quarter section corner between Sections 27 and 34, T. 3 S., R. 1 West of the Willamette Meridian; thence West 535.26 feet to a point; thence North 20 feet to a point; thence East 1108.80 feet to a point; thence South 20 feet to an iron pipe; thence West 573.54 feet to the place of beginning.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

Application No. 25136

Permit No. 19777

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 15 day of August, 1950, at 11:10 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

January 31, 1951

Recorded in book No. 48 of

Permits on page 19777

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 64 C.

Fees Paid 20.25

PERMIT

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.802 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Willamette River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 15, 1950

Actual construction work shall begin on or before January 31, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 31st day of January, 1951.

CHAS. E. STRICKLIN STATE ENGINEER