

\* APPLICATION FOR PERMIT

CERTIFICATE NO. 24640  
51122

To appropriate the Public Waters of the State of Oregon

I, Carl I. Bloom (Name of applicant)  
of Box 151 Rt #1 Colton (Mailing address),  
State of Oregon, do hereby make application for a permit to appropriate the  
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Bee Creek (Name of stream)  
(trib. of Canyon Creek), a tributary of Mollala River

2. The amount of water which the applicant intends to apply to beneficial use is 0.125  
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 420 ft. N and 1254 ft. W from the SE  
corner of NE 1/4 SE 1/4 of Sec. 2, T. 5S., R. 3E., W.M. (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 SE 1/4 of Sec. 2, Tp. 5S, R. 3E, W.M., in the county of Clackamas

5. The main pipe line to be 800 ft. in length, terminating in the NW 1/4 SE 1/4 of Sec. 2, Tp. 5S, R. 3E, W.M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 2 feet, length on top 30 feet, length at bottom 12 feet; material to be used and character of construction logs and earth fill, wasteway over dam

(b) Description of headgate

(c) If water is to be pumped give general description

1 h.p. electric motor; head of 10 ft. size and type of pump undetermined

\* A different form of application is provided where storage works are contemplated.

\*\* Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 1100 ..... ft.; size at intake, ..... in.; size at 800 ..... ft. from intake ..... 3 ..... in.; size at place of use ..... 3 ..... in.; difference in elevation between intake and place of use, 10 ..... ft. Is grade uniform? Yes ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
5 S	3 E	2	NW $\frac{1}{4}$ SE $\frac{1}{4}$	10

(If more space required, attach separate sheet)

(a) Character of soil ..... Willamette loam .....  
 (b) Kind of crops raised ..... grass crops .....

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.  
 (b) Quantity of water to be used for power ..... sec. ft.  
 (c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....  
 (e) Such works to be located in ..... of Sec. ....  
(Legal Subdivision)

Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)  
 (g) If so, name stream and locate point of return .....  
 Sec. ...., Tp. ...., R. ...., W. M.  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....  
 (i) The nature of the mines to be served .....

Municipal or Domestic Supply—

10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 2000 <sup>00</sup>.....

12. Construction work will begin on or before 1 yrs from approval date .....

13. Construction work will be completed on or before 2 years " " " .....

14. The water will be completely applied to the proposed use on or before 3 yrs " " .....

Carl I Bloom

(Signature of applicant)

Remarks: .....

STATE OF OREGON, {  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

Application No. 25253

Permit No. 19838

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 11th day of September 1950, at 1:32 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

January 31, 1951

Recorded in book No. 48 of

Permits on page 19838

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 32F

Fees Paid 15.00

PERMIT

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.125 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Bee Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is September 11, 1950

Actual construction work shall begin on or before January 31, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952 Extended to Oct. 1, 1953 Extended to Oct. 1, 1955

Complete application of the water to the proposed use shall be made on or before October 1, 1953 Extended to Oct. 1, 1954 Extended to Oct. 1, 1955

WITNESS my hand this 31st day of January, 19 51

CHAS. E. STRICKLIN STATE ENGINEER