* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I,	Harold Fogg	/NTown of own		
of	Route 3 Bx 127			
State of	(Mailing address Oregon	•	make application f	or a permit to appropriate the
	lescribed public waters of	,		
	e applicant is a corporation	,		
-, 0.00	c upprecure to a corporation	i, give auto una piac	•	·
1 7	he source of the proposed a	innronriation is	killam Creek	
			·(Na:	me of stream)
		, a tributary	ofTillamook	River
2. T	he amount of water which	the applicant intend	s to apply to benef	icial use is
cubic feet p	oer second	Portable pump	ing more than one source, give	quantity from each)
**3. T	he use to which the water			
0. 1.		to to be applied in	(Irrigation, power, mining,	manufacturing, domestic supplies, etc.)
		286-28	N 1205.5	
4. T	he point of diversion is loc	cated 700.47 ft	N and 350.1	53 E 43ft. E from the N.E.
corner of	SE4 of the SW4 se	ction 16.Twp.2.S	8.R.9.W.W.M. Til	llamook, Oregon
		(Section or	subdivision)	
	***************************************	··		
	•••••		***************************************	
	(If pre	ferable, give distance and bea	ring to section corner)	,
	(If there is more than one poi	int of diversion, each must be	described. Use separate sho	eet if necessary)
being withi	n the The Nort West 1	of the South Es	ast $\frac{1}{4}$ of Sec. 16	, Tp. 2.S.
R 9.W.	Give smalle, W. M., in the county	est legal subdivision)		(N. or S.)
(E. or W	.)		•••••••••••••••••••••••••••••••••••••••	(00.0)
	he <u>pipe line</u>	, canal or pipe line)	to be	690 ft (Miles or feet)
in length, t	terminating in the NW1	of the SE_4^1	of Sec. 16	Tp. 2.S. (N. or S.)
(E, or	w.)	sed tocation being si	nown throughout o	on the accompanying map.
		DESCRIPTION OF	WORKS	
Diversion V	Works—			
6. (a) Height of damNone	feet, lengt	h on top	feet, length at bottom
	feet: material to be u	ised and character o	of construction	(Loose rock, concrete, masonry,
•	imber crib, etc., wasteway over or arou			•
(b) I	Description of headgate	(Timbe	er concrete etc. number en	d size of openings)
		(1 mbe	, conceve, esc., number an	va vyvgg/
(c) I	f water is to be pumped a	ive general descript	ion $1\frac{1}{2}$ by 5	h.p. l.phase pump
	tor. Electrical. to		(•	size and type of pump)
and mo	(Size and type of	engine or motor to be used, to	tal head water is to be lifted	, etc.)
			•	

^{*} A different form of application is provided where storage works are contemplated

headgate. At hea	dgate: width on	top (at wate	r line)	feet; width on botto
***************************************	feet; depth of u	ater	feet; grade	feet fall per or
thousand feet. (b) At	••••	miles from h	eadgate: width on top (at wa	ter line)
			feet; depth of a	·
grade	feet fall	per one thou	ısand feet.	
(c) Length	of pipe, 690)ft.;	size at intake,!i"	in; size at 690
from intake3	in.; s	rize at place	of usein.; di	ference in elevation betwee
intake and place	of use, averag	ge 40 ft. 1	Is grade uniform?yes	Estimated capacit
• 14	sec. ft.			
8. Location	ı of area to be ir	rigated, or p	lace of use	
Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 .5.	9.W.	16	\mathbb{N}_{4}^{1} of the $\mathbb{S}\mathbb{E}_{2}^{1}$	26.7
2.S.	9.W.	16	SW2 of the NE2	5.6
			Total	32.3
The south fir	tv acres. mo	re or less.	of the following tract	of land:
			outh and 73 rods west of	·
_			Claim in Section 16, To	
			t to the center of the pr	
			Donation Land Claim, th	
			said Donation Land Claim	
1			of the Killam Donation	
North to the				
		(If more space r	required, attach separate sheet)	
(a) Charac	rter of soil		ck prarie	
, ,	-		ss	
			, , , , , , , , , , , , , , , , , , ,	
Power or Mining $9. (a)$ Tot		wer to be de	veloped	theoretical horsepowe
(b) Qu	antity of water t	o be used for	- powers	ec. ft.
			feet.	•
			(Head) as of which the power is to be	developed
(e) Suc	h works to be lo	cated in	(Legal Subdivision)	of Sec
[p				
•			ream?(Yes or No)	
\• <i>*</i>			int of return	
(g) If s		-	•	
		Sec	, Tp(No. N. or S.)	, R, W. M

_	or Domestic Supply—
10.	(a) To supply the city of
••••••	
nd an est	timated population of in 19
	(b) If for domestic use state number of families to be supplied
	(Answer questions 11, 12, 13, and 14 in all cases)
11.	Estimated cost of proposed works, \$ 1500.
12.	Construction work will begin on or beforeJune_1951
	Construction work will be completed on or before June 1952
14.	The water will be completely applied to the proposed use on or beforeJune 1952.
	(Sgd) Harold Fogg (Signature of applicant)
Ren	narks: \$\\$4" main line with 3" laterals 580 ft of laterals.
	The pump will be moved between the points shown on the map.
•••••	
	······································

•••••	

***************************************	· · · · · · · · · · · · · · · · · · ·
••••••	
TATE O	F OREGON, ss. of Marion, sis to certify that I have examined the foregoing application, together with the accompanyi
aps and	data, and return the same for
	rder to retain its priority, this application must be returned to the State Engineer, with corre
In o	
	r before, 19

Application .	No. 25261
Permit No	19844

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on the 15th day of September	
	19.50 , at 8:00 o'clock A. M.	
	Returned to applicant:	
	Corrected application received:	
	Ammonad	
	Approved: January 31, 1951	
	Recorded in book No. 48 of	
	Permits on page 19844	•
	CHAS. E. STRICKLIN STATE ENGINEER	
,	Drainage Basin No. 1 Page 18 A	
	Fees Paid15.35	
STATE OF OREGON,	PERMIT	
County of Marion, ss This is to certify tha	t I have examined the foregoing application a LIGHTS and the following limitations and condi	nd do hereby grant the same,
	ted is limited to the amount of water which ca	
and shall not exceed 0.14	Ohcubic feet per second measured at th	e point of diversion from the
stream, or its equivalent in	case of rotation with other water users, from	Killam Creek
The use to which this	water is to be applied is irrigation	<u></u>
	ppropriation shall be limited to 1/80th nt for each acre irrigated and shall b	
	xceed $2\frac{1}{2}$ acre feet per acre for each a	
irrigation season of	each year,	
	· · · · · · · · · · · · · · · · · · ·	
	· · · · · · · · · · · · · · · · · · ·	
	reasonable rotation system as may be ordered b	y the proper state officer.
The priority date of t	his permit is September 15, 1950	
Actual construction u	oork shall begin on or before January 31	, 1952 and shall
thereafter be prosecuted wi	th reasonable diligence and be completed on or	before
October 1, 1952	·	
	of the water to the proposed use shall be made	on or before
WITNESS my hand t	his 31st day of January	
•	CHAS. E. STRI	CKLIN STATE ENGINEER