CERTIFICATE NO. 2014-0

* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, J. A. Jaross (Name of applicant)	••••••					
of Rte. 3 Box 207 Hillsboro	,					
State ofOregon, do hereby make application for a permit to approp						
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:						
If the applicant is a corporation, give date and place of incorporation						
1. The source of the proposed appropriation is McKay Creek (Name of stream)						
trib. to Dairy Cr. , a tributary of Tualatin River	***************************************					
2. The amount of water which the applicant intends to apply to beneficial use is						
cubic feet per second. (If water is to be used from more than one source, give quantity from each)	······································					
**3. The use to which the water is to be applied is	ies, etc.)					
4. The point of diversion is located 660 ft. N and 1188 ft. W from th	e 🗓 corne					
corner of between Sec 19 & 24 (Section or subdivision)	······································					
(If preferable, give distance and bearing to section corner)						
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the	or S.)					
R. 3 W., W. M., in the county of Washington.						
5. The pipe line to be 400 (Miles or feet)						
(Main ditch, canal or pipe line) in length, terminating in the $SW_{\frac{1}{2}}^{\frac{1}{2}}$ NE $\frac{1}{2}$ Of Sec. 24, Tp. 1 N (N.	or 5)					
R						
DESCRIPTION OF WORKS						
Diversion Works—						
6. (a) Height of dam None feet, length on top feet, length a	t bottom					
feet; material to be used and character of construction(Loose rock, concre	ete, masonry,					
rock and brush, timber crib, etc., wasteway over or around dam)						
(b) Description of headgate						
(c) If water is to be pumped give general description 3" x 2" cent. pump						
3 HP electric motor; 80 gpm.; (Size and type of engine or motor to be used, total head water is to be lifted, etc.)						
15 foot head; 15 sprinklers						

[•] A different form of application is provided where storage works are contemplated.

^{**} Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System	n or Pipe Line—			\
7. (a)	Give dimensions a	t each point of	canal where materially chan	aged in size, stating miles f $m{r}$ om
headgate. At	t headgate: width o	n top (at water	r line)	feet; width on bottom
	feet; depth of	wate r	feet; grade	feet fall per one
thousand fee (b) At		miles from h	eadgate: width on top (at wo	iter line)
	feet; width on l	bottom	feet; depth of	water feet;
grade	feet fal	ll per one thou	sand feet.	
(c) Le	ength of pipe,	900 ft.;	size at intake,3	in; size at500 ft.
from intake .	2 in.;	size at place o	of usein.; di	fference in elevation between
intake and p	lace of use,15	ft. I	s grade uniform? Yes	Estimated capacity,
80 gpm	1s ec. ft .		•	
8. Loc	eation of area to be	irrigated, or pl	ace of use total of	acres
Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
1 N	3 W	24	SW ¹ / ₄ NE ¹ / ₄	2.0
			$\begin{array}{c c} SN_4 & NE_4 \\ SE_4^{\underline{1}} & NE_4^{\underline{1}} \end{array}$	9.42
		<u> </u>	NET SET	2.0
			NW4 SE4	1.0
	n which water is as follows:	s to be used	is a part of that more	explicitly described by
Part of th	e Wm. Jolly D.L	C. No. 74 in	Section 24, TlN. R3W.W	M. Washington County.
Oregon, an	d more particula	arly describ	ed as follows: Beginni	ng at a point in the
center of	County Road #27	l, which beg	inming point bears S. 8 southeast corner of the	9° 42' W. 1504.0 feet
No. 69 in	Section 19, TIN	.R2W. W.M. a	nd from which beginning	point an iron pipe
bears N. 8	6° 46' E. 26.6	feet. Runni	ng thence N. 86° 46' E.	114.8 feet to an iron
to an iron	pipe; thence N	. 36° E. 515	o an iron pipe; thence . O feet to an iron rod;	thence N. 9° 28' E.
257.0 feet	to an iron pip	e on the lef	t bank of McKay Creek;	thence continuing N.
			enter of said creek; th ts meanderings thereof,	
with the c	enter of said C	ounty Road #	217(the approximate cou	rses and distances
(a) C	baracter of soil		equired, attach separate sheet) (C	continued under Remarks)
` ,	•			
(b) K	ina of crops raisea .			•••••••••••••••••••••••••••••••••••••••
	ning Purposes—			
				theoretical horsepower.
		-	power	sec. ft.
(c)	Total fall to be ut	ilized	feet.	
(d)	The nature of the v	vorks by mean	s of which the power is to be	developed
(a)	Such works to he	located in		of Sec,
				,
	or S.) R. (No. E			
(f)	Is water to be retu	rned to any st	ream?(Yes or No)	
***************************************		., Sec	, Tp(No. N. or S.)	, R, W. M.
(h)	The use to which p	power is to be	applied is	
<i>(i)</i>	The nature of the n	nines to be seri	ved	

	(a) To supply the city of
	County, having a present population of
	stimated population ofin 19
	(b) If for domestic use state number of families to be supplied
	(Answer questions 11, 12, 13, and 14 in all cases)
11	Estimated cost of proposed works, \$ 150000
	Construction work will begin on or beforel. year from approval date
	Construction work will be completed on or before 2 yrs " "
14.	The water will be completely applied to the proposed use on or before3. yrs. from approve
	J. A. Jaross (Signature of applicant)
Re	marks: (Continued from Item 8)
76° 40° S. 5° V and S. E. alor W. 23.6 1st Tra R. 3 W. the cra old swa to the for mil 2nd Tra R. 3 W.	feet, N. 25° 35' W. 102 feet, N. 36° 30' E. 162 feet, N. 8° E. 68 feet, N. W. 65 feet, S. 52° W. 233 feet, S. 37° W. 152 feet, S. 8° 30' E. 106 feet, V. 125 feet, S. 30° W. 358 feet, S. 5° E. 192 feet, S. 67° 30' E. 180 feet 22° 45' W. 143 feet to a point in the center of said road); thence S. 33° 10' ag the center of said road 142.4 feet to an angle in same; thence S. 0° 25' are feet to the place of beginning. Containing 11.85 Acres, more or less, so feet to the place of beginning. Containing 11.85 Acres, more or less, thence S. 75 deg. E. 5.50 chs. to an old dead yew tree on the west bank of sek; thence N. 22 deg. E. 3.80 chs., more or less, to the N.E. corner of the awmill; thence S. 87 deg. 30' W. 2.00 chs.; thence S. 52 deg. 30' W. 5.31 chs. place of beginning, containing 1.79 acres, more or less, and being set a part 1 purposes; also water privilege thereto belonging. 1. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
the S.H beginni 3rd Tra Hillsbo Bennett of the thence 30! E. 57.deg.	y along said line to the creek; thence up the main channel of the creek to be corner of the Mill plat; thence along the said mill plat to the place of any, containing 4 acres, more or less. Commencing at a post in the center of the County Road leading from the corner of lence on the line between the land of E. F. McNalley and said Silas and N. 85 deg. 30' W. (Mag.var. 20 deg. E) 2.16 chs. from the S.W. corner Masonic Cemetery in Sec. 24, T. 1 N. R. 3 W. in Washington County, Oregon; S. 46 deg. 30' E. 12.22 chs. to a post in the County road; thence N. 16 deg. 2.66 chs. to the S. line of land formerly owned by B. O. Thorne; thence N. 30' W. on said line 11 chs.; thence N. 85 deg. 30' W. 27 links to the place nning, containing 1.61 acres.
the S.H beginni 3rd Tra Hillsbo Bennett of the thence 30! E. 57.deg.	corner of the Mill plat; thence along the said mill plat to the place of the containing 4 acres, more or less. Commencing at a post in the center of the County Road leading from the control of lencoe on the line between the land of E. F. McNalley and said Silas and N. 85 deg. 30' W. (Mag.var. 20 deg. E) 2.16 chs. from the S.W. corner Masonic Cemetery in Sec. 24, T. 1 N. R. 3 W. in Washington County, Oregon; S. 46 deg. 30' E. 12.22 chs. to a post in the County road; thence N. 16 deg. 2.66 chs. to the S. line of land formerly owned by B. O. Thorne; thence N. 30' W. on said line 11 chs.; thence N. 85 deg. 30' W. 27 links to the place nning, containing 1.61 acres.
the S.H beginni 3rd Tra Hillsbo Bennett of the thence 30! E. 57.deg.	decorner of the Mill plat; thence along the said mill plat to the place of the containing 4 acres, more or less. The commencing at a post in the center of the County Road leading from the control of the county Road leading from the control of the county Road leading from the count of the county and said Silas and N. 85 deg. 30' W. (Mag.var. 20 deg. E) 2.16 chs. from the S.W. corner Masonic Cemetery in Sec. 24, T. 1 N. R. 3 W. in Washington County, Oregon; S. 46 deg. 30' E. 12.22 chs. to a post in the County road; thence N. 16 deg. 2.66 chs. to the S. line of land formerly owned by B. O. Thorne; thence N. 30' W. on said line 11 chs.; thence N. 85 deg. 30' W. 27 links to the place nning, containing 1.61 acres.
the S.E beginni 3rd Tra Hillsbo Bennett of the thence 30' E. 57.deg. of begi	orner of the Mill plat; thence along the said mill plat to the place of the containing 4 acres, more or less. The commencing at a post in the center of the County Road leading from the count of the county Road leading from the total count of the county Road leading from the total count of the county Road leading from the total count of the county and said Silas and N. 85 deg. 30' W. (Mag.var. 20 deg. E) 2.16 chs. from the S.W. corner Masonic Cemetery in Sec. 24, T. 1 N. R. 3 W. in Washington County, Oregon; S. 46 deg. 30' W. 12.22 chs. to a post in the County road; thence N. 16 deg. 2.66 chs. to the S. line of land formerly owned by B. 0. Thorne; thence N. 30' W. on said line 11 chs.; thence N. 85 deg. 30' W. 27 links to the place unning, containing 1.61 acres. OF OREGON, (ss. 4) are containing 1.61 acres. It is to certify that I have examined the foregoing application, together with the accompanying is is to certify that I have examined the foregoing application, together with the accompanying is to certify that I have examined the foregoing application, together with the accompanying is to certify that I have examined the foregoing application, together with the accompanying is to certify that I have examined the foregoing application, together with the accompanying is to certify that I have examined the foregoing application, together with the accompanying is to certify that I have examined the foregoing application, together with the accompanying is to certify that I have examined the foregoing application, together with the accompanying is to certify that I have examined the foregoing application, together with the accompanying is to certify that I have examined the foregoing application, together with the accompanying is to certify that I have examined the foregoing application.
the S.E beginni 3rd Tra Hillsbo Bennett of the thence 30! E. 57.deg. of beginner The maps and	is corner of the Mill plat; thence along the said mill plat to the place of the tong, containing 4 acres, more or less. In the center of the County Road leading from the toto Glencoe on the line between the land of E. F. McNalley and said Silas and N. 85 deg. 30' W. (Mag.var. 20 deg. E) 2.16 chs. from the S.W. corner Masonic Cemetery in Sec. 24, T. 1 N. R. 3 W. in Washington County, Oregon; S. 46 deg. 30' E. 12.22 chs. to a post in the County road; thence N. 16 deg. 2.66 chs. to the S. line of land formerly owned by B. O. Thorne; thence N. 30' W. on said line 11 chs.; thence N. 85 deg. 30' W. 27 links to the place nning, containing 1.61 acres. OF OREGON, by of Marion, ss. is to certify that I have examined the foregoing application, together with the accompanying data, and return the same for
the S.E beginni 3rd Tra Hillsbo Bennett of the thence 30! E. 57.deg. of beginner The maps and In	in corner of the Mill plat; thence along the said mill plat to the place of ang, containing 4 acres, more or less. In ct: Commencing at a post in the center of the County Road leading from more to Glencoe on the line between the land of E. F. McNalley and said Silas and N. 85 deg. 30' W. (Mag. var. 20 deg. E) 2.16 chs. from the S.W. corner Masonic Cemetery in Sec. 24, T. 1 N. R. 3 W. in Washington County, Oregon; S. 46 deg. 30' E. 12.22 chs. to a post in the County road; thence N. 16 deg. 2.66 chs. to the S. line of land formerly owned by B. O. Thorne; thence N. 30' W. on said line 11 chs.; thence N. 85 deg. 30' W. 27 links to the place anning, containing 1.61 acres. OF OREGON, acres. Ss. 49 of Marion, as is is to certify that I have examined the foregoing application, together with the accompanying a data, and return the same for a corder to retain its priority, this application must be returned to the State Engineer, with correctors are the same for a corder to retain its priority, this application must be returned to the State Engineer, with correctors.
the S.F. beginni 3rd Tra Hillsbo Bennett of the thence 30' E. 57.deg. of begi STATE (Count Th maps and In tions on	is corner of the Mill plat; thence along the said mill plat to the place of the ting, containing 4 acres, more or less. In the center of the County Road leading from the count of the County Road leading from the to the line between the land of E. F. McNalley and said Silas and N. 85 deg. 30' W. (Mag.var. 20 deg. E) 2.16 chs. from the S.W. corner Masonic Cemetery in Sec. 24, T. 1 N. R. 3 W. in Washington County, Oregon; S. 46 deg. 30' E. 12.22 chs. to a post in the County road; thence N. 16 deg. 2.66 chs. to the S. line of land formerly owned by B. O. Thorne; thence N. 30' W. on said line 11 chs.; thence N. 85 deg. 30' W. 27 links to the place nning, containing 1.61 acres. OF OREGON, by of Marion, ss. is to certify that I have examined the foregoing application, together with the accompanying data, and return the same for

Applica	tion No.	25306	·••
Permit	No	19861	

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No District No	
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on the 25th day of September ,	
	1950, at3:55 o'clock P. M.	
	Returned to applicant:	
•	Corrected application received:	
	Approved:	
	January 31, 1951	
	Recorded in book No. 48 of	
	Permits on page 19861	
	CHAS. E. STRICKLIN	
	Drainage Basin No. 2 Page 62-U	
	Fees Paid 15.00	
STATE OF OREGON,	PERMIT	
County of Marion,		•
This is to certify that	I have examined the foregoing application and do IGHTS and the following limitations and conditions	hereby grant the same,
, .	ed is limited to the amount of water which can be	
and shall not exceed 0.1	81 cubic feet per second measured at the point	nt of diversion from the
	ase of rotation with other water users, from McKe	
The use to which this t	water is to be applied isirrigation	
If for irrigation, this apsecondor its equivale	opropriation shall be limited to 1/80th nt for each acre irrigated and shall be fo	of one cubic foot per arther limited to a
•	ceed $2\frac{1}{2}$ acre feet per acre for each acre i	
irrigation season of e	ach year,	·
•	reasonable rotation system as may be ordered by the	
•	is permit is September 25, 1950	
Actual construction we	ork shall begin on or beforeJanuary 31, 1952	and shall
thereafter be prosecuted with October 1, 1952	h reasonable diligence and be completed on or befor	e
·	of the water to the proposed use shall be made on or	· before
October 1, 1953		
WITNESS my hand th	is 31st day of January	, 1951
	CHAS. E. STRICKLI	N STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

State Printing Dept. 44167