

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Fred G. Dick (Name of applicant)
of Star Route South, Tillamook, Oregon (Mailing address),
State of Oregon, do hereby make application for a permit to appropriate the
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed creek (Name of stream)
East Beaver Creek, a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is .01
cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Domestic
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 545.25 ft. N and 1734.5 ft. W from the S.E.
(N. or S.) (E. or W.)
corner of SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ section 18, Twp. 3.S.R. 9.W.W. M. Tillamook, Oregon
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SE $\frac{1}{4}$ of the SW $\frac{1}{4}$ of Sec. 18, Tp. 3.S.,
(Give smallest legal subdivision) (N. or S.)
R. 9.W.M., W. M., in the county of Tillamook
(E. or W.)

5. The Pipe line to be 500 ft
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of Sec. 18, Tp. 3.S.,
(Smallest legal subdivision) (N. or S.)
R. 9.W., W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam one ft feet, length on top 6 ft feet, length at bottom
6 ft feet; material to be used and character of construction Boards and dirt
(Loose rock, concrete, masonry)

Spillway over
rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.
** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
3.S.	9.W.	18	SE $\frac{1}{4}$ SW $\frac{1}{4}$ and SW $\frac{1}{4}$ SE $\frac{1}{4}$	none

Property on which water is to be used is a part of that more explicitly described by applicant as follows:

Beginning at a point which is 654.10 ft North and 1099.69 Ft West of the S.E. corner of the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of section 18, Twp. 3.S.R. 9.W.W.M. Tillamook, Oregon; said point also being in the center of the State Highway 101, and in the center of a small culvert; thence West 553.0 ft; thence N 9-44' W 304.88 ft; thence N 45-00'E 447.27 ft to a hub on the North bank of a small creek and the North line of the SE $\frac{1}{4}$ of the SW $\frac{1}{4}$; thence E 89-30'E 191.64 ft to the center of the State highway; thence following said State Highway S 21-21'E 53.72 ft; thence following a 764. ft Radius curve to the right whose long chord bears S 11-16'E 267.52 ft; thence S 1-11'E 192.2 ft; thence following a 382. ft radius curve to the Left whose long chord bears S 10-39'E 112.45 ft to the place of beginning; containing 6.44 acres more or less and being situated in the SW $\frac{1}{4}$ of the SE $\frac{1}{4}$ of, and the SE $\frac{1}{4}$ of the SW $\frac{1}{4}$ of section 18. T.3.S.R.9.W.W.M.

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied one

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 250.
- 12. Construction work will begin on or before now complete
- 13. Construction work will be completed on or before
- 14. The water will be completely applied to the proposed use on or before

Fred G. Dick
(Signature of applicant)

Remarks: 500 ft on 1" gal pipe is used with a uniform grade and approx 20 ft head.

STATE OF OREGON, {
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

Application No. 25384

Permit No. 19887

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of October, 1950, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

January 31, 1951

Recorded in book No. 48 of Permits on page 19887

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 1 Page 16 C

Fees Paid 20.00

PERMIT

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed creek

The use to which this water is to be applied is domestic

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 24, 1950

Actual construction work shall begin on or before January 31, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1952

Complete application of the water to the proposed use shall be made on or before

October 1, 1953

WITNESS my hand this 31st day of January, 1951.

CHAS. E. STRICKLIN STATE ENGINEER