

APPLICATE NO. ~~726711~~

*** APPLICATION FOR PERMIT**

To Appropriate the Public Waters of the State of Oregon

I, Marcus Dey (Name of applicant)
of Prospect, Star Route, Box 200 (Mailing address),
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Knighton Creek & Spring (Name of stream), a tributary of Rogue River
2. The amount of water which the applicant intends to apply to beneficial use is 0.25 cubic feet per second, being 0.11 c.f.s. from Knighton Creek, and 0.14 c.f.s. from spring (If water is to be used from more than one source, give quantity from each)
- **3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1950 ft. N. and 1350 ft. E. from the W. 1/4 corner of Section 17 (Section or subdivision).
Also 800 feet North and 2500 feet East from West 1/4 cor Sec. 17, from spring.
(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the NE 1/4 NW 1/4 and SE 1/4 NW 1/4 of Sec. 17, Tp. 33S, R. 2 E, W. M., in the county of Jackson
(Give smallest legal subdivision) (N. or S.) (E. or W.)

5. The ditch (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the SE 1/4 SW 1/4 of Sec. 17, Tp. 33 S., R. 2 E., W. M., the proposed location being shown throughout on the accompanying map.
(Smallest legal subdivision) (N. or S.) (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 2 feet, length on top 30 feet, length at bottom feet; material to be used and character of construction
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate lumber box (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description (Size and type of pump)
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 2 feet; width on bottom 1.5 feet; depth of water 1 feet; grade 2 feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in.; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
33 S.	2 E.	17	SE $\frac{1}{4}$ NW $\frac{1}{4}$	7.
			NE $\frac{1}{4}$ SW $\frac{1}{4}$	11.
			SE $\frac{1}{4}$ SW $\frac{1}{4}$	2.
				20
Property on which water is to be used is a part of that more explicitly described by applicant as follows:				
Copy from Warranty Deed			Volume 334, Page 466	
			Jackson County Deed Records	
The Southwest Quarter of the Northeast Quarter, the Southeast Quarter of the Northwest Quarter, the Northeast Quarter of the Southwest Quarter, the Southeast Quarter of the Southwest Quarter, and the Southwest Quarter of the Southeast Quarter of Section 17, in Township 33 South, Range 2 East of Willamette Meridian in Jackson County, Oregon,				

(continued under Remarks) (If more space required, attach separate sheet)

(a) Character of soil black loam

(b) Kind of crops raised clover and hay

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return
....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$...1000.00.....
- 12. Construction work will begin on or before 1 year from date of priority.....
- 13. Construction work will be completed on or before 2 years from date of priority.....
- 14. The water will be completely applied to the proposed use on or before 3 years from date of priority.....

Marcus Day
Star Route Box 200
Prospect, Oregon
(Signature of applicant)

Remarks: (Item 8 continued).....

~~EXCEPTING therefrom that portion lying southerly of the Crater Lake Highway, and more particularly described as follows: Beginning at the intersection of the center line of the Crater Lake Highway with the west line of the Southeast Quarter of the Southwest Quarter of said Section 17, being North 899.0 feet, more or less, from the southwest corner of the Southeast Quarter of the Southwest Quarter of said Section; thence along the center line of said Highway, in an easterly direction, to the east line of the Southwest Quarter of the Southeast Quarter of said Section 17; thence South on the quarter-quarter line 1260.0 feet, more or less, to the south line of Section 17; thence West along said south line 2640.0 feet to the southwest corner of the Southeast Quarter of the Southwest Quarter of said Section; and thence North on the quarter-quarter line 900.0 feet, more or less, to the point of beginning.~~

~~ALSO EXCEPTING from the Southeast Quarter of the Southwest Quarter of said Section 17, that portion of said section described as follows: Commencing at the Northwest corner of the Southeast Quarter of the Southwest Quarter in Section 17, Township 33 South, Range 2 East, W.M.; thence Easterly along the North line of said Southeast Quarter of the Southwest Quarter, 100 Feet; thence South 200 feet; thence West 100 feet to the West line of said Southeast Quarter of the Southwest Quarter; thence North 200 feet, more or less, to the point of beginning.~~

~~The above described premises containing 149 1/2 acres, more or less.~~

STATE OF OREGON, {
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

Application No. 25411

Permit No. 19898

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2nd day of November, 1950, at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

January 31, 1951

Recorded in book No. 48 of Permits on page 19898

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 15 Page 78-I

Fees Paid 15.00

PERMIT

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.25 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Knighton Creek and a spring, being 0.11 cfs from creek and 0.14 cfs from spring.

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 1/2 acre feet per acre for each acre irrigated during the irrigation season from April 2 to October 31 of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 2, 1950

Actual construction work shall begin on or before January 31, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1952 Extended to Oct. 1, 1953 Extended to Oct. 1, 1954 Extended to Oct. 1, 1955 Extended to Oct. 1, 1956

Complete application of the water to the proposed use shall be made on or before October 1, 1953 Extended to Oct. 1, 1954 Extended to Oct. 1, 1955 Extended to Oct. 1, 1956

WITNESS my hand this 31st day of January, 1951

CHAS. E. STRICKLIN STATE ENGINEER