* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Walter Forsberg and Betty Jo Fo	rsberg, husband & wife
of Box 772, Foster,	
State of Oregon do he	ereby make application for a permit to appropriate the
following described public waters of the State of C	
	f
If the applicant is a corporation, give date an	d place of incorporation
1. The source of the proposed appropriation i	s Wiley Creek (Name of stream)
	outary ofSouth Santiam River
2. The amount of water which the applicant i	intends to apply to beneficial use is
cubic feet per second	• • • • • • • • • • • • • • • • • • • •
**3. The use to which the water is to be applie	ed is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
corner ofSection 2, Township ll S., Ra	ft. S and W ft. W from the NE nge 1 E W. M.
(If there is more than one point of diversion, each	must be described. Use separate sheet if necessary)
(Give smallest legal subdivision)	
R. $1 E$, W. M., in the county of Linn (E. or W.)	
5. Thepipe line	to be 500 feet (Miles or feet) of Sec. 7, Tp. 14 S. (N. or S.)
(Main ditch, canal or pipe line)	(Miles or feet)
R, W. M., the proposed location be	eing shown throughout on the accompanying map.
DESCRIPTIO	ON OF WORKS
Diversion Works—	
	length on top feet, length at bottom
feet; material to be used and chara	acter of construction(Loose rock, concrete, masonry,
	(Loose rock, concrete, masonry,
rock and brush, timber crib, etc., wasteway over or around dam)	
(b) Description of headgate	(Timber, concrete, etc., number and size of openings)
13 H.P. electric motor - 7 foot lift	escription 2 inch centrifugal pump powered by (Size and type of pump) used, total head water is to be lifted, etc.)
(Size and type of engine of motor to be	accu, while he was no we have a two)

^{*} A different form of application is provided where storage works are contemplated.

feet; depth of water
miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water ade feet fall per one thousand feet. (c) Length of pipe, 500 ft.; size at intake, 3 in; size at 500 om intake 2 in.; size at place of use 2 in.; difference in elevation between the set of the feet of use for the feet of use for the feet of use for the feet of the feet
miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water rade feet fall per one thousand feet. (c) Length of pipe, 500 ft.; size at intake, in; size at 500 rom intake 2 in.; size at place of use 2 in.; difference in elevation between the second of the seco
(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet fall per one thousand feet. (c) Length of pipe, 500 ft.; size at intake, in; size at 500 ft. in:; size at place of use in:; difference in elevation between take and place of use, 20 ft. Is grade uniform? Festimated capa sec. ft. 8. Location of area to be irrigated, or place of use \$\frac{1}{2}, \frac{1}{2},
feet; width on bottom
rade
(c) Length of pipe, 500 ft.; size at intake, 3 in; size at 500 ft. in intake 2 in.; size at place of use 2 in.; difference in elevation between the second place of use, 20 ft. Is grade uniform? yes Estimated capable 15 sec. ft. 8. Location of area to be irrigated, or place of use \$\frac{\text{SE}_1^1}{\text{M}_2^2}\$, \$\frac{\text{SE}
in; size at place of use 2 in; difference in elevation between take and place of use, 20 ft. Is grade uniform? Yes Estimated capa 15 sec. ft. 8. Location of area to be irrigated, or place of use 5 1 1 1 5, R. 1 E. W. 1 8. Location of area to be irrigated, or place of use 5 1 1 1 5, R. 1 E. W. 1 11 S 1 E 2 SE NE 2 3.2 11 S 1 E 1 SW2 NW2 8.3 11 Support of the Southwest Corner of the Andrew Wiley Donation Land Claim No. 43 16 Support of the West line of said claim 20.000 chains to a 5/8" iron rod; thence usins to a 5/8" iron rod in the center of the County road; thence Southeasterly
sec. ft. SEINEI, S. 2, T IL, S, R. 1 E. W. 8. Location of area to be irrigated, or place of use SWI MI, S. 1, T IL S, R. 1 E. W. Township Range E. or W. of Willamette Meridian Section Forty-acre Tract Number Acres To Be Irrigated 1L S
8. Location of area to be irrigated, or place of use Sw2 M2, S. 2, T 14 S, R. 1 E. W. 1 8. Location of area to be irrigated, or place of use Sw2 M2, S. 1, T 14 S, R. 1 E. W. 1 Township Range E. or W. of Williamette Meridian Section Section Forty-acre Tract Number Acres To Be Irrigated 14 S 1 E 2 SE2 NE2 3.2 14 S 1 E 1 SW2 NW2 8.3 Deginning at the Southwest Corner of the Andrew Wiley Donation Land Claim No. 43 Outh, Range 1 East of the Willamette Meridian in Linn County, Oregon, and running orth along the West line of said claim 20.000 chains to a 5/8" iron rod; thence hains to a 5/8" iron rod in the center of the County road; thence Southeasterly
8. Location of area to be irrigated, or place of use SW2 NW2, S. 1, T lh S, R. 1 E. W. 1 Township Range Williamette Meridian Range Section Range Section Forty-acre Tract Number Acres To Be Irrigated Number Acr
8. Location of area to be irrigated, or place of use SW2 M2, S. 1, T Li S, R. 1 E. W. 1 Township Range E. or W. of Williamette Meridian 14 S 1 E 2 SE2 NE2 3.2 14 S 14 S 1 E 1 SW2 NW2 8.3 11.5 Diginning at the Southwest Corner of the Andrew Wiley Donation Land Claim No. 43 Douth, Range 1 East of the Willamette Meridian in Linn County, Oregon, and running orth along the West line of said claim 20.000 chains to a 5/8" iron rod; thence hains to a 5/8" iron rod in the center of the County road; thence Southeasterly
Township Range E. or W. of Williamette Meridian Range Section Section Forty-acre Tract Number Acres To Be Irrigated 3.2 It S I E I SW2 NW2 8.3 Reginning at the Southwest Corner of the Andrew Wiley Donation Land Claim No. 43 Outh, Range I Rast of the Williamette Meridian in Linn County, Oregon, and running orth along the West line of said claim 20.000 chains to a 5/8" iron rod; thence hains to a 5/8" iron rod; thence in the center of the County road; thence Southeasterly
14 S 1 E 2 SEN NE 2 3.2 14 S 1 E 1 SW2 NW2 2 SEN NE 2 3.2 14 S 2 SEN NE 2 3.2 3.2 2 SEN NE 2 3.2 3.3 3.3 3.4 3.5 3.6 3.6 3.7 3.7 3.8 3.8 3.8 3.8 3.9 3.9 3.9 3.9
14 S 1 E 1 SW2 NW2 8.3 Enginning at the Southwest Corner of the Andrew Wiley Donation Land Claim No. 43 Outh, Range 1 East of the Willamette Meridian in Linn County, Oregon, and running orth along the West line of said claim 20.000 chains to a 5/8" iron rod; thence hains to a 5/8" iron rod in the center of the County road; thence Southeasterly
eginning at the Southwest Corner of the Andrew Wiley Donation Land Claim No. 43 outh, Range 1 East of the Willamette Meridian in Linn County, Oregon, and running orth along the West line of said claim 20.000 chains to a 5/8" iron rod; thence hains to a 5/8" iron rod in the center of the County road; thence Southeasterly
eginning at the Southwest Corner of the Andrew Wiley Donation Land Claim No. 43 outh, Range 1 East of the Willamette Meridian in Linn County, Oregon, and running orth along the West line of said claim 20.000 chains to a 5/8" iron rod; thence hains to a 5/8" iron rod in the center of the County road; thence Southeasterly
outh, Range 1 East of the Willamette Meridian in Linn County, Oregon, and running orth along the West line of said claim 20,000 chains to a 5/8" iron rod; thence hains to a 5/8" iron rod in the center of the County road; thence Southeasterly
orth along the West line of said claim 20.000 chains to a 5/8" iron rod; thence hains to a 5/8" iron rod in the center of the County road; thence Southeasterly
hains to a 5/8" iron rod in the center of the County road; thence Southeasterly
(If more space required, attach separate sheet)
(a) Character of soil Silt loam
(b) Kind of crops raised pasture
ower or Mining Purposes—
9. (a) Total amount of power to be developed theoretical horsepo
(b) Quantity of water to be used for powersec. ft.
(c) Total fall to be utilized feet.
(d) The nature of the works by means of which the power is to be developed
(e) Such works to be located in
p, R, W. M. (No. E. or W.)
(f) Is water to be returned to any stream?(Yes or No)
(g) If so, name stream and locate point of return
, Sec, Tp, R, W. (No. N. or S.) (No. E. or W.)
(h) The use to which power is to be applied is
(i) The nature of the mines to be served
(i) The nature of the mines to be served

STATE ENGINEER

	or Domestic Supply—
10.	(a) To supply the city of
ınd an est	timated population ofin 19
	(b) If for domestic use state number of families to be supplied
	(Answer questions 11, 12, 13, and 14 in all cases)
11	Estimated cost of proposed works, \$ 1000.00
	Construction work will begin on or before June 1, 1951
	Construction work will be completed on or before June 1, 1954
14.	The water will be completely applied to the proposed use on or before June 1, 1954
	(Sad) Wolton Forehore and (Sad) Rotty to Forehore
	(Sgd) Walter Forsberg and (Sgd) Betty Jo Forsberg (Signature of applicant)
_	
Ren	narks:
•••••	
***************************************	<u> </u>
	·

•••••	
····	
•	
•••••	
	·
•	
·····	7 0DTG0V
	F OREGON, ss.
·	of Marion,
	s is to certify that I have examined the foregoing application, together with the accompanying
naps and	data, and return the same for
In o	order to retain its priority, this application must be returned to the State Engineer, with correc
ions on o	r before, 19

Application	No.	25441
Permit No.		19905

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

District No. ...

Division No.

	This instrument was first received in the office of the State Engineer at Salem, Oregon,			
	on the 20th day of November			
	1950 at 8:00 o'clock A. M.			
	Returned to applicant:			
	Corrected application received:			
	Approved: January 31, 1951			
	Recorded in book No. 48 of			
	Permits on page			
	CHAS. E. STRICKLIN STATE ENGINEER			
	Drainage Basin No. 2 Page 42 D			
	Fees Paid 15.00			
	DEDMIN			
STATE OF OREGON,	PERMIT			
County of Marion, ss.				
This is to certify that SUBJECT TO EXISTING R	t I have examined the foregoing application and do hereby grant the same IGHTS and the following limitations and conditions:			
	ted is limited to the amount of water which can be applied to beneficial use			
and shall not exceed 0.11	dicubic feet per second measured at the point of diversion from the			
tream, or its equivalent in o	case of rotation with other water users, from Wiley Creek			
The use to which this	water is to be applied is irrigation			
	ppropriation shall be limited to			
	ceed 21 acre feet per acre for each acre irrigated during the			
	ach year,			
-				
<u> </u>				
•	reasonable rotation system as may be ordered by the proper state officer.			
·	his permit is November 20, 1950			
	oork shall begin on or before			
hereafter be prosecuted wit October 1, 1952 Exten	th reasonable diligence and be completed on or before			
Complete application	of the water to the proposed use shall be made on or before			
October 1, 1953 Exten	M.a to Oct. 1, 1955			
WITNESS my hand the	his 31st day of January , 19 51.			
`	CHAS. E. STRICKLIN			
Permits for power development	STATE ENGINEER t are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.			
	State Printing Dept. 44167			