* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

1,	F. C. Scherma	cher (Name of application)		
of	Marion	(Name of applica	,	
State of	(Mailing addre	•	ake application for a r	permit to appropriate the
		the State of Oregon, S		
If the app	dicant is a corporatio	n, give date and place	of incorporation	
1. The so	urce of the proposed	appropriation is Mar	ion Creek	
		, a tributary of	Santiam Ri	ver
				use is0.32
cubic feet per s	econd	(If water is to be used from mo		
		is to be applied is		
4. The po	oint of diversion is lo	cated 1000 ft. N	and 210 ft.	E from the (E or W.)
			ben Davis DLC No.	51
	(If pr	eferable, give distance and bearing	z to section corner)	
		int of diversion, each must be des		cessary)
being within the	e SEŻ SWŻ	lest legal subdivision)	of Sec. 22	, Tp 9.5 ,
R2. W,	•	of Marion	·	,
(E. or W.) 5. The	Pipe lin	e	to be 400	t
	(Main dite	n, canal or pipe line)		(Miles or feet)
				, Tp9.S,
(E. or W.)	, w.M., the propo	sed location being sho	wn throughout on the	e accompanying map.
		DESCRIPTION OF V	WORKS	
Diversion Work	s—			
6. (a) He	night of damnone	feet, length	on top	feet, length at bottom
······	feet; material to be	used and character of	construction	(Loose rock, concrete, masonry,
rock and brush, timber (crib, etc., wasteway over or aro	und dam)		
(b) Descr	iption of headgate	(Timber, c	oncrete, etc., number and size of	openings)
		(111150)		
(c) If wat	ter is to be pumped g	: give general description	3 H. P. elec (Size and	tric pump - 2 ⁿ
App. 12		engine or motor to be used, total hails not determine		· · · · · · · · · · · · · · · · · · ·

[•] A different form of application is provided where storage works are contemplated.

^{**} Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer,

	feet death of	water	foot amada	feet fall per	000
thousand feet.				ıt water line)	
		-		·	
			1	h of water	jeet;
	feet fal				
				in; size at	
			•	n.; difference in elevation betu	
ntake and place	e of use, 10	ft.	Is grade uniform?ye	Estimated capa	city,
	. •		1		
8. Locatio	on of area to be	irrigated, or 1	place of use		
Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	·
9 5	2 W	22	SW 4 SW 4	0.35 prima	ary
			SE ¹ SW ¹	14.21 prima	ary
		27	NE 1 NW 1	5.47 supp.	Lement
			NW 1 NW 1	4.97 supp	<u>leme</u> nt
				25.00	
	high water is	to be year	did a name of that m	ome ormlinitly deposits	her
pplicant as Beginnin and Claim No	follows: g at the re-e	ntrant com	DESCRIPTION FOR F. C. SCHERMACHER ************ ner on the South line h Range 2 West of the	e of the Reuben Davis Done Willamette Meridian in	
Beginnin and Claim No Marion County Chence N. 27°	g at the re-e. 51 in Towns, Oregon; the 35' E. along 110.0 feet; 79.3 feet to	ntrant com hip 9 South nce East 1 the West 1 thence West the place (DESCRIPTION FOR F. C. SCHERMACHER *********** ner on the South line h Range 2 West of the 39.1 feet to the West line of the said Coun t 421.8 feet; thence of beginning and cont	e of the Reuben Davis Don Willamette Meridian in Line of a County Road; ty Road 1351.7 feet; the S. 27° 35' W. 1804.0 fee Laining 25.0 acres of lan	nation once
Beginnin and Claim No Arion County hence N. 27° 1. 12° 18' W. hence East 5' Survey No. 8'	g at the re-e. 51 in Towns, Oregon; the 35' E. along 110.0 feet; 79.3 feet to 73)	ntrant com hip 9 South nce East 1: the West : thence West the place (DESCRIPTION FOR F. C. SCHERMACHER *********** ner on the South line h Range 2 West of the 39.1 feet to the West line of the said Coun t 421.8 feet; thence of beginning and cont	e of the Reuben Davis Don Willamette Meridian in Line of a County Road; ty Road 1351.7 feet; the S. 27° 35' W. 1804.0 fee Laining 25.0 acres of lan	nation once
Beginnin and Claim No arion County hence N. 27° 18' W. hence East 5' Survey No. 8'	g at the re-e. 51 in Towns, Oregon; the 35' E. along 410.0 feet; 79.3 feet to 73)	ntrant com hip 9 South nce East 1 the West 1 thence West the place ((If more space	DESCRIPTION FOR F. C. SCHERMACHER ************ ner on the South line h Range 2 West of the 3.1 feet to the West line of the said Coun t 421.8 feet; thence of beginning and cont required, attach separate sheet) (surveyor seal)	e of the Reuben Davis Don Willamette Meridian in Line of a County Road; ty Road 1351.7 feet; the S. 27° 35' W. 1804.0 fee Laining 25.0 acres of lan	nation once
Beginnin and Claim No Arion County hence N. 27° (. 12° 18' W. hence East 5' Survey No. 8' (a) Chard (b) Kind	g at the re-e. 51 in Towns, Oregon; the 35' E. along 110.0 feet; 79.3 feet to 73) acter of soil	ntrant com hip 9 South nce East 1 the West 1 thence West the place ((If more space	DESCRIPTION FOR F. C. SCHERMACHER *********** ner on the South line h Range 2 West of the 39.1 feet to the West line of the said Coun t 421.8 feet; thence of beginning and cont	e of the Reuben Davis Don Willamette Meridian in Line of a County Road; ty Road 1351.7 feet; the S. 27° 35' W. 1804.0 fee Laining 25.0 acres of lan	nation once
Beginnin and Claim No Arion County hence N. 27° No. 8° (a) Chard (b) Kind	g at the re-e. 51 in Towns, Oregon; the 35' E. along 410.0 feet; 79.3 feet to 73) acter of soil	ntrant com hip 9 South nce East 1 the West 1 thence West the place ((If more space Gravel)	DESCRIPTION FOR F. C. SCHERMACHER *********** ner on the South line h Range 2 West of the 39.1 feet to the West line of the said Coun t 1421.8 feet; thence of beginning and cont required, attach separate sheet) (surveyor seal) ly e, Hay & Corn	e of the Reuben Davis Don Willamette Meridian in Line of a County Road; ty Road 1351.7 feet; the S. 27° 35' W. 1804.0 fee Laining 25.0 acres of lan	nation once
Beginnin and Claim No larion County thence N. 27° l. 12° 18° W. thence East 5° Survey No. 8° (a) Chard (b) Kind Power or Mining 9. (a) To	g at the re-e. 51 in Towns, Oregon; the 35' E. along 410.0 feet; 79.3 feet to 73) acter of soil	ntrant com hip 9 South nce East 1 the West 1 thence West the place of (If more space Gravel) Pasture ower to be de	DESCRIPTION FOR F. C. SCHERMACHER *********** ner on the South line h Range 2 West of the 39.1 feet to the West line of the said Coun t 1421.8 feet; thence of beginning and cont required, attach separate sheet) (surveyor seal) ly e, Hay & Corn	e of the Reuben Davis Done Willamette Meridian in Line of a County Road; Ity Road 1351.7 feet; the S. 27° 35' W. 1804.0 fee Laining 25.0 acres of lan January 9, 1951 David F. Bates Salem, Oregon theoretical horsepore	nation once
Beginning and Claim No farion County Chence N. 27° No. 8° No. 8° (a) Character (b) Kind Power or Mining 9. (a) To (b) Quenty (b) Quenty (b) Quenty (c) (c) Quenty (c) (c) Quenty (c) (c) (c) Quenty (c)	g at the re-e. 51 in Towns, Oregon; the 35' E. along 410.0 feet; 79.3 feet to 73) acter of soil	ntrant com hip 9 South nce East 1 the West 1 thence West the place of (If more space Gravel) Pasture ower to be de to be used for	DESCRIPTION FOR F. C. SCHERMACHER *********** ner on the South line h Range 2 West of the 39.1 feet to the West line of the said Count t 421.8 feet; thence of beginning and cont required, attach separate sheet) (surveyor seal) ly e, Hay & Corn eveloped	e of the Reuben Davis Done Willamette Meridian in Line of a County Road; Ity Road 1351.7 feet; the S. 27° 35' W. 1804.0 fee Williamette Meridian in Line of a County Road; Ity Road 1351.7 feet; the S. 27° 35' W. 1804.0 fee Williamette Meridian in Line of a County Road; Ity Road 1351.7 feet; the S. 27° 35' W. 1804.0 fee Williamette Meridian in Line of a County Road; Ity Road;	nation once
Beginning and Claim No Serion County Chence N. 27° I. 12° 18' W. Chence East 5' Survey No. 8' (a) Chard (b) Kind Power or Mining 9. (a) To (b) Quanty (c) To	g at the re-e. 51 in Towns, Oregon; the 35' E. along 110.0 feet; 79.3 feet to 73) acter of soil	ntrant com hip 9 South nce East 1: the West : thence West the place of (If more space Gravel: Pasture ower to be de to be used for	DESCRIPTION FOR F. C. SCHERMACHER ************ ner on the South line h Range 2 West of the 39.1 feet to the West line of the said Count t 421.8 feet; thence of beginning and cont required, attach separate sheet) (surveyor seal) ly e, Hay & Corn eveloped or power feet	e of the Reuben Davis Done Willamette Meridian in Line of a County Road; Ity Road 1351.7 feet; the S. 27° 35' W. 1804.0 fee Williamette Meridian in Line of a County Road; Ity Road 1351.7 feet; the S. 27° 35' W. 1804.0 fee Williamette Meridian in Line of a County Road; Ity Road 1351.7 feet; the S. 27° 35' W. 1804.0 fee Williamette Meridian in Line of a County Road; Ity Road;	nation ence et; ed.
Beginnin Land Claim No Sarion County Chence N. 27° L. 12° 18' W. Chence East 5' Survey No. 8' (a) Chard (b) Kind Power or Mining 9. (a) To (b) Qu (c) To	g at the re-e. 51 in Towns, Oregon; the 35' E. along 110.0 feet; 79.3 feet to 73) acter of soil	ntrant com hip 9 South nce East 1: the West : thence West the place of (If more space Gravel: Pasture ower to be de to be used for	DESCRIPTION FOR F. C. SCHERMACHER ************ ner on the South line h Range 2 West of the 39.1 feet to the West line of the said Count t 421.8 feet; thence of beginning and cont required, attach separate sheet) (surveyor seal) ly e, Hay & Corn eveloped or power feet	e of the Reuben Davis Done willamette Meridian in line of a County Road; ty Road 1351.7 feet; the S. 27° 35' W. 1804.0 fee aining 25.0 acres of lan January 9, 1951 David F. Bates Salem, Oregon theoretical horsepon sec. ft.	nation ence et; ed.
Beginning and Claim No Jarion County thence N. 27° 18' W. hence East 5' Survey No. 8' (a) Chard (b) Kind Power or Mining 9. (a) To (b) Quant (c) To (d) The second (d) The second (e) To (e) To (e) To (find the second (e)	g at the re-e 51 in Towns Oregon; the 35' E. along 110.0 feet; 79.3 feet to 73) acter of soil of crops raised g Purposes— stal amount of partity of water tal fall to be utter the nature of the re-e	ntrant com hip 9 South nce East 1: the West 1: thence West thence West (If more space (If more space (If more space) Pasture ower to be de to be used for ilized vorks by mea	DESCRIPTION FOR F. C. SCHERMACHER ************** ner on the South line h Range 2 West of the 3.1 feet to the West line of the said Count t 421.8 feet; thence of beginning and cont required, attach separate sheet) (surveyor seal) by e, Hay & Corn eveloped or power feet (Head) ins of which the power is t	the Reuben Davis Done Willamette Meridian in line of a County Road; ty Road 1351.7 feet; the S. 27° 35' W. 1804.0 fee aining 25.0 acres of lan January 9, 1951 David F. Bates Salem, Oregon theoretical horsepon sec. ft.	nation ence et; ed.
Beginnin and Claim No Arion County hence N. 27° 18' W. hence East 5 Survey No. 8' (a) Chard (b) Kind Power or Mining 9. (a) To (b) Quant (c) To (d) The (e) Survey No. 8'	g at the re-e. 51 in Towns, Oregon; the 35' E. along 410.0 feet; 79.3 feet to 73) acter of soil	ntrant com hip 9 South nce East 1 the West 1 thence West the place of (If more space Gravel) Pasture ower to be do to be used for ilized	DESCRIPTION FOR F. C. SCHERMACHER ***************** ner on the South line h Range 2 West of the 39.1 feet to the West line of the said Count t 121.8 feet; thence of beginning and cont required, attach separate sheet) (surveyor seal) by e, Hay & Corn eveloped or power (Head) rans of which the power is t (Legal Subdivision)	e of the Reuben Davis Done willamette Meridian in line of a County Road; ty Road 1351.7 feet; the S. 27° 35' W. 1804.0 fee aining 25.0 acres of lan January 9, 1951 David F. Bates Salem, Oregon theoretical horsepon sec. ft.	nation ence et; ed.
Beginnin and Claim No (arion County) hence N. 27° (a) Le 18° W. hence East 5' Survey No. 8' (a) Chard (b) Kind (b) Kind (c) To (d) The (e) Survey No. 8' (e) Survey No. 8' (f) County No. 8' (h) Quantum (h) Quant	g at the re-e. 51 in Towns, Oregon; the 35' E. along 410.0 feet; 79.3 feet to 73) acter of soil	ntrant com hip 9 South nce East 1 the West 1 thence West the place of (If more space Gravel) Pasture ower to be de to be used for ilized	DESCRIPTION FOR F. C. SCHERMACHER ***************** ner on the South line h Range 2 West of the 39.1 feet to the West line of the said Count t 121.8 feet; thence of beginning and cont required, attach separate sheet) (surveyor seal) by e, Hay & Corn eveloped or power (Head) rans of which the power is t (Legal Subdivision)	the Reuben Davis Done Willamette Meridian in line of a County Road; ty Road 1351.7 feet; the S. 27° 35' W. 1804.0 fee aining 25.0 acres of lan January 9, 1951 David F. Bates Salem, Oregon theoretical horsepon sec. ft.	nation ence et; ed.
Beginnin and Claim No Jarion County Thence N. 27° Is W. hence East 5° Survey No. 8° (a) Chard (b) Kind Power or Mining 9. (a) To (b) Quant (c) To (d) The (e) Survey No. 8° (f) Is	g at the re-e. 51 in Towns, Oregon; the 35' E. along 410.0 feet; 79.3 feet to 73) acter of soil	ntrant cominip 9 Southnip 9 South	DESCRIPTION FOR F. C. SCHERMACHER *************** ner on the South line h Range 2 West of the 39.1 feet to the West line of the said Count t 121.8 feet; thence of beginning and cont required, attach separate sheet) (surveyor seal) by e. Hay & Corn eveloped or power (Head) or power (Legal Subdivision) M. stream? (Yes or No)	the Reuben Davis Done Willamette Meridian in line of a County Road; ty Road 1351.7 feet; the S. 27° 35' W. 1804.0 fee aining 25.0 acres of lan January 9, 1951 David F. Bates Salem, Oregon theoretical horsepon sec. ft.	wer.
Beginnin and Claim No Jarion County hence N. 27° J. 12° 18° W. hence East 5' Survey No. 8' (a) Chard (b) Kind Power or Mining 9. (a) To (b) Qu (c) To (d) The (e) Survey No. N. or S.) (f) Is (g) If	g at the re-e. 51 in Towns, Oregon; the 35' E. along 410.0 feet; 79.3 feet to 73) acter of soil	ntrant com hip 9 South nce East 1: the West : thence West the place of (If more space Gravel: Pasture ower to be de to be used for ilized	DESCRIPTION FOR F. C. SCHERMACHER ************************* ner on the South line h Range 2 West of the 39.1 feet to the West line of the said Count t 421.8 feet; thence of beginning and cont required, attach separate sheet) (surveyor seal) by e, Hay & Corn eveloped or power (Head) or power (Legal Subdivision) M. stream? (Yes or No) oint of return	e of the Reuben Davis Done Willamette Meridian in Line of a County Road; Ity Road 1351.7 feet; the S. 27° 35' W. 1804.0 feet aining 25.0 acres of lan January 9, 1951 David F. Bates Salem, Oregon theoretical horsepon sec. ft. to be developed of Sec.	nation once ot; id.

10. (a) To supply the city of	
(Name of) d an estimated population ofin 19	
(b) If for domestic use state number of families to	
(Answer questions 11, 12, 13, and 14 in al	
11. Estimated cost of proposed works, \$ 800.	·····
12. Construction work will begin on or before	
13. Construction work will be completed on or before.	2 years after approval
14. The water will be completely applied to the proposed	d use on or before 3 yrs. "
(Sgd)	F C Schermacher (Signature of applicant)
Remarks:	
7	
	•
e e	·
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	······································
	· ·
	······,
•	
	·
County of Marion, ss.	
This is to certify that I have examined the foregoing ap	plication, together with the accompanyi
aps and data, and return the same for	
In order to retain its priority, this application must be r	• ,
In order to retain its priority, this application must be rons on or before	···
In order to retain its priority, this application must be rowns on or before, 19	

	Permit No	·
* • ·	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	
	Division No District No	
	This instrument was first received in the office of the State Engineer at Salem, Oregon,	
	on the Lith day of June	
	19.50., at	
·	Returned to applicant:	
• *	Corrected application received:	
	Approved:	
	June 15, 1951	•
	Recorded in book No. 49 of	
	Permits on page	
	CHAS. E. STRICKLIN STATE ENGINEER	
	Drainage Basin No	
	Fees Paid \$15.00	
	PERMIT	
STATE OF OREGON, $\left. \begin{array}{c} \cdot \\ \cdot \\ \cdot \end{array} \right _{ss}$		•
The right herein gran	RIGHTS and the following limitations and condinted is limited to the amount of water which can 0.313 cubic feet per second measured at the case of rotation with other water users, from	be applied to beneficial use point of diversion from the
	water is to be applied is irrigation and	1
If for irrigation, this esecond or its equival liversion of not to ex rrigation season of everein, together with	ent for each acre irrigated and shall be ceed 2 acre feet per acre for each acre ach year, provided further that the amount secured under any other right the limitation allowed herein,	of one cubic foot per se further limited to a se irrigated during the unt of water allowed t existing for the same
and shall be subject to such The priority date of	reasonable rotation system as may be ordered by this permit is June 11, 1950 work shall begin on or before June 15,	
	ith reasonable diligence and be completed on or	
October 1, 1953		00,010
Complete application	of the water to the proposed use shall be made	on or before
October 1, 1954		
WITNESS my hand	this 15th day of June	, 19. 51

Application No. 24874

CHAS. E. STRICKLIN

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

State Printing Dept. 44167