* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I,	Merle Loll		***************************************	
of	Rt 2 Box 12	21 J Turner	me of applicant)	
State of	•	g address)	erebu make application fo	or a permit to appropriate the
		•	Oregon, SUBJECT TO EX	
	-			
15 111	ie applicant is a corpo	raiion, give aate ar	na piace of incorporation	
			,	
1. T	he source of the prope	osed appropriation	is an unnamed sprin	ne of stream)
trib. of	f Taylor Creek	, a trib	butary of Mill Creek	
2. T	he amount of water u	which the applicant	intends to apply to benef	icial use is
cubic feet	per second	(76 4 1- 4- 2		
**3. T	The use to which the u		used from more than one source, give $ed\ is$ domestic use of	
	ion of not to exce	_	(Irrigation, power, mining,	manufacturing, domestic supplies, etc.)
				ft. E from the S.W.
corner of .	the NWA NWA of S	Sec. 30, T 8 S.,	Ras 3 Was Na Ma Section or subdivision)	· · · · · · · · · · · · · · · · · · ·
				
· 				
c	6	(If preferable, give distance	e and bearing to section corner)	,
beina with	· · · · · · · · · · · · · · · · · · ·		must be described. Use separate she	
				5, Tp. 8 S,
(E. or W		•		
				(Miles or feet)
in length,	terminating in the	(Smallest legal subdiv	of Sec	, Tp,
				on the accompanying map.
, ,				
		DESCRIPTIO	ON OF WORKS	
Diversion \		ring enclosed in	o concrete	
6. (0	a) Height of dam	feet,	length on top	feet, length at bottom
	feet; material to	be used and chard	acter of construction	(Loose rock, concrete, masonry,
rock and brush,	timber crib, etc., wasteway over	or around dam)		
				i size of openings)
			•	
_				inp lize and type of pump)
1_HP	elec. motor (Size and t	type of engine or motor to be	e used, total head water is to be lifted,	etc.)
120 f	t static head			

^{*} A different form of application is provided where storage works are contemplated.

^{**} Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer,

7. (a) Giv					
headgate. At hed	ıdgate: width o	n top (at water	r line)	feet; width on botton	
thousand foot	feet; depth of	water	feet; grade	feet fall per or	
thousand feet. (b) At		miles from h	eadgate: width on top (at w	ater line)	
•••••	feet; width on i	bottom	feet; depth of	water fee	
rade				·	
		_		in; size at	
				ifference in elevation between	
ntake and place	of use,	<u>20</u> ft. 1	s grade uniform?	Estimated capacit	
	sec. ft.				
8. Locatio	n of area to be	irrigated, or pl	lace of use		
Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated	
8 s	3 W	36	NW ¹ NW ¹		
			MA MA	•	
				74-443 3414	
pplicant as	vnich water : follows:	LS to be use	d is a part of that mor	re explicitly described	
This is	the discript	lon of ano n		cember 21 1950	
chence north and section 36 in iron rod in 36.55 FT to a so an iron rod	thence s of the center in iron rod;	the Willam ction line 9 ction line 9 ction E alon of a road; thence S 22 (°48' E alon	59.05 ft to an iron pig the north line of sat thence S 2°16' W along "II' W along the center g the center of said re	n County, Roe; running pe at the northwest cor id section 133.35 FT to the center of said roa r of said road II3.45 F oad 95.43 feet to an ir	
thence north a of section 36 an iron rod in 136.55 FT to a to an iron rod; thence S 19° 52' W a parallel with and, and being the section of t	thence s of the center in iron rod; thence s life thence s life thence s life thence s life thence the the line of situated	the Willam ction line 9 7-45 E alon of a road; thence S 22 7-48 E alon ng the cente ter of said 37.70 FT to in section 3 rly 20FT whi	ette Meridian, in Mario 59.05 ft to an iron ping the north line of sat thence S 2°16' W along "II' W along the center of the center of said re- or of said road 333.27 I road 312.69 FT to an in the place of baginning 6 of TWP 8. S.R. 3W in ch is used for roadway	county, Roe; running pe at the northwest cor id section 133.35 FT to the center of said road road 113.45 Foad 95.43 feet to an ir ft to an iron rod; then ron rod; thence N 89°45, containing 2.48 acres Marion County, Oregon. purposes.	
chence north and section 36 an iron rod in 136.55 FT to 36 an iron rod; thence S 19° 52' W as parallel with and, and being save and exceptions.	thence s of the center in iron rod; thence s life thence s life thence s life thence s life thence the center than the line of situated of the Eastern	the Willam etion line 9 7-15 E alon of a road; thence S 22 7-18 E alon ng the cente ter of said 37.70 FT to in section 3 rly 20FT whi	ette Meridian, in Mario 59.05 ft to an iron ping the north line of sat thence S 2°16' W along "II' W along the center of the center of said re or of said road 333.27 in road 312.69 FT to an in the place of baginning of TWP 8. S.R. 3W in	county, Roe; running the at the northwest correction 133.35 FT to the center of said road 113.45 Foad 95.43 feet to an irrect to an iron rod; thence N 89°45, containing 2.48 acres Marion County, Oregon. purposes.	
chence north and feetion 36 an iron rod in 136.55 FT to 25 an iron rod; thence S 19° 52' W and parallel with and, and being save and exception (a) Characteristics of the control of the c	thence s of the center in iron rod; thence S life thence S life thence S life thence S life thence the center of soil	the Willam ction line 9 7-45 E alon of a road; thence S 22 7-48 E alon ng the cente ter of said 37.70 FT to in section 3 rly 20FT whi	ette Meridian, in Mario 59.05 ft to an iron ping g the north line of sai thence S 2°16' W along "II' W along the center g the center of said rear of said road 333.27 road 312.69 FT to an in the place of baginning 5 of TWP 8. S.R. 3W in ch is used for roadway equired, attach separate sheet) Mer	county, Roe; running pe at the northwest cor id section 133.35 FT to the center of said road 113.45 Foad 95.43 feet to an ir T to an iron rod; then ron rod; thence N 89°45, contaning 2.48 acres Marion County, Oregon. purposes.	
chence north a of section 36 on iron rod in 36.55 FT to 36.55 FT t	cter of soil	the Willam ction line 9 7-45 E alon of a road; thence S 22 7-48 E alon ng the cente ter of said 37.70 FT to in section 3 rly 20FT whi	ette Meridian, in Mario 59.05 ft to an iron ping g the north line of sai thence S 2°16' W along "II' W along the center g the center of said rear of said road 333.27 road 312.69 FT to an in the place of baginning 5 of TWP 8. S.R. 3W in ch is used for roadway equired, attach separate sheet) Mer	county, Roe; running pe at the northwest corid section 133.35 FT to the center of said road II3.45 Foad 95.43 feet to an ire To an iron rod; then ron rod; thence N 89°45, contaning 2.48 acres Marion County, Oregon. purposes.	
chence north and feetion 36 on iron rod in 36.55 FT to	cter of soil crops raised Purposes—	the Willam etion line 9 7-45 E alon of a road; thence S 22 7-48 E alon ng the cente ter of said 37-70 FT to in section 3 rly 20FT whi	ette Meridian, in Mario 59.05 ft to an iron ping the north line of sat thence S 2°16' W along "II' W along the center of the center of said reserved and 333.27 in the place of baginning of TWP 8. S.R. 3W in the is used for roadway equired, attach separate sheet) Mer	county, Roe; running pe at the northwest cor id section 133.35 FT to the center of said road 113.45 Foad 95.43 feet to an ir for rod; thence N 89°45, containing 2.48 acres Marion County, Oregon. purposes.	
thence north and section 36 an iron rod in 136.55 FT to 156 an iron rod; thence S 19° 52' W and parallel with and, and being and except (a) Character (b) Kind of the cover or Mining 9. (a) Total	thence so the center in iron rod; thence S latence S latence S latence S latence S latence S latence to the line latence situated by the Easter of soil	the Willam tion line 9 7-15. E alon of a road; thence S 22 7-18. E alon ng the cente ter of said 37.70 FT to in section 3 rly 20FT whi (If more space re	ette Meridian, in Mario 59.05 ft to an iron ping the north line of satthence S 2°16' W along 'II' W along the center of said restricted the center of said restricted at the place of baginning of TWP 8. S.R. 3W in the place of baginning of the sused for roadway equired, attach separate sheet) Merideleped	county, Roe; running pe at the northwest cor id section 133.35 FT to the center of said road II3.45 Foad 95.43 feet to an ir for to an iron rod; then ron rod; thence N 89°45, containing 2.48 acres Marion County, Oregon. purposes.	
thence north a section 36 an iron rod in 136.55 FT to a to an iron rod; thence S 19° 52' W a parallel will land, and being Save and except (a) Chara (b) Kind (c) Cower or Mining 9. (a) Toto (b) Qu	thence s of the center in iron rod; thence S later of soil	the Willam tion line 9 7-15. E alon of a road; thence S 22 7-18. E alon ng the cente ter of said 37.70 FT to In section 3 rly 20FT whi (If more space re	ette Meridian, in Mario 59.05 ft to an iron ping the north line of saithence S 2°16' W along "II' W along the center of said roof said rood 333.27 road 312.69 FT to an inthe place of baginning of TWP 8. S.R. 3W in the is used for roadway equired, attach separate sheet) Mexicological Mexicological Separate sheet weloped	county, Roe; running pe at the northwest corrid section 133.35 FT to the center of said road road 113.45 Foad 95.43 feet to an ir to an iron rod; then ron rod; thence N 89°45, containing 2.48 acres Marion County, Oregon. purposes.	
chence north and section 36 an iron rod in 136.55 FT to 1	thence so the center in iron rod; thence S late the center in iron rod; thence S late the center that the line is situated of the Easter of soil	the Willam tion line 9 7-15 E alon of a road; thence S 22 7-18 E alon ng the cente ter of said 37.70 FT to In section 3 rly 20FT whi (If more space ro to be used for ilized	ette Meridian, in Mario 59.05 ft to an iron pip g the north line of saithence S 2°16' W along TII' W along the center of said read 333.27 road 312.69 FT to an inthe place of baginning of TWP 8. S.R. 3W in the is used for roadway equired, attach separate sheet) weloped veloped power feet. (Head)	county, Roe; running the at the northwest correction 133.35 FT to the center of said road 113.45 For the center of said road 113.45 For the center of said road 113.45 For the said road 113.45 For	
chence north and section 36 an iron rod in 136.55 FT to 1	thence so the center in iron rod; thence S late the center in iron rod; thence S late the center that the line is situated of the Easter of soil	the Willam tion line 9 7-15 E alon of a road; thence S 22 7-18 E alon ng the cente ter of said 37.70 FT to In section 3 rly 20FT whi (If more space ro to be used for ilized	ette Meridian, in Mario 59.05 ft to an iron pip g the north line of saithence S 2°16' W along TII' W along the center of said read 333.27 road 312.69 FT to an inthe place of baginning of TWP 8. S.R. 3W in the is used for roadway equired, attach separate sheet) weloped veloped power feet. (Head)	county, Roe; running the at the northwest correction 133.35 FT to the center of said road 113.45 For the center of said road 113.45 For the center of said road 113.45 For the said road 113.45 For	
thence north and section 36 an iron rod in 136.55 FT to to an iron rod; thence S 19° 52' W at parallel with and, and being save and except (a) Character (b) Kind (c) Total (d) The control (d	thence so the center in iron rod; thence so the center in iron rod; thence so the center that the line is situated of the Easter of soil	the Willam tion line 9 7-15. E alon of a road; thence S 22 7-18. E alon ng the cente ter of said 37.70 FT to In section 3 rly 20FT whi (If more space ro to be used for ilized	ette Meridian, in Mario 59.05 ft to an iron ping the north line of sait thence S 2°16' W along TI' W along the center of said read 333.27 road 312.69 FT to an inthe place of baginning 5 of TWP 8. S.R. 3W in the place of baginning 6 of TWP 8. S.R. 3W in the is used for roadway equired, attach separate sheet) weloped power (Head) feet. (Head)	county, Roe; running the at the northwest cor id section 133.35 FT to the center of said roa r of said road II3.45 F oad 95.43 feet to an ir FT to an iron rod; then con rod; thence N 89.45 , containing 2.48 acres Marion County, Oregon. purposes. rle Loll theoretical horsepowe sec. ft.	
chence north and section 36 an iron rod in 136.55 FT to 1	thence so the center in iron rod; thence S latence S lat	the Willam ction line 9 7-15. E alon of a road; thence S 22 7-18. E alon ng the cente ter of said 37.70 FT to In section 3 rly 20FT whi (If more space ro ower to be der to be used for ilized works by mean located in	ette Meridian, in Mario 59.05 ft to an iron pi g the north line of sa thence S 2°16' W along "II' W along the center g the center of said re g the cen	county, Roe; running the at the northwest cor id section 133.35 FT to the center of said roa r of said road II3.45 F oad 95.43 feet to an ir FT to an iron rod; then con rod; thence N 89.45 , containing 2.48 acres Marion County, Oregon. purposes. rle Loll theoretical horsepowe sec. ft.	
thence north of section 36 an iron rod in 136.55 FT to 13	cter of soil cal amount of pantity of water of the works to be in the works to be in the No. E.	the Willam tion line 9 15: E alon of a road; thence S 22 148: E alon ng the cente ter of said 37.70 FT to in section 3 rly 20FT whi (If more space ro to be used for ilized	ette Meridian, in Mario 59.05 ft to an iron ping the north line of sait thence S 2°16' W along "II' W along the center of said root said	county, Roe; running the at the northwest cor id section 133.35 FT to the center of said roa r of said road II3.45 F oad 95.43 feet to an ir FT to an iron rod; then con rod; thence N 89.45 , containing 2.48 acres Marion County, Oregon. purposes. rle Loll theoretical horsepowe sec. ft.	
thence north of section 36 an iron rod in 136.55 FT to 13	cter of soil cal amount of pantity of water of the works to be in the works to be in the No. E.	the Willam tion line 9 15: E alon of a road; thence S 22 148: E alon ng the cente ter of said 37.70 FT to in section 3 rly 20FT whi (If more space ro to be used for ilized	ette Meridian, in Mario 59.05 ft to an iron pi g the north line of sa thence S 2°16' W along "II' W along the center g the center of said re g the cen	county, Roe; running the at the northwest cor id section 133.35 FT to the center of said roa r of said road II3.45 F oad 95.43 feet to an ir FT to an iron rod; then con rod; thence N 89°45 , containing 2.48 acres Marion County, Oregon. purposes. rle Loll theoretical horsepowe sec. ft.	
thence north a section 36 an iron rod in 136.55 FT to a to an iron rod in 136.55 FT to a to an iron rod; thence S is 19° 52' W a parallel with land, and being save and except (a) Chara (b) Kind (c) Tota (d) The (e) Successive (f) Is a first	ch works to be returned to be ut to be	the Willam tion line 9 15: E alon of a road; thence S 22 148: E alon ng the cente ter of said 37.70 FT to In section 3 rly 20FT whi (If more space ro works by mean located in	ette Meridian, in Mario 59.05 ft to an iron pi g the north line of sa thence S 2°16' W along "II' W along the center g the center of said re r of said road 333.27 road 312.69 FT to an ir the place of baginning of TWP 8. S.R. 3W in ch is used for roadway equired, attach separate sheet) weloped power (Head) s of which the power is to be (Legal Subdivision) M. ream? (Yes or No)	county, Roe; running the at the northwest cor id section 133.35 FT to the center of said roa r of said road II3.45 F oad 95.43 feet to an ir for to an iron rod; then con rod; thence N 89°45, containing 2.48 acres Marion County, Oregon. purposes. rle Loll theoretical horsepowe sec. ft. e developed of Sec.	
thence north and section 36 an iron rod in 136.55 FT to a to an iron rod in 136.55 FT to a to an iron rod; thence S is 19° 52' W a man and being and except (a) Chara (b) Kind (c) Tota (d) The (e) Such (f) Is a (g) If section 36	cter of soil	the Willam tion line 9 15: E alon of a road; thence S 22 148: E alon ng the cente ter of said 37.70 FT to In section 3 rly 20FT whi (If more space ro ilized	ette Meridian, in Mario 59.05 ft to an iron pi g the north line of sa thence S 2°16' W along "II' W along the center g the center of said re r of said road 333.27 road 312.69 FT to an ir the place of baginning 6 of TWP 8. S.R. 3W in ch is used for roadway equired, attach separate sheet) Mer weloped (Legal Subdivision) M. ream? (Yes or No) int of return	county, Roe; running the at the northwest cor id section 133.35 FT to the center of said roa r of said road II3.45 F oad 95.43 feet to an ir for to an iron rod; then ron rod; thence N 89°45, containing 2.48 acres Marion County, Oregon. purposes. rle Loll theoretical horsepowe sec. ft. developed of Sec.	
chence north and section 36 an iron rod in 136.55 FT to 1	ch works to be returned to the mature of the water to be returned.	the Willam tion line 9 7-15 E alon of a road; thence S 22 7-18 E alon ng the cente ter of said 37.70 FT to In section 3 rly 20FT whi (If more space ro to be used for ilized	ette Meridian, in Mario 59.05 ft to an iron pi g the north line of sa thence S 2°16' W along 'II' W along the cente g the center of said re r of said road 333.27 road 312.69 FT to an in the place of baginning b of TWP 8. S.R. 3W in ch is used for roadway equired, attach separate sheet) weloped power (Head) feet. (Head) (Legal Subdivision) M. ream? (Yes or No) int of return (No. N. or S.)	county, Roe; running the at the northwest cor id section 133.35 FT to the center of said roa r of said road II3.45 F oad 95.43 feet to an ir for to an iron rod; then con rod; thence N 89.45 r containing 2.48 acres Marion County, Oregon. purposes. rle Loll theoretical horsepowe sec. ft. developed of Sec. Of Sec. No. E. or W.)	
thence north a section 36 an iron rod in 136.55 FT to to an iron rod; thence S 19° 52' W a land, and being and except (a) Chara (b) Kind (c) Tot (d) The (e) Such (f) Is a (g) If section 36 and 15 an	ch works to be returned to the mature of the water to be returned.	the Willam tion line 9 7-15 E alon of a road; thence S 22 7-18 E alon ng the cente ter of said 37.70 FT to In section 3 rly 20FT whi (If more space ro to be used for ilized	ette Meridian, in Mario 59.05 ft to an iron pi g the north line of sa thence S 2°16' W along 'II' W along the cente g the center of said re r of said road 333.27 road 312.69 FT to an in the place of baginning b of TWP 8. S.R. 3W in ch is used for roadway equired, attach separate sheet) weloped power (Head) feet. (Head) (Legal Subdivision) M. ream? (Yes or No) int of return (No. N. or S.)	county, Roe; running pe at the northwest corrid section 133.35 FT to the center of said road road 113.45 Foad 95.43 feet to an ir to an iron rod; then ron rod; thence N 89°45, containing 2.48 acres Marion County, Oregon. purposes.	
chence north and section 36 an iron rod in 136.55 FT to 1	ch works to be returned to the mature of the water to be returned.	the Willam tion line 9 15: E alon of a road; thence S 22 148: E alon ng the cente ter of said 37.70 FT to in section 3 rly 20FT whi (If more space ro ilized	ette Meridian, in Mario 59.05 ft to an iron pi g the north line of sa thence S 2°16' W along "II' W along the center g the center of said re g the center of said re r of said road 333.27 road 312.69 FT to an in the place of baginning 6 of TWP 8. S.R. 3W in ch is used for roadway equired, attach separate sheet) weloped "power (Head) s of which the power is to be (Legal Subdivision) M. ream? (Yes or No) int of return (No. N. or S.) applied is	county, Roe; running the at the northwest cor id section 133.35 FT to the center of said roa r of said road II3.45 F oad 95.43 feet to an ir for to an iron rod; then con rod; thence N 89.45 r containing 2.48 acres Marion County, Oregon. purposes. rle Loll theoretical horsepowe sec. ft. developed of Sec. Of Sec. No. E. or W.)	

Aumeipai (or Domestic Supply—
10. ((a) To supply the city of
nd an esti	imated population of in 19
((b) If for domestic use state number of families to be supplied 1
	(Answer questions 11, 12, 13, and 14 in all cases)
11. 1	Estimated cost of proposed works, \$.500**
	Construction work will begin on or before Has been commenced
	Construction work will be completed on or before 2 yrs after approval
	The water will be completely applied to the proposed use on or before 3 yrs " "
17. 1	The water will be completely applied to the proposed use on or before
	•
	(Signature of applicant)
	(Sgd) Merle Loll
Rem	arks:
•••••	For description of spring, see app. No. 21793
	Pumping equipment and south 450 feet
	of pipe (spring to Neuenschwander house) is
***************************************	same as used under permit No. 17116

7	
••••••	
	OREGON, ss.
	of Marion,
This	is to certify that I have examined the foregoing application, together with the accompanying
	lata, and return the same for
In or	
In or	rder to retain its priority, this application must be returned to the State Engineer, with corre

Application	No. 25324
Permit No.	19978

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No	•	District	No		
			•	cceived in the alem, Oregon,		
	on the 2n	day of	Octo	ber ,		
•	19.50 at	11:10 o'cloc	ckA	• M.		
	Returned to	applicant:				
	Corrected a	pplication re	ceived:	•		
	Approved:	•••••				
		June 15	, 1951			
	Recorde	l in book No.	4	9 of		
	Permits on	page	1997	8		
		CHAS. E.	STRIC			
	Drainage B	isin No2		age 76- 4-1	, ,	
	Fees Paid	\$20.00	•• -			
		PERM	IT .			
County of Marion, This is to certify that SUBJECT TO EXISTING RI The right herein grant and shall not exceed0.0	GHTS and t ed is limited	ne following to the amous	limitati nt of w	ions and condi ater which ca	tions: n be applied	to beneficial use
stream, or its equivalent in c	ase of rotation	n with other	water	users, from	an unname	d spring and
reservoir to be constru	cted under	Applicati	on No.	R-25323, P	ermit No.	R –11 00
The use to which this a				•	•	_
not to exceed 1/2 acre.						
If for irrigation, this ap					•	one cubic foot per
second						
			,			
······································						
			•			************************
and shall be subject to such r						
The priority date of th	nis permit is	Octo	ber 2,	1950		
Actual construction we	ork shall beg	in on or befo	re	June 15,	1952	and shall
thereafter be prosecuted with	h reasonable	diligence an				
Complete application of	of the water		sed use	shall be made	on or before	
October 1, 1954	•	• •			2 U. UUJUI	
WITNESS my hand th				ne	10 5	1.
WILLIAMS may round be	A STATE OF THE STA	- •		HAS. E. STR	•	
`					·	STATE ENGINEER