ASSIGNED, See Misc. Rec. Vol. 3 Page 637-32

* APPLICATION FOR PERMIT

CERTIFICATE NO. 242/3

To Appropriate the Public Waters of the State of Oregon

(Name of applicant)
of Box 672 Rt 1 Veneta , (Mailing address)
State of
following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place of incorporation
1. The source of the proposed appropriation is Long Tom River
(Name of stream) , a tributary of Willamette River
2. The amount of water which the applicant intends to apply to beneficial use is 0.843. + 0.09
cubic feet per second. (If water is to be used from more than one source, give quantity from each)
**3. The use to which the water is to be applied is
4. The point of diversion is located 620 ft. S and 1110 ft. E from the N_1^1 . (E. or W.)
corner of Section 8 (Section or subdivision)
"B" 1320' S & 1500 ft. E. from the North
½ corner of section 8
•
(If preferable, give distance and bearing to section corner)
(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the "A" NW2 NE2 "B" E2 NE2 Of Sec. 8 Tp. 17 S (Give smallest legal subdivision) (N. or S.)
R. 6 W, W. M., in the county of Lane
5. The Main pipe line to be 1750
(Main ditch, canal or pipe line) (Miles or feet) in length, terminating in the of Sec. 8, Tp17_5
R
. DESCRIPTION OF WORKS
Diversion Works—
6. (a) Height of dam None feet, length on top feet, length at bottom
feet; material to be used and character of construction(Loose rock, concrete, masonry
(Loose rock, concrete, masonry
rock and brush, timber crib, etc., wasteway over or around dam) (b) Decomination of handante
(b) Description of headgate
(c) If water is to be pumped give general description 210 gpm, 4" cent. (Size and type of pump)
pump (Pacific Co.); 10 HP 3 % motor; Total head = 15! (Size and type of engine or motor to be used, total head water is to be lifted, etc.)
21 sprinklers

^{*} A different form of application is provided where storage works are contemplated

^{**} Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

e a dgate. At hed	adgate: width o	n top (at water l	line)	feet; width on bottom
	feet; depth of	water	feet; grade	feet fall per one
ous a nd feet. (b) At		miles from hea	dagte: width on top (at wa	ter line)
	feet; wiath on (oottom	jeet; depth of t	vater feet;
r a de	feet fal	l per one thousa	nd feet.	
(c) Length	h of pipe,29	9 50 ft.; si	ize at intake, 4	in; size at 1750 ft.
rom intake	3in.;	size at place of	usein.; di	ference in elevation between
atake and place	of use 18	ft. Is	grade uniform? Yes	Estimated capacity,
			g, ado ann, c	2000mated capacity,
210 gpm		•		
8. Locatio	n of area to be	irrigated, or plac	ee of use	
Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
			4 -	
17 S	6 W	8	NEZ NEZ NWZ NEZ	20.37 36.51 (26 pri
			NWA NEA	15.30 (10.51 sup
			$SE_{4}^{1}NE_{4}^{1}$	3.10
				75.28
	h4 ob 4	- 4- h	le a want of that wow	amiliately degandhed by
		w be used 1	is a part of that more	explicitly described by
pplicant as	TOTTOMS:			
arranty #511, ook 419 - Pa eginning at West, Willa ine of said ence line, 1	97 ge 446. the North que mette Meridia Section, 216 693.24 feet	n, and running. 3.21 feet; the to the center	ng thence South 89° 32 ence South 8° 10' 30" 1 of Long Tom Creek; the	
arranty #514 cok 419 - Pa eginning at West, Willa ine of said ence line, 1 enter of sai 747.15 feet	97 ge 446. the North qua mette Meridi Section, 216 693.24 feet d creek North to the North	an, and running as a second of the center of the center and South que	corner of Section 8, 1 ng thence South 89° 32 ence South 8° 40' 30" of Long Tom Creek; the 207.44 feet; thence arter-line of said Sec	Vest along the existing ence upstream along the leaving said creek West tion 8; thence North
arranty #514 cook 419 - Pa eginning at West, Willa ine of said ence line, 1 enter of sai 747.15 feet 570.0 feet t	97 ge 446. the North qua mette Meridi Section, 216 693.24 feet d creek North to the North	an, and running as a second of the center of the center and South que	corner of Section 8, 1 ng thence South 89° 32 ence South 8° 40' 30" of Long Tom Creek; the 207.44 feet; thence arter-line of said Sec	East along the North lest along the existing ence upstream along the leaving said creek West
arranty #514 ook 419 - Pa eginning at West, Willa ine of said ence line, 1 enter of sai 747.15 feet 570.0 feet tregon.	97 ge 446. the North qua mette Meridi Section, 216 693.24 feet d creek North to the North	an, and running. 21 feet; the conternation of the center and South quant beginning,	corner of Section 8, 2 ng thence South 89° 32 ence South 8° 40' 30" 3 of Long Tom Creek; the t 207.44 feet; thence arter-line of said Sec containing 73.8,/more acres	East along the North lest along the existing ence upstream along the leaving said creek West tion 8; thence North
arranty #514 ook 419 - Pa eginning at West, Willa ine of said ence line, 1 enter of sai 747.15 feet 570.0 feet tregon. Continued un	ge 446. the North quemette Meridia Section, 216 693.24 feet to d creek North to the North to the place der Remarks)	an, and running. 21 feet; the cothe center of 54° 10° West and South quant of beginning,	corner of Section 8, 9 ng thence South 89° 32 ence South 8° 10' 30" 1 of Long Tom Creek; thence arter-line of said Sectontaining 73.8,/more acres	East along the North Vest along the existing ence upstream along the leaving said creek West tion 8; thence North or less, in Lane County
arranty #514 cok 419 - Pa eginning at West, Willa ine of said ence line, 1 enter of sai 747.15 feet 570.0 feet tregon. Continued un	ge 446. the North quantite Meridia Section, 216; 693.24 feet to d creek North to the North to the place der Remarks)	an, and running and running and feet; the center of the center and South que of beginning, (If more space required the space required bottem 1:	corner of Section 8, 19 mg thence South 89° 32 ence South 8° 40' 30" of Long Tom Creek; the total feet; thence arter-line of said Section 13.8,/more acres	East along the North lest along the existing ence upstream along the leaving said creek West tion 8; thence North or less, in Lane County
arranty #514 cok 419 - Pa eginning at West, Willa ine of said ence line, 1 enter of sai 747.15 feet 570.0 feet tregon. Continued un	ge 446. the North quantite Meridia Section, 216; 693.24 feet to d creek North to the North to the place der Remarks)	an, and running and running and feet; the center of the center and South que of beginning, (If more space required the space required bottem 1:	corner of Section 8, 19 mg thence South 89° 32 ence South 8° 40' 30" of Long Tom Creek; the total feet; thence arter-line of said Section 13.8,/more acres	East along the North Vest along the existing ence upstream along the leaving said creek West tion 8; thence North or less, in Lane County
arranty #51h ook 419 - Pa eginning at West, Willa ine of said ence line, 1 enter of sai 747.15 feet 570.0 feet t regon. Continued un (a) Chara (b) Kind	ge 446. the North quemette Meridia Section, 216 693.24 feet to the North to the North to the place der Remarks) cter of soil	an, and running and running and feet; the center of the center and South que of beginning, (If more space required the space required bottem 1:	corner of Section 8, 19 mg thence South 89° 32 ence South 8° 40' 30" of Long Tom Creek; the total feet; thence arter-line of said Section 13.8,/more acres	East along the North lest along the existing ence upstream along the leaving said creek West tion 8; thence North or less, in Lane County
arranty #514 ook 419 - Pa eginning at West, Willa ine of said ence line, 1 enter of sai 747.15 feet 570.0 feet t regon. Continued un (a) Chara (b) Kind ower or Mining	ge 446. the North quanette Meridia Section, 216 693.24 feet d creek North to the North to the place der Remarks) cter of soil of crops raised. Purposes—	an, and running. 2.21 feet; the contern 51: 10: West and South que of beginning, (If more space required bottem 1: permanate	corner of Section 8, 19 mg thence South 8° 32 mce South 8° 40' 30" of Long Tom Creek; the 207.44 feet; thence arter-line of said Section acres arter-line of said Section 3.8,/more acres arter attach separate sheet) and & sand the pasture & grain	East along the North lest along the existing ence upstream along the leaving said creek West tion 8; thence North or less, in Lane County
arranty #511, look 419 - Pa eginning at west, Willa ine of said ence line, 1 enter of sai 7147.15 feet 570.0 feet tregon. Continued un (a) Chara (b) Kind ence of Mining 9. (a) To	ge 446. the North quemette Meridia Section, 216 693.24 feet to creek North to the North to the place der Remarks) cter of soil of crops raised g Purposes— tal amount of per	and running and running and feet; the center of the center and South question beginning, (If more space required bottem 1: permanai	corner of Section 8, 19 mg thence South 8° 32 mce South 8° 40' 30" of Long Tom Creek; the 207.44 feet; thence arter-line of said Section acres arter-line of said Section 3.8,/more acres arter attach separate sheet) and & sand the pasture & grain	East along the North lest along the existing ence upstream along the leaving said creek West tion 8; thence North or less, in Lane County theoretical horsepower.
West, Willa ine of said ence line, l enter of sai 747.15 feet 570.0 feet t regon. Continued un (a) Chara (b) Kind ower or Mining 9. (a) To (b) Qu	ge 446. the North quemette Meridia Section, 216 693.24 feet of creek North to the North to the place der Remarks) cter of soil of crops raised Purposes— tal amount of potentity of water	an, and running. 2.21 feet; the cothe center of the center of the second secon	corner of Section 8, 9 ng thence South 89° 32 ence South 8° 10' 30" 1 of Long Tom Creek; thence acres arter-line of said Section 73.8,/more acres area acres area & sand te pasture & grain loped ower	East along the North lest along the existing ence upstream along the leaving said creek West tion 8; thence North or less, in Lane County theoretical horsepower.
arranty #51h look h19 - Pa leginning at leginning feat leginning feat leginning legin	ge 446. the North quemette Meridia Section, 216 693.24 feet of creek North to the North to the place der Remarks) cter of soil	an, and running. 2.21 feet; the cothe center of the cente	corner of Section 8, 9 ag thence South 89 32 ence South 8 10 30 1 of Long Tom Creek; thence arter-line of said Sectontaining 73.8,/more acres are sector ac	East along the North Vest along the existing ence upstream along the Leaving said creek West tion 8; thence North or less, in Lane County theoretical horsepower. ec. ft.
arranty #51h look h19 - Pa leginning at leginning feat leginning feat leginning legin	ge 446. the North quemette Meridia Section, 216 693.24 feet of creek North to the North to the place der Remarks) cter of soil	an, and running. 2.21 feet; the cothe center of the cente	corner of Section 8, 9 ag thence South 89 32 ence South 8 10 30 1 of Long Tom Creek; thence arter-line of said Sectontaining 73.8,/more acres are sector ac	East along the North lest along the existing ence upstream along the leaving said creek West tion 8; thence North or less, in Lane County theoretical horsepower.
arranty #511, look 419 - Pa leginning at west, Willa ine of said ence line, 1 lenter of said 7,147.15 feet 570.0 feet tregon. Continued un (a) Chara (b) Kind ower or Mining 9. (a) To (b) Qu (c) To (d) Th	ge 446. the North quemette Meridia Section, 216. 693.24 feet of creek North to the North to the place der Remarks) cter of soil	an, and running. 3.21 feet; the cothe center of the cente	corner of Section 8, 9 ag thence South 8° 32 ence South 8° 10' 30" of Long Tom Creek; thence arter-line of said Sectontaining 73.8,/more acres are suired, attach separate sheet) and & sand the pasture & grain loped	East along the North Vest along the existing ence upstream along the Leaving said creek West tion 8; thence North or less, in Lane County theoretical horsepower. ec. ft. developed
arranty #511, look 419 - Pa leginning at west, Willa ine of said ence line, 1 lenter of said 7,147.15 feet 570.0 feet tregon. Continued un (a) Chara (b) Kind ower or Mining 9. (a) To (b) Qu (c) To (d) Th	ge 446. the North quemette Meridia Section, 216. 693.24 feet of creek North to the North to the place der Remarks) cter of soil	an, and running. 3.21 feet; the cothe center of the cente	corner of Section 8, 9 ag thence South 8° 32 ence South 8° 10' 30" of Long Tom Creek; thence arter-line of said Sectontaining 73.8,/more acres are suired, attach separate sheet) and & sand the pasture & grain loped	East along the North Vest along the existing ence upstream along the Leaving said creek West tion 8; thence North or less, in Lane County theoretical horsepower. ec. ft.
arranty #51h ook h19 - Pa eginning at West, Willa ine of said ence line, 1 enter of sai 747.15 feet 570.0 feet t regon. Continued un (a) Chara (b) Kind ower or Mining 9. (a) To (b) Qu (c) To (d) Th (e) Su	ge 446. the North quemette Meridia Section, 216. 693.24 feet of creek North to the North to the place der Remarks) cter of soil	and running 3.21 feet; the cothe center 154. 10. West and South quest beginning, (If more space required bottem 1: permanate ower to be developed by means of the content	corner of Section 8, 9 ag thence South 8° 32 ence South 8° 10' 30" of Long Tom Creek; thence arter-line of said Sectontaining 73.8,/more acres are suired, attach separate sheet) and & sand the pasture & grain loped	East along the North Vest along the existing ence upstream along the Leaving said creek West tion 8; thence North or less, in Lane County theoretical horsepower. ec. ft. developed
arranty #511, ook 419 - Pa eginning at West, Willa ine of said ence line, 1 enter of sai 7147.15 feet 570.0 feet tregon. Continued un (a) Chara (b) Kind ower or Mining 9. (a) To (b) Qu (c) To (d) Th (e) Su p. (No. N. or S.)	ge 1116. the North quemette Meridia Section, 216. 693.24 feet of creek North to the North to the place der Remarks) cter of soil of crops raised g Purposes— tal amount of perantity of water tal fall to be utility e nature of the utility ch works to be leading. (No. E.	and running and running and feet; the center of the center	corner of Section 8, 19 mg thence South 8° 32 mce South 8° 40' 30" 1 of Long Tom Creek; the 207.44 feet; thence arter—line of said Section 3.8,/more acres The section 3.9 more acres The section 3	East along the North Vest along the existing ence upstream along the Leaving said creek West tion 8; thence North or less, in Lane County theoretical horsepower. ec. ft. developed
arranty #511, ook 419 - Pa eginning at West, Willa ine of said ence line, 1 enter of sai 7147.15 feet 570.0 feet tregon. Continued un (a) Chara (b) Kind ower or Mining 9. (a) Too (b) Qu (c) Too (d) Th (e) Su (no. N. or S.) (f) Is a	ge 1416. the North quemette Meridia Section, 216. 693.24 feet of creek North to the North to the North of the place der Remarks) cter of soil	and running and running and feet; the center of the center	corner of Section 8, and thence South 8° 32 ance South 8° 40' 30" of Long Tom Creek; the containing of said Section 8, and Section 10 and 8 and 8 and 10 and 8 and 10 and	East along the North lest along the existing ence upstream along the leaving said creek West tion 8; thence North or less, in Lane County theoretical horsepower. ec. ft. developed
arranty #51h ook 419 - Pa eginning at West, Willa ine of said ence line, 1 enter of sai 747.15 feet 570.0 feet t regon. Continued un (a) Chara (b) Kind ower or Mining 9. (a) To (b) Qu (c) To (d) Th (e) Su p. (No. N. or S.) (f) Is a (g) If s	ge 446. the North quemette Meridia Section, 216 693.24 feet of creek North to the North to the North of the place der Remarks) cter of soil of crops raised purposes— tal amount of perantity of water tal fall to be utility e nature of the reliable to the control of the reliable to the control of the reliable to the reliable to the return of the return of the reliable to the return of the reliable to the return of the return o	and running and running and feet; the center of the center	corner of Section 8, 19 mg thence South 89° 32 mce South 8° 40' 30" of Long Tom Creek; the term of Long Tom Creek; the term of Said Section 10 mg 10 m	East along the North lest along the existing ence upstream along the leaving said creek West tion 8; thence North or less, in Lane County theoretical horsepower. ec. ft. developed
arranty #51h ook 419 - Pa eginning at West, Willa ine of said ence line, 1 enter of sai 747.15 feet 570.0 feet t regon. Continued un (a) Chara (b) Kind ower or Mining 9. (a) To (b) Qu (c) To (d) Th (e) Su (no. N. or S.) (f) Is a (g) If s	ge 1416. the North quemette Meridia Section, 216. 693.24 feet of creek North to the North to the North of the place der Remarks) cter of soil cter of soil cter of soil cter of water tal amount of perantity of water tal fall to be ute e nature of the relative of the	and running. 2.21 feet; the cothe center of the center of	corner of Section 8, 9 ag thence South 89 32 ence South 8 ho! 30 of Iong Tom Creek; the 207.44 feet; thence arter—line of said Section 10 feet. In and & sand It pasture & grain Ioped	East along the North lest along the existing ence upstream along the leaving said creek West tion 8; thence North or less, in Lane County theoretical horsepower. ec. ft. developed

	(a) To supply the city of
	timated population ofin 19
	(b) If for domestic use state number of families to be supplied
	(Answer questions 11, 12, 13, and 14 in all cases)
11.	Estimated cost of proposed works, \$ 3260.
	Construction work will begin on or before Construction aready started.
	Construction work will be completed on or before 2 yrs from approval date
	The water will be completely applied to the proposed use on or before 3 years from
	approval date.
	(Sgd) A. L. Frick Jr. (Signature of applicant)
	(Sgd) Mary L. Frick.
Rei	narks: (Continued from Item 8)
sterly Eas	ming; thence East 1672.8 feet along an existing property line fence and its extension to a point in the center of the Long Tom River; thence, South 67° t 331.3 feet, East 290.0 feet and South 07° 43½! East 169.5 feet along the
on pir disting operty bunty F said did tra due poi	If said Long Tom River to a point; thence South 89° 56½! West 16.0 feet to an set on the Westerly bank of said Long Tom River and the easterly end of an property line fence; thence South 89° 56½! West 2181.1 feet along said line fence to an iron pin set on the easterly right of way fence line of load No. 1081; thence South 89° 56½! West 30.0 feet to a point on the center County road as now traveled; thence North 10° 38½! west 171.3 feet along weled road to an angle therein; thence North 01° 24! West 128.5 feet to the nt of beginning, in Lane County, Oregon.
on pir disting operty ounty F said id tra ue poi	If said Long Tom River to a point; thence South 89° 56½! West 46.0 feet to an set on the Westerly bank of said Long Tom River and the easterly end of an property line fence; thence South 89° 56½! West 2181.1 feet along said line fence to an iron pin set on the easterly right of way fence line of load No. 1081; thence South 89° 56½! West 30.0 feet to a point on the center County road as now traveled; thence North 10° 38½! west 171.3 feet along weled road to an angle therein; thence North 01° 24! West 128.5 feet to the nt of beginning, in Lane County, Oregon.
on pir disting operty ounty F said aid tra ue poi	If said Long Tom River to a point; thence South 89° 56½! West 46.0 feet to an set on the Westerly bank of said Long Tom River and the easterly end of an property line fence; thence South 89° 56½! West 2181.1 feet along said line fence to an iron pin set on the easterly right of way fence line of load No. 1081; thence South 89° 56½! West 30.0 feet to a point on the center County road as now traveled; thence North 10° 38½! west 171.3 feet along weled road to an angle therein; thence North 01° 24! West 128.5 feet to the nt of beginning, in Lane County, Oregon.
on pir disting operty ounty f said did tra ue poi	If said Long Tom River to a point; thence South 89° 56½; West 46.0 feet to an a set on the Westerly bank of said Long Tom River and the easterly end of an property line fence; thence South 89° 56½; West 2181.1 feet along said line fence to an iron pin set on the easterly right of way fence line of load No. 1081; thence South 89° 56½; West 30.0 feet to a point on the center County road as now traveled; thence North 10° 38½; west 171.3 feet along weled road to an angle therein; thence North 01° 24; West 128.5 feet to the nt of beginning, in Lane County, Oregon.
on pir disting operty unty F said id tra ue poi	If said Long Tom River to a point; thence South 89° 50½ West 46.0 feet to an a set on the Westerly bank of said Long Tom River and the easterly end of an property line fence; thence South 89° 56½ West 2181.1 feet along said line fence to an iron pin set on the easterly right of way fence line of load No. 1081; thence South 89° 56½ West 30.0 feet to a point on the center County road as now traveled; thence North 10° 38½ West 171.3 feet along weled road to an angle therein; thence North 01° 24' West 128.5 feet to the nt of beginning, in Lane County, Oregon.
on pir disting operty unty F said id tra ue poi	If said Long Tom River to a point; thence South 89° 56½ West 46.0 feet to an set on the Westerly bank of said Long Tom River and the easterly end of an property line fence; thence South 89° 56½ West 2181.1 feet along said line fence to an iron pin set on the easterly right of way fence line of load No. 1081; thence South 89° 56½ West 30.0 feet to a point on the center County road as now traveled; thence North 10° 38½ west 171.3 feet along weled road to an angle therein; thence North 01° 24' West 128.5 feet to the nt of beginning, in Lane County, Oregon.
on pir disting operty ounty F said id tra ue poi	If said Long Tom River to a point; thence South 89° 56½ West 16.0 feet to an set on the Westerly bank of said Long Tom River and the easterly end of an property line fence; thence South 89° 56½ West 2181.1 feet along said line fence to an iron pin set on the easterly right of way fence line of load No. 1081; thence South 89° 56½! West 30.0 feet to a point on the center County road as now traveled; thence North 10° 38½! west 171.3 feet along weled road to an angle therein; thence North 01° 24! West 128.5 feet to the nt of beginning, in Lane County, Oregon.
ron pir risting roperty ounty F f said aid tra rue poi	If said Long Tom River to a point; thence South 89° 56½; West 16.0 feet to an set on the Westerly bank of said Long Tom River and the easterly end of an property line fence; thence South 89° 56½; West 2181.1 feet along said line fence to an iron pin set on the easterly right of way fence line of load No. 1081; thence South 89° 56½; West 30.0 feet to a point on the center County road as now traveled; thence North 10° 38½; west 171.3 feet along weled road to an angle therein; thence North 01° 24; West 128.5 feet to the not of beginning, in Lane County, Oregon.
con pir disting coperty ounty for said aid trace points of the county of	If said long Tom River to a point; thence South 89° 56½! West 16.0 feet to an a set on the Westerly bank of said long Tom River and the easterly end of an property line fence; thence South 89° 56½! West 2181.1 feet along said line fence to an iron pin set on the easterly right of way fence line of load No. 1081; thence South 89° 56½! West 30.0 feet to a point on the center County road as now traveled; thence North 10° 36½! west 171.3 feet along welled road to an angle therein; thence North 01° 21! West 128.5 feet to the not of beginning, in Lane County, Oregon. FOREGON, (ss. of Marion,) sis to certify that I have examined the foregoing application, together with the accompanying
ron pir risting coperty bunty F said aid tracue pointy F County TATE O County This aps and	If said Long Tom River to a point; thence South 89° 562' West 16.0 feet to an a set on the Westerly bank of said Long Tom River and the easterly end of an property line fence; thence South 89° 562' West 2181.1 feet along said line fence to an iron pin set on the easterly right of way fence line of load No. 1081; thence South 89° 562' West 30.0 feet to a point on the center County road as now traveled; thence North 10° 382' West 171.3 feet along welled road to an angle therein; thence North 01° 24' West 128.5 feet to the nt of beginning, in Lane County, Oregon. FOREGON, of Marion, sis to certify that I have examined the foregoing application, together with the accompanying data, and return the same for
ron pir risting roperty bunty F said aid tracue pointy F County This aps and In contract the county of the county	of said Long Tom River to a point; thence South 89° 562; West 16.0 feet to an a set on the Westerly bank of said Long Tom River and the easterly end of an a set on the Westerly bank of said Long Tom River and the easterly said. Iline fence to an iron pin set on the easterly right of way fence line of load No. 1081; thence South 89° 562; West 30.0 feet to a point on the center County road as now traveled; thence North 10° 382; West 171.3 feet along welled road to an angle therein; thence North 01° 21; West 128.5 feet to the nt of beginning, in Lane County, Oregon. FOREGON, Ss. of Marion, ss. sis to certify that I have examined the foregoing application, together with the accompanying data, and return the same for certain its priority, this application must be returned to the State Engineer, with correcting the same property of the same for certain its priority, this application must be returned to the State Engineer, with correcting the same for certain its priority, this application must be returned to the State Engineer, with correcting the same for certain its priority, this application must be returned to the State Engineer, with correcting the same for certain its priority, this application must be returned to the State Engineer, with correcting the same for certain its priority, this application must be returned to the State Engineer, with correcting the same for certain its priority certain its
ron pir xisting roperty ounty F f said aid tra rue poi TATE O County Thi aps and	If said Long Tom River to a point; thence South 89° 562' West 16.0 feet to an a set on the Westerly bank of said Long Tom River and the easterly end of an property line fence; thence South 89° 562' West 2181.1 feet along said line fence to an iron pin set on the easterly right of way fence line of load No. 1081; thence South 89° 562' West 30.0 feet to a point on the center County road as now traveled; thence North 10° 382' West 171.3 feet along welled road to an angle therein; thence North 01° 24' West 128.5 feet to the nt of beginning, in Lane County, Oregon. FOREGON, of Marion, sis to certify that I have examined the foregoing application, together with the accompanying data, and return the same for

Application No	25362	
Permit No	19987	

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE

	OF OREGON	
	Division No District No	
	This instrument was first received i office of the State Engineer at Salem, Or	n the
•	on the 17th day of October	,
•	19.50., at 10:15 o'clock A. M.	
÷ + 4	Returned to applicant:	
	Corrected application received:	•
	Approved:	
	June 15, 1951	·
	Recorded in book No49	of
·	Permits on page19987	
	CHAS. E. STRICKLIN	
	STATE ENGI	
	Drainage Basin No 2 Page 11	***************************************
•	Fees Paid \$21.90	
OF AFT OF OPECON	PERMIT	
STATE OF OREGON, ss.	•	
	t I have examined the foregoing applicat IGHTS and the following limitations and	
The right herein gran	ted is limited to the amount of water whi	ch can be applied to beneficial use
and shall not exceed	941 cubic feet per second measured	at the point of diversion from the
stream, or its equivalent in	case of rotation with other water users, f	rom Long Tom River
	• ·	
The use to which this	water is to be applied isirrigation	and supplemental irrigation
	- 10	
• • • • • • • • • • • • • • • • • • • •	ppropriation shall be limited to $1\sqrt{8}$ at for each acre irrigated and sha	•
	ceed 23 acre feet per acre for eac	
irrigation season of ea	ach year, provided further that th	e amount of water allowed
herein, together with t	the amount secured under any other	right existing for the
same lands shall not ex	cceed the limitation allowed here	in,
,		<u></u>
-	reasonable rotation system as may be orde his permit is October 17, 1950 for C	
Actual construction w	ork shall begin on or beforeJur	ne 15, 1952 and shall
	th reasonable diligence and be completed	
	and at to Oct. 1, 1965	
_	of the water to the proposed use shall be	made on or before
October 1, 1954	nd d to Oct. 1, 1955	
WITNESS my hand t	his 15th day of June	, ₁₉ 51
	CHAS. E.	S TRICKLIN STATE ENGINEER
		· • • · · · · · · · · · · · · · · · · ·

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933. State Printing Dept. 44167