

* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Bertha Hunt (Name of applicant) of Route 2 Bx 397 Tillamook (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Trask River (Name of stream), a tributary of Tillamook Bay

2. The amount of water which the applicant intends to apply to beneficial use is 3125 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1628.75 ft. S and 767.20 ft. E from the North West corner of section 5 Twp. 2.S.R.9.W.W.M. Tillamook Oregon (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the SW 1/4 of NW 1/4 of Sec. 5, Tp. 2.S., R. 9.W., W.M., in the county of Tillamook

5. The pipe line to be 1500 ft in length, terminating in the NW 1/4 NW 1/4 of Sec. 5, Tp. 2.S., R. 9.W., W.M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam none feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 7 1/2 h.p. Electric Centrifugal pump (Size and type of pump) 25 ft head (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of) and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1900
- 12. Construction work will begin on or before Now complete
- 13. Construction work will be completed on or before
- 14. The water will be completely applied to the proposed use on or before

(Sgd) Bertha Hunt
(Signature of applicant)

Remarks: The system has been in use for a year.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

Application No. 25385

Permit No. 19994

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 24th day of October, 1950, at 4:20 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

June 15, 1951

Recorded in book No. 49 of

Permits on page 19994

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 1 Page 19

Fees Paid \$15.00

PERMIT

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.313 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Trask River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is October 24, 1950

Actual construction work shall begin on or before June 15, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1953

Complete application of the water to the proposed use shall be made on or before

October 1, 1954

WITNESS my hand this 15th day of June, 1951

CHAS. E. STRICKLIN STATE ENGINEER