

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, L.P. McAneney (Name of applicant) of Tipton Road, Roseburg, Oregon (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Umpqua River (Name of stream), a tributary of Umpqua River

2. The amount of water which the applicant intends to apply to beneficial use is 0.02 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation for lawn and garden and domestic supplies (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located ft. and ft. from the corner of N. 61° W. 125 ft. from a point that is N 19° 25' E 80.10 ft., N 21° 46' E 85.13 ft and N 35° 43' W 344.7 ft from the S.E. Corner of Lot 11 of "The Oaks Addition" in Sec. 26-T 27S - R 6 W W.M. in Douglas County, Oregon (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the S.E. 1/4th of the S.E. 1/4th of Sec. 26, Tp. 27S, R. 6W, W.M., in the county of Douglas (Give smallest legal subdivision) (N. or S.)

5. The pipe line to be 125 ft in length, terminating in the as above of Sec. , Tp. R. , W.M., the proposed location being shown throughout on the accompanying map. (E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1" Universal Jet (Size and type of pump) 3/4 horse electric motor, total head 25ft (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

100-114

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, ft.; size at intake, in; size at ft. from intake in.; size at place of use in.; difference in elevation between intake and place of use, ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
Within the south 340' of Lot 11, "The Oaks Addition" in Twp. 27 -R 6 W.				
W.M. in Douglas County, Oregon			Not to exceed 1 acre	
(See attached plat of "The Oaks Addition"				
27 S	6 W	26	SE $\frac{1}{4}$ SE $\frac{1}{4}$	

(If more space required, attach separate sheet)

(a) Character of soil Loam

(b) Kind of crops raised Garden

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal Subdivision)

Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(f) Is water to be returned to any stream?

(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(No. N. or S.)

(No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied One

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$500.00

12. Construction work will begin on or before Reconstruction Nov. 1950

13. Construction work will be completed on or before June, 1951

14. The water will be completely applied to the proposed use on or before June, 1951

(Sgd) L P McAneney
(Signature of applicant)

Remarks: Pump previously installed at this location requires re-install-
ation following October 1950 flood conditions

STATE OF OREGON, {
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

Application No. 25511

Permit No. 20042

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 18th day of December, 1950, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

June 15, 1951

Recorded in book No. 49 of Permits on page 20042

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 16 Page 30 B.

Fees Paid \$25.00

PERMIT

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Umpqua River

The use to which this water is to be applied is domestic and irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is December 18, 1950

Actual construction work shall begin on or before June 15, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1953

Complete application of the water to the proposed use shall be made on or before

October 1, 1954

WITNESS my hand this 15th day of June, 1951.

CHAS. E. STRICKLIN

STATE ENGINEER