* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, C .	E. Hawkinson	(Name of applicant)	· · · · · · · · · · · · · · · · · · ·		
ofRoute	2	Hillsboro	, Orego	n	,
		, do hereby make			
		he State of Oregon, SUE			
		, give date and place of			
		ppropriation is	(14	THE OF PETERS	
		he applicant intends to a			
cubic feet per s	second.	(If water is to be used from more the	han one tource siy	re quantity from e	ach)
		is to be applied is(Irriga			
		tated ft. (N. or S. Last from the $\frac{1}{4}$			
•		(Section or subdiv	usion)		
	(If pre	eferable, give distance and bearing to int of diversion, each must be describ	section corner) ped. Use separate	sheet if necessary)	
		est legal subdivision) ofWashington			(A. U. S.)
5. The	Pi peline	h, canal or pipe line)	to be	820 feet	les or feet)
in length, tern	ninating in the	(Smallest legal subdivision)	of Sec	9,	Tp. 1 S (N. or S.)
R 2. W	, W. M., the propo	osed location being show	n throughou	t on the acc	ompanying map.
		DESCRIPTION OF W	ORKS		
Diversion Wor	rks—				
6. (a) I	Height of dam	feet, length or	ı top	fe	et, length at bottom
•	feet; material to be	used and character of co	onstruction	I)	Loose rock, concrete, masonry
	er crib, etc., wasteway over or aro				
		(Timber, co			
(c) If u	vater is to be pumped	give general description	9 H.P.	Gas Engil	n e of pump)
	(Size and type o	of engine or motor to be used, total he	ead water is to be l	ifted, etc.)	
**** \\#\		***************************************	· · · · · · · · · · · · · · · · · ·		

^{*} A different form of application is provided where storage works are contemplated.

^{**} Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or	•	anch maint of	agnal sphare materially char	nged in size, stating miles from
. ,		•	_	feet; width on bottom
_				feet fall per one
thousand feet.	• • •		•	ater line)
	. feet; width on l	oottom	feet; depth of	water feet;
grade	feet fal	l per one thous	sand feet.	
(c) Lengt	h of pipe, 8	20 ft.;	size at intake,3	in; size at660
from intake	2 in.;	size at place o	of use in.; d	lifference in elevation between
intake and place	e of use, 40	ft. Is	grade uniform? No	Estimated capacity,
250 gpm.	sec. ft.			
8. Location	on of area to be	irrigated, or pl	ace of use	
Township	Range F. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
18	2 W	9	SW1 of NW1	24.0
18	2W	9	SE_{4}^{1} of NW_{4}^{1}	3.0
				27.0
		<u>.</u>		
			·	
		i		
		4		
Annual design of the second se				
		1		- 4
		. .	· · · · · · · · · · · · · · · · · · ·	
		(If more space 1	equired, attach separate sheet)	Î
(a) Cha	racter of soil	Oh aha 14	is - Willamette	
. ,	l of crops raised	0	y and general farm cro	p s
Power or Minis				
	-	power to be de	veloped	theoretical horsepower.
(b) (Quantity of wate	r to be used fo	r power	sec. ft.
(c) T	Sotal fall to be a	tilized	(Head)	
(d) 7	Th e natur e of the	works by mea	ns of which the power is to	be developed
(e) S	Such works to be	located in	(Legal Subdivision)	of Sec
	, R(No			
(f) 1	is water to be re	turned to any s	tream?(Yes or No)	
			oint of return	
				, R, W. M.
(h) !	The use to which	power is to be		
(i) '	The nature of the	e mines to be se	rvea	

	County, having a present population of	
,	imated population of in 19	
((b) If for domestic use state number of families to be supplied	
	(Answer questions 11, 12, 13, and 14 in all cases)	
11. E	Estimated cost of proposed works, \$ 150000	
12. (Construction work will begin on or before May 1, 1950	
13. (Construction work will be completed on or before August 1, 1950	
14. 7	The water will be completely applied to the proposed use on or before.	ugust 1950
	• 	
	(Sgd) C. E. Hawkinson (Signature of app	olicant)
County, one-quar N 89 deg 9 deg. 5 the sout on said	nveyed to R. A. Dean by deed as described on page 551 of R Oregon Deed Records, which point bears N 89 degrees 291 I rter corner on the West line of Section 9, in T 1 & R 2 W g. 291 E 918.2 feet to the southeast corner of the said De 50! E along the easterly line of the said Dean tract 1207 therly line of the Southern Pacific R R right of way; Then I southerly line 661.6 feet to the most easterly corner of	3 399.8 feet from the W M. Running thence an tract; Thence N. O feet to an iron conce N. 81 deg. 28 W
204 of s corner of said 0.1 the re- deg. 281 of Rock feet to feet; The point frank run	said Deed Records; Thence S 53 deg. 32' W 111.42 feet to of the said 0.477 acre tract; Thence N 81 deg. 28' W on the said 0.477 acre tract; Thence N 81 deg. 28' W on the said 100.0 feet to an angle in same; Thence N 36 deg. 28' W 40.5 feet to the southwest corner of the said 0.477 acre tract; Thence down stream in the center of Rock Creek, S an angle in same; Thence S 22 deg. 21' W in the center of the said 0.477 acres which an iron pipe bears S 0 deg. 01' E 20.0 feet; Thence S 0 deg. 01' E	ribed on page 67 of the most southerly he southerly line of . 28' W 106.07 feet re tract; Thence N 6 cre tract, in the cu 3 deg. 08' E 175.3 f Rock Creek 320.2 ' W 51.6 feet to a ence leaving Rock Creek ection 9 a distance
204 of s corner of said 0.1 the re- deg. 281 of Rock feet to feet; The point from	said Deed Records; Thence S 53 deg. 32' W 11.1.42 feet to of the said 0.1.77 acre tract; Thence N 81 deg. 28' W on the 1.477 atract 100.0 feet to an angle in same; Thence N 36 deg. 28' W 10.5 feet to the southwest corner of the said 0.1.477 acres. Thence down stream in the center of Rock Creek, S of an angle in same; Thence S 22 deg. 21' W in the center of the said 0.1.477 acres. Thence continuing in the center of Rock Creek S 55 deg. 28' From which an iron pipe bears S 0 deg. 01' E 20.0 feet; Thening S 0 Deg. 01' E parallel with the west line of said S	ribed on page 67 of the most southerly he southerly line of . 28' W 106.07 feet re tract; Thence N 6 cre tract, in the cu 3 deg. 08' E 175.3 f Rock Creek 320.2 ' W 51.6 feet to a ence leaving Rock Creek ection 9 a distance
204 of s corner of said 0.1 the re- deg. 281 of Rock feet to feet; The point from	said Deed Records; Thence S 53 deg. 32' W 11.1.42 feet to of the said 0.1.77 acre tract; Thence N 81 deg. 28' W on the 1.477 atract 100.0 feet to an angle in same; Thence N 36 deg. 28' W 10.5 feet to the southwest corner of the said 0.1.477 acres. Thence down stream in the center of Rock Creek, S of an angle in same; Thence S 22 deg. 21' W in the center of the said 0.1.477 acres. Thence continuing in the center of Rock Creek S 55 deg. 28' From which an iron pipe bears S 0 deg. 01' E 20.0 feet; Thening S 0 Deg. 01' E parallel with the west line of said S	ribed on page 67 of the most southerly he southerly line of . 28' W 106.07 feet re tract; Thence N 6 cre tract, in the cu 3 deg. 08' E 175.3 f Rock Creek 320.2 ' W 51.6 feet to a ence leaving Rock Creek ection 9 a distance
204 of s corner of said 0.1 the re- deg. 281 of Rock feet to feet; The point from	said Deed Records; Thence S 53 deg. 32' W 11.1.42 feet to of the said 0.1.77 acre tract; Thence N 81 deg. 28' W on the 1.477 atract 100.0 feet to an angle in same; Thence N 36 deg. 28' W 10.5 feet to the southwest corner of the said 0.1.477 acres. Thence down stream in the center of Rock Creek, S of an angle in same; Thence S 22 deg. 21' W in the center of the said 0.1.477 acres. Thence continuing in the center of Rock Creek S 55 deg. 28' From which an iron pipe bears S 0 deg. 01' E 20.0 feet; Thening S 0 Deg. 01' E parallel with the west line of said S	ribed on page 67 of the most southerly he southerly line of . 28' W 106.07 feet re tract; Thence N 6 cre tract, in the cu 3 deg. 08' E 175.3 f Rock Creek 320.2 ' W 51.6 feet to a ence leaving Rock Creek ection 9 a distance
204 of s corner of said 0.1 the re- deg. 281 of Rock feet to feet; The point from	said Deed Records; Thence S 53 deg. 32' W 11.1.42 feet to of the said 0.1.77 acre tract; Thence N 81 deg. 28' W on the 1.477 atract 100.0 feet to an angle in same; Thence N 36 deg. 28' W 10.5 feet to the southwest corner of the said 0.1.477 acres. Thence down stream in the center of Rock Creek, S of an angle in same; Thence S 22 deg. 21' W in the center of the said 0.1.477 acres. Thence continuing in the center of Rock Creek S 55 deg. 28' From which an iron pipe bears S 0 deg. 01' E 20.0 feet; Thening S 0 Deg. 01' E parallel with the west line of said S	ribed on page 67 of the most southerly he southerly line of . 28' W 106.07 feet re tract; Thence N 6 cre tract, in the cu 3 deg. 08' E 175.3 f Rock Creek 320.2 ' W 51.6 feet to a ence leaving Rock Creek ection 9 a distance
204 of s corner of said 0.1 the re- deg. 281 of Rock feet to feet; The point from	said Deed Records; Thence S 53 deg. 32' W 11.1.42 feet to of the said 0.1.77 acre tract; Thence N 81 deg. 28' W on the 1.477 atract 100.0 feet to an angle in same; Thence N 36 deg. 28' W 10.5 feet to the southwest corner of the said 0.1.477 acres. Thence down stream in the center of Rock Creek, S of an angle in same; Thence S 22 deg. 21' W in the center of the said 0.1.477 acres. Thence continuing in the center of Rock Creek S 55 deg. 28' From which an iron pipe bears S 0 deg. 01' E 20.0 feet; Thening S 0 Deg. 01' E parallel with the west line of said S	ribed on page 67 of the most southerly he southerly line of . 28' W 106.07 feet re tract; Thence N 6 cre tract, in the cu 3 deg. 08' E 175.3 f Rock Creek 320.2 ' W 51.6 feet to a ence leaving Rock Creek ection 9 a distance
204 of s corner of said 0.1 the re- deg. 281 of Rock feet to feet; The point from	said Deed Records; Thence S 53 deg. 32' W 11.1.42 feet to of the said 0.1.77 acre tract; Thence N 81 deg. 28' W on the 1.477 atract 100.0 feet to an angle in same; Thence N 36 deg. 28' W 10.5 feet to the southwest corner of the said 0.1.477 acres. Thence down stream in the center of Rock Creek, S of an angle in same; Thence S 22 deg. 21' W in the center of the said 0.1.477 acres. Thence continuing in the center of Rock Creek S 55 deg. 28' From which an iron pipe bears S 0 deg. 01' E 20.0 feet; Thening S 0 Deg. 01' E parallel with the west line of said S	ribed on page 67 of the most southerly he southerly line of . 28' W 106.07 feet re tract; Thence N 6 cre tract, in the cu 3 deg. 08' E 175.3 f Rock Creek 320.2 ' W 51.6 feet to a ence leaving Rock Creek ection 9 a distance
204 of s corner of said 0.1 the re- deg. 281 of Rock feet to feet; The point from	said Deed Records; Thence S 53 deg. 32' W 11.1.42 feet to of the said 0.1.77 acre tract; Thence N 81 deg. 28' W on the 1.477 atract 100.0 feet to an angle in same; Thence N 36 deg. 28' W 10.5 feet to the southwest corner of the said 0.1.477 acres. Thence down stream in the center of Rock Creek, S of an angle in same; Thence S 22 deg. 21' W in the center of the said 0.1.477 acres. Thence continuing in the center of Rock Creek S 55 deg. 28' From which an iron pipe bears S 0 deg. 01' E 20.0 feet; Thening S 0 Deg. 01' E parallel with the west line of said S	ribed on page 67 of the most southerly he southerly line of . 28' W 106.07 feet re tract; Thence N 6 cre tract, in the cu 3 deg. 08' E 175.3 f Rock Creek 320.2 ' W 51.6 feet to a ence leaving Rock Creek ection 9 a distance
204 of scorner of said 0.1 the reddeg. 281 of Rock feet to feet; The point frand run 817.2 fo	said Deed Records; Thence S 53 deg. 32' W 11.1.42 feet to of the said 0.1.77 acre tract; Thence N 81 deg. 28' W on the 1.477 atract 100.0 feet to an angle in same; Thence N 36 deg. 28' W 10.5 feet to the southwest corner of the said 0.1.477 acres. Thence down stream in the center of Rock Creek, S of an angle in same; Thence S 22 deg. 21' W in the center of the said 0.1.477 acres. Thence continuing in the center of Rock Creek S 55 deg. 28' From which an iron pipe bears S 0 deg. 01' E 20.0 feet; Thening S 0 Deg. 01' E parallel with the west line of said S	ribed on page 67 of the most southerly he southerly line of . 28' W 106.07 feet re tract; Thence N 6 cre tract, in the cu 3 deg. 08' E 175.3 f Rock Creek 320.2 ' W 51.6 feet to a ence leaving Rock Creek ection 9 a distance
204 of scorner of said 0.1 the reddeg. 281 of Rock feet to feet; The point frand run 817.2 for Count	said Deed Records; Thence S 53 deg. 32' W 141.42 feet to of the said 0.477 acre tract; Thence N 81 deg. 28' W on the Li77atract 100.0 feet to an angle in same; Thence N 36 degentrant corner on the southerly line of the said 0.477 acre track; Thence down stream in the center of Rock Creek, S 5 deg. 21' W in the center of Rock Creek, S 5 deg. 21' W in the center of Rock Creek S 55 deg. 28' From which an iron pipe bears S 0 deg. 01' E 20:0 feet; The ming S 0 Deg. 01' E parallel with the west line of said S feet to the place of beginning. Containing 28.19 acres most of the said S feet to the place of beginning.	ribed on page 67 of the most southerly he southerly line of 28' W 106.07 feet re tract; Thence N 6 cre tract, in the cre 3 deg. 08' E 175.3 f Rock Creek 320.2' W 51.6 feet to a ence leaving Rock Creek re or less.
204 of scorner of said 0.1 the reddeg. 28! of Rock feet to feet; The point frank run 817.2 for Count	said Deed Records; Thence S 53 deg. 32' W 141.42 feet to of the said 0.477 acre tract; Thence N 81 deg. 28' W on the Large of the said 0.477 acre tract; Thence N 36 deg. entrant corner on the southerly line of the said 0.477 acre treek; Thence down stream in the center of Rock Creek, S an angle in same; Thence S 22 deg. 21' W in the center of Rock Creek S 55 deg. 28' From which an iron pipe bears S 0 deg. 01' E 20.0 feet; Thening S 0 Deg. 01' E parallel with the west line of said S feet to the place of beginning. Containing 28.19 acres mo	ribed on page 67 of the most southerly he southerly line of 28' W 106.07 feet re tract; Thence N 6 cre tract, in the car 3 deg. 08' E 175.3 f Rock Greek 320.2' W 51.6 feet to a ence leaving Rock Crection 9 a distance re or less.
204 of scorner of said 0.1 the redeg. 28! of Rock feet to feet; The said run 817.2 feet to Count The maps and	said Deed Records; Thence S 53 deg. 32' W 141.42 feet to of the said 0.477 acre tract; Thence N 81 deg. 28' W on the 1477 atract 100.0 feet to an angle in same; Thence N 36 degentrant corner on the southerly line of the said 0.477 acre creek; Thence down stream in the center of the said 0.477 acre creek; Thence down stream in the center of Rock Creek, S on angle in same; Thence S 22 deg. 21' W in the center of the continuing in the center of Rock Creek S 55 deg. 28' From which an iron pipe bears S 0 deg. 01' E 20.0 feet; Thening S 0 Deg. 01' E parallel with the west line of said S feet to the place of beginning. Containing 28.19 acres most beginning. Containing 28.19 acres most beginning.	ribed on page 67 of the most southerly he southerly line of 28! W 106.07 feet re tract; Thence N 6 cre tract, in the cu 3 deg. 08! E 175.3 f Rock Creek 320.2! W 51.6 feet to a ence leaving Rock Creek or less.
corner of said 0.1 the redeg. 28! of Rock feet to feet; The said run 817.2 for Count The maps and In	said Deed Records; Thence S 53 deg. 32' W 141.42 feet to of the said 0.477 acre tract; Thence N 81 deg. 28' W on the said 0.477 acre tract; Thence N 81 deg. 28' W on the 1477 acre tract 100.0 feet to an angle in same; Thence N 36 deg. entrant corner on the southwest corner of the said 0.477 acre to the southwest corner of the said 0.477 acre to the southwest corner of the said 0.477 acre to the southwest corner of the said 0.477 acre to the same; Thence S 22 deg. 21' W in the center of the conter of the said 0.477 acres of the said in the center of the said o.477 acres to the same; Thence S 22 deg. 21' W in the center of the said o.477 acres of the said in the center of the said o.477 acres of the same of the same of the said o.477 acres of	ribed on page 67 of the most southerly he southerly line of 28! W 106.07 feet re tract; Thence N 6 cre tract, in the cu 3 deg. 08! E 175.3 f Rock Creek 320.2! W 51.6 feet to a ence leaving Rock Creek or less.

Application	No.	25550	
Permit No.		20063	

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Of Olindon						
	Division No District No						
	This instrument was first received in the office of the State Engineer at Salem, Oregon,						
	on the 1th day of January,						
	19 51 at 8:00 o'clock A. M.						
	Returned to applicant:						
	Corrected application received:						
	Approved:						
	Recorded in book No. 49 of						
	Permits on page 20063						
	State Engineer STATE ENGINEER						
	Drainage Basin No. 2 Page 62 U						
	Fees Paid \$15.00						
	DEDAGE						
STATE OF OREGON,	PERMIT						
County of Marion, \ This is to certify the	ss.						
	RIGHTS and the following limitations and condition anted is limited to the amount of water which can b						
Ť	•338 cubic feet per second measured at the p						
	n case of rotation with other water users, fromR						
The use to which th	is water is to be applied is irrigation						
second or its equivale	s appropriation shall be limited to 1/80th ent for each acre irrigated and shall be for exceed 2½ acre feet per acre for each acre cach year,	e irrigated during the					
	ch reasonable rotation system as may be ordered by to f this permit is January 4, 1951						
Actual construction	n work shall begin on or before June 15, 1952	and shall					
	with reasonable diligence and be completed on or be	efore					
	on of the water to the proposed use shall be made or	n or before					
October 1, 1954							
WITNESS my han	d this 15th day of June	, 1951					
	CHAS. E. STRICKLIN	STATE ENGINEER					