* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, George T. Thompson. (Name of applicant))
of	
State of Oregon., do hereby mak	
following described public waters of the State of Oregon, SU	
If the applicant is a corporation, give date and place of	
If the applicant is a corporation, give dute and place of	, theorporation
1. The source of the proposed appropriation is	Elk Creek
, a tributary of	
2. The amount of water which the applicant intends to	
cubic feet per second. (If water is to be used from more	e than one source, give quantity from each)
**3. The use to which the water is to be applied is	
4. The point of diversion is located ft	and ft from the
corner of	livision)
The Northwest corner of the H.Christian	n DIC.No. LL bears
North 21°35 East 1290.0 feet	
(If preferable, give distance and bearing	to section corner)
(If there is more than one point of diversion, each must be desc	
being within the NE	of Sec. 15 , Tp. 22 S. (N. or S.)
R. 6 W., W. M., in the county of	
5. The See remarks. (Main ditch, canal or pipe line)	to be(Miles or feet)
in length, terminating in the(Smallest legal subdivision)	of Sec, Tp,
R	wn throughout on the accompanying map.
DESCRIPTION OF V	WORKS
Diversion Works—	
6. (a) Height of dam feet, length of	on top feet, length at bottom
feet; material to be used and character of	
rock and brush, timber crib, etc., wasteway over or around dam)	
(b) Description of headgate(Timber,	concrete, etc., number and size of openings)
(c) If water is to be pumped give general descriptio	n See remarks.
.,,	(Size and type of pump)
(Size and type of engine or motor to be used, total	head water is to be lifted, etc.)

^{*} A nifficient form of application is provided where storage works are contemplated.

^{**} Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

	agate: width on	a ron cat water t	171 <i>D</i>)		
				feet fall per or	
				feet fall per or	
(b) At				water line)	
	feet; width on b	bottom	feet; depth	of water fee	2t;
ade	feet fal	ll per one thousa remarks	and feet.		
(c) Length	of pipe	ft.; s	ize at intake,	in; size at	ft.
				difference in elevation betwe	
tales and place	of 1150 30	ft. Is	grade uniform? yes	Estimated capaci	ty,
0.25		•			
		t to tell on pla	una of usa		
8. Locatio	n of area to be	irrigatea, or pla	ee of use	Number Acres	
Township	Range E. or W. of Willemette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated 2.5 8.7 1.5 12.7	
22 S	6 W	15	nwane a ne l nel	8.7	- ·-
<mark>11</mark> .	11	11	SEINEI	1.5	
		+			- •
forth 29° 02' lest, 176.2 forth 10° 02 my.—Oregon of said High materials si	feet along the East 470.6 No. 38, the way to a 3/4 to the second	he top of the feet to a 3/mce South 72° iron bolt i	North bank of said 4" iron bolt in the 33' 30" East 4822 n the N.W. corner of West 226.88 feet al	North 59° 05° 30" West 60.0.5 feet, and North 72° 30 creek to a 3/4" iron bolt South right of way line feet along the South right of the Oregon State Highwong the West boundary of a 74° 46° East 267.3 feet	of the Umpquant of way line by Department said material talong the
North 29° 02' Nest, 176.2 North 10° 02' May.—Oregon of said High materials sight to a 3/ South boundary of the Sunnydal boundary of	feet along the East 470.6 No. 38, then way to a 3/4 to, thence So the said many of said many of said many of said many of said school Dissid school	he top of the feet to a 3/ ince South 72° iron bolt i bouth 16° lui' in its S.W. in its S.W. interials site outh 0° 17' Eastrict Property to the property to the space of the	North bank of said u" iron bolt in the 33 30" East 4822 In the N.W. corner of West 226.88 feet also corner, thence South to a 3/4" iron bold st 107.1 feet to a w, thence South 86° the place of beginning a land and a land separate south and a land separate south a land a la	creek to a 3/4" iron bolt South right of way line feet along the South right on the West boundary of a 74° 46' East 267.3 feet t in west boundary of the 3/4" iron bolt at the S. 29' East 208.7 feet along, containing 12.79 acr	of the Umpquant of way line by Department said material talong the Sunnydale w. corner of the South
North 29° 02' Nest, 176.2 North 10° 02' May.—Oregon of said High materials siste to a 3/South boundary of less, in Sec. (a) Character (a) Character (b) Character (a) Character (b) Character (a) Character (b) Character (b) Character (c) Char	feet along the East 470.6 No. 38, then way to a 3/4 to, thence So to School Dissid said school so 15, T. 22 racter of soil	he top of the feet to a 3/me South 72° iron bolt i bouth 16° hh: in its S.W. materials site outh 0° 17' Eastrict Property to the S., R. o W., Sandy-I	North bank of said h" iron bolt in the 33° 30" East 4822 In the N.W. corner of West 226.88 feet also corner, thence South to a 3/4" iron bold ast 107.1 feet to a two thence South 86° the place of beginning and in bougha	creek to a 3/4" iron bolt South right of way line feet along the South right of the Oregon State Highwong the West boundary of a 74° 46° East 267.3 feet in west boundary of the 3/4" iron bolt at the S. 29° East 208.7 feet along, containing 12.79 acr s County, Oregon	of the Umpquant of way line by Department said material talong the Sunnydale w. corner of the South
North 29° 02° 16st, 176.2° North 10° 02° May.—Oregon of said High materials site to a 3/ South boundary of the Sunnydal boundary of (a) Characterials, in Sec. (b) Kind (b) Kind	feet along the East 470.6 No. 38, then way to a 3/4 to, thence So the said many of said many of said many of said school bis said school so 15, T. 22 racter of soil dof crops raise	he top of the feet to a 3/me South 72° iron bolt i bouth 16° hh: in its S.W. materials site outh 0° 17' Eastrict Property to the S., R. o W., Sandy-I	North bank of said u" iron bolt in the 33 30" East 4822 In the N.W. corner of West 226.88 feet also corner, thence South to a 3/4" iron bold st 107.1 feet to a w, thence South 86° the place of beginning a land and a land separate south and a land separate south a land a la	creek to a 3/4" iron bolt South right of way line feet along the South right of the Oregon State Highwong the West boundary of a 74° 46° East 267.3 feet in west boundary of the 3/4" iron bolt at the S. 29° East 208.7 feet along, containing 12.79 acr s County, Oregon	of the Umpquant of way line by Department said material talong the Sunnydale W. corner of the South
lorth 29° 02' lest, 176.2 lorth 10° 02' lwy.—Oregon of said High materials si site to a 3/ South boundar School tract the Sunnydal boundary of less, in Sec (a) Char (b) King	feet along the East 470.6 No. 38, then way to a 3/4 to, thence So the said many of said many of said many of said school Dississid school Dissid school of crops raise and purposes—	he top of the feet to a 3/ ince South 72° iron bolt i bouth 16° luis in its S.W. ince Troperty to the property to the property to the strict Property to the strict Property to the property to the property to the property to the strict Property to the pro	North bank of said in iron bolt in the 33 30" East 1822 In the N.W. corner of West 226.88 feet ale corner, thence South to a 3/4" iron bold st 107.1 feet to a w, thence South 86° the place of beginning country and in bougha Loam	creek to a 3/4" iron bolt South right of way line feet along the South right of the Oregon State Highwong the West boundary of a 74° 46' East 267.3 feet in west boundary of the 3/4" iron bolt at the S. 29' East 208.7 feet along, containing 12.79 acr s County, Oregon	of the Umpquant of way line ay Department said material talong the Sunnydale W. corner of the South es, more or
lorth 29° 02' lest, 176.2' lorth 10° 02' lwy.—Oregon of said High- materials si- site to a 3/ South boundar School tract the Sunrydal boundary of less, in Sec (a) Char (b) Kind Power or Minin 9. (a) 7	feet along the East 470.6 No. 38, then way to a 3/4 to thence So it is aid managed as a school Dissaid school Dissaid school Dissaid school Dissaid school dof crops raise and purposes—Total amount of	he top of the feet to a 3/me South 72° iron bolt i bouth 16° lh! in its S.W. mterials site outh 0° 17! Eastrict Property to to S., R. o W., Sandy-I	North bank of said 4" iron bolt in the 33. 30" East 4822 In the N.W. corner of West 226.88 feet ale corner, thence South to a 3/4" iron bold ast 107.1 feet to a ty, thence South 86 the place of beginning well, and in Dougla Loam eveloped	creek to a 3/4" iron bolt South right of way line feet along the South right f the Oregon State Highwa ong the West boundary of h 74° 46' East 267.3 feet t in west boundary of the 3/4" iron bolt at the 3. 29' East 208.7 feet along, containing 12.79 acr s County, Oregon theoretical horsepo	of the Umpquant of way line ay Department said material talong the Sunnydale W. corner of the South es, more or
lorth 29° 02' lest, 176.2 lorth 10° 02' lwy.—Oregon of said High materials si site to a 3/ South boundar School tract the Sunnydal boundary of less, in Sec (a) Char (b) Kind Power or Mini 9. (a) 7 (b) (feet along the East 470.6 No. 38, then way to a 3/4 to, thence So to a said management of said management of soil dof crops raise ng Purposes— Total amount of Quantity of wat	he top of the feet to a 3/ ince South 72° iron bolt i bouth 16° lui; in its S.W. interials site outh 0° 17' Eastrict Property to to property to to property to the S., R. o W., Sandy-I ed Pasture f power to be deter to be used for the second control of the second	North bank of said "iron bolt in the 33 30" East 1822 In the N.W. corner of West 226.88 feet ale corner, thence South to a 3/4" iron bold st 107.1 feet to a w, thence South 860 the place of beginning the place of beginning attach separate sheet well. Well., and in Dougla Loam eveloped r power	creek to a 3/4" iron bolt South right of way line feet along the South right f the Oregon State Highwa ong the West boundary of h 74 46' East 267.3 feet t in west boundary of the 3/4" iron bolt at the S. 29' East 208.7 feet along, containing 12.79 acr s County, Oregon theoretical horsepo	of the Umpquant of way line ay Department said material talong the Sunnydale W. corner of the South es, more or
North 29° 02' Nest, 176.2 North 10° 02' Nort	feet along the East 470.6 No. 38, then way to a 3/4 to, thence So the feet along	he top of the feet to a 3/ ince South 72° iron bolt i bouth 16° luis in its S.W. interials site outh 0° 17' Eastrict Property to to property to to property to to property to to be deter to be used for utilized.	North bank of said in iron bolt in the 33 30" East 1822 In the N.W. corner of West 226.88 feet ale corner, thence South to a 3/4" iron bold st 107.1 feet to a to place of beginning well, and in Dougla Loam e eveloped r power (Head)	creek to a 3/4" iron bolt South right of way line feet along the South right f the Oregon State Highwo ong the West boundary of a 74° 46° East 267.3 feet t in west boundary of the 3/4" iron bolt at the S. 29° East 208.7 feet along, containing 12.79 acr s County, Oregon theoretical horseponese.	of the Umpquant of way line ay Department said material talong the Sunnydale W. corner of the South es, more or
North 29° 02' Nest, 176.2 North 10° 02' Nort	feet along the East 470.6 No. 38, then way to a 3/4 to, thence So the feet along	he top of the feet to a 3/ ince South 72° iron bolt i bouth 16° luis in its S.W. interials site outh 0° 17' Eastrict Property to to property to to property to to property to to be deter to be used for utilized.	North bank of said in iron bolt in the 33 30" East 1822 In the N.W. corner of West 226.88 feet ale corner, thence South to a 3/4" iron bold st 107.1 feet to a to place of beginning well, and in Dougla Loam e eveloped r power (Head)	creek to a 3/4" iron bolt South right of way line feet along the South right f the Oregon State Highwa ong the West boundary of h 74 46' East 267.3 feet t in west boundary of the 3/4" iron bolt at the S. 29' East 208.7 feet along, containing 12.79 acr s County, Oregon theoretical horsepo	of the Umpquant of way line ay Department said material talong the Sunnydale W. corner of the South es, more or
forth 29° 02' lest, 176.2 lorth 10° 02' lwy.—Oregon of said High materials si site to a 3/ South boundar School tract the Sunnydal boundary of less, in Sec (a) Char (b) Kind Power or Minim 9. (a) 1 (b) 6 (c) 1 (d) 1	feet along the East 470.6 No. 38, then way to a 3/4 to, thence So it iron bolt ry of said manda school bis said school bis said school dof crops raise and purposes— Total amount of Quantity of wat Total fall to be The nature of the said school to the said school school bis said school dof crops raise and for the said school bis said	he top of the feet to a 3/ ince South 72° "iron bolt i bouth 16° luli" in its S.W. materials site outh 0° 17' Eastrict Property to the space of the strict Property to the space of the strict Property to the space of the strict Property to the space of the space of the strict Property to the space of the space of the strict Property to the space of the s	North bank of said "iron bolt in the 33 30" East 1822 In the N.W. corner of West 226.88 feet ale corner, thence South to a 3/4" iron bolt st 107.1 feet to a ty, thence South 860 the place of beginning well, and in Dougla Loam e eveloped or power (Head) ins of which the power is	creek to a 3/4" iron bolt South right of way line feet along the South right f the Oregon State Highwa ong the West boundary of h 74° 46' East 267.3 feet t in west boundary of the 3/4" iron bolt at the S. 29' East 208.7 feet along, containing 12.79 acr s County, Oregon theoretical horsepon theoretical horsepon theoretical horsepon	of the Umpquant of way line ay Department said material talong the e Sunnydale W. corner of ang the South es, more or
forth 29° 02' lest, 176.2 lorth 10° 02' lwy.—Oregon of said High materials si site to a 3/ South boundar School tract the Sunnydal boundary of less, in Sec (a) Char (b) Kind Power or Minim 9. (a) 1 (b) 6 (c) 1 (d) 1	feet along the East 470.6 No. 38, then way to a 3/4 to, thence So it iron bolt ry of said manda school bis said school bis said school dof crops raise and purposes— Total amount of Quantity of wat Total fall to be The nature of the said school to the said school school bis said school dof crops raise and for the said school bis said	he top of the feet to a 3/ ince South 72° "iron bolt i bouth 16° luli" in its S.W. materials site outh 0° 17' Eastrict Property to the space of the strict Property to the space of the strict Property to the space of the strict Property to the space of the space of the strict Property to the space of the space of the strict Property to the space of the s	North bank of said "iron bolt in the 33 30" East 1822 In the N.W. corner of West 226.88 feet ale corner, thence South to a 3/4" iron bolt st 107.1 feet to a ty, thence South 860 the place of beginning well, and in Dougla Loam e eveloped or power (Head) ins of which the power is	creek to a 3/4" iron bolt South right of way line feet along the South right f the Oregon State Highwa ong the West boundary of h 74° 46' East 267.3 feet t in west boundary of the 3/4" iron bolt at the S. 29' East 208.7 feet along, containing 12.79 acr s County, Oregon theoretical horsepon theoretical horsepon theoretical horsepon	of the Umpquant of way line ay Department said material talong the e Sunnydale W. corner of ang the South es, more or
forth 29° 02' lest, 176.2 lorth 10° 02' lwy.—Oregon of said High materials si site to a 3/ South boundar School tract the Sunnydal coundary of less, in Sec (a) Char (b) Kind Power or Minin 9. (a) 7 (b) 6 (c) 7 (d) 7 (e)	feet along the East 470.6 No. 38, then way to a 3/4 to thence So the Front bolt of said management of the East 470.6 Thence So the School Dissid school Dissideration of the Dissiderati	he top of the feet to a 3/mee South 72° iron bolt i bouth 16° lihit in its S.W. Interials site outh 0° 17° Eastrict Property to the strict Property to the S., R. o W., Sandy-I and Pasture of power to be deter to be used for utilized the works by mea be located in the strict in the strict property to be deter to be used for utilized the works by mea	North bank of said 1" iron bolt in the 33 30" East 1822 In the N.W. corner of West 226.88 feet ale corner, thence South to a 3/1" iron bold st 107.1 feet to a tw, thence South 860 the place of beginnity well, and in Dougla Loam e eveloped (Head) ins of which the power is (Legal Subdivision)	creek to a 3/4" iron bolt South right of way line feet along the South right f the Oregon State Highwo ong the West boundary of a 74° 46° East 267.3 feet t in west boundary of the 3/4" iron bolt at the S. 29° East 208.7 feet along, containing 12.79 acr s County, Oregon theoretical horseponese.	of the Umpquant of way line ay Department said material talong the Sunnydale w. corner of ang the South es, more or
forth 29° 02' lest, 176.2 lorth 10° 02' lwy.—Oregon of said High eaterials si site to a 3/ South boundar School tract the Sunnydal boundary of less, in Sec (a) Char (b) Kind (c) 1 (d) 2 (e) Tp. (No. N. or	feet along the East 470.6 No. 38, then way to a 3/4 to, thence So the said management of said management of said school Dissector of soil dof crops raise and purposes— Total amount of Quantity of wat Total fall to be The nature of the Such works to be soil management of the said school Research for the said school Research fall to be the said school Research for the said school Research fall to be the said school Research	he top of the feet to a 3/ nce South 72° "iron bolt i bouth 16° lui" in its S.W. materials site outh 0° 17' Eastrict Property to the property to the strict Property to the following of power to be deter to be used for utilized the works by mean be located in	North bank of said "iron bolt in the 33 30" East 1822 In the N.W. corner of West 226.88 feet ale corner, thence South to a 3/4" iron bold ast 107.1 feet to a whence south 86" the place of beginnite the place of beginnite will, and in Dougla Loam e eveloped "r power (Head) In sof which the power is (Legal Subdivision) M.	creek to a 3/4" iron bolt South right of way line feet along the South right f the Oregon State Highwa ong the West boundary of h 74° 46' East 267.3 feet t in west boundary of the 3/4" iron bolt at the S. 29' East 208.7 feet along, containing 12.79 acr s County, Oregon theoretical horsepon theoretical horsepon theoretical horsepon	of the Umpquant of way line ay Department said material talong the Sunnydale w. corner of ang the South es, more or
lorth 29° 02' lest, 176.2 lorth 10° 02' lwy.—Oregon of said High materials si- site to a 3/ South boundary School tract the Sunnydal boundary of less, in Sec (a) Char (b) Kind (c) 1 (d) 1 (e) Tp. (No. N. or (f)	feet along the East 470.6 No. 38, then way to a 3/4th, thence Solution bolt ry of said management of said school Dissid school Dissideration of the D	he top of the feet to a 3/ nce South 72° " iron bolt i fouth 16° lui" in its S.W. Interials site outh 0° 17' Eastrict Property to the property to the strict Property to the four to be deter to be used for utilized the works by mean to be located in the works by mean the works by mean to be located in the works by mean	North bank of said "iron bolt in the 33 30" East 1822 In the N.W. corner of West 226.88 feet ale corner, thence South to a 3/4" iron bold ast 107.1 feet to a w, thence South 86° the place of beginnity when, and in Dougla Loam e (Head) In sof which the power is (Legal Subdivision) M. stream? (Yes or No)	South right of way line feet along the South right of way line feet along the South right on the Oregon State Highwong the West boundary of a 74° 46° East 267.3 feet in west boundary of the 3/4° iron bolt at the S. 29° East 208.7 feet along, containing 12.79 acr s County, Oregon theoretical horseponsec. theoretical horseponsec. of Sec.	of the Umpquant of way line ay Department said material talong the e Sunnydale W. corner of ing the South es, more or
lorth 29° 02' lest, 176.2 lorth 10° 02' lwy.—Oregon of said High materials si site to a 3/ South boundar School tract the Sunnydal boundary of less, in Sec (a) Char (b) Kind (c) 7 (d) 7 (e) Tp. (No. N. or (f) (g)	feet along the East 470.6 No. 38, then way to a 3/4 to, thence So the feet along	he top of the feet to a 3/ nce South 72° "iron bolt i bouth 16° lit!" in its S.W. nterials site outh 0° 17' Eastrict Property to to sancy. Sandy-I ed Pasture f power to be dester to be used for utilized he works by mea be located in No. E. or W.) returned to any seam and locate property.	North bank of said "iron bolt in the 33 30" East 1822 In the N.W. corner of West 226.88 feet all corner, thence South to a 3/4" iron bold ast 107.1 feet to a w, thence South 86° the place of beginning the place of beginning the separate frech w.W., and in Dougla Loam feet (Head) ins of which the power is (Legal Subdivision) M. stream? (Yes or No) coint of return	creek to a 3/4" iron bolt South right of way line feet along the South right f the Oregon State Highwo ong the West boundary of h 74 46' East 267.3 feet t in west boundary of the 3/4" iron bolt at the 3. 29' East 208.7 feet along, containing 12.79 acr s County, Oregon theoretical horsepon theoretical horsepon of Sec. of Sec.	of the Umpquant of way line ay Department said material talong the e Sunnydale W. corner of the South es, more or
North 29° 02' North 10° 02' No	feet along the East 470.6 No. 38, then way to a 3/4 to thence So the Iron bolt ry of said management of the Iron soil and school Dissid school Dissider of	he top of the feet to a 3/ ince South 72° if iron bolt i fouth 16° lift in its S.W. Interials site outh 0° 17' Eastrict Property to the property to the strict Property to the property to the strict Property	North bank of said in iron bolt in the 33 30" East 1822 In the N.W. corner of West 226.88 feet ale corner, thence South to a 3/4" iron bold st 107.1 feet to a w, thence South 86° the place of beginnited attach separate sheet) w.M., and in Dougla Loam e (Head) ins of which the power is (Legal Subdivision) M. stream? (Yes or No) coint of return (No. 100.	South right of way line feet along the South right of the Oregon State Highwong the West boundary of a 74° 46° East 267.3 feet in west boundary of the 3/4° iron bolt at the S. 29° East 208.7 feet along, containing 12.79 acr s County, Oregon theoretical horseponsec. theoretical horseponsec. for be developed	of the Umpquant of way line ay Department said material talong the sunnydale w. corner of ing the South es, more or
North 29° 02' North 10° 02' No	feet along the East 470.6 No. 38, then way to a 3/4 to thence So the Iron bolt ry of said management of the Iron soil and school Dissid school Dissider of	he top of the feet to a 3/ ince South 72° if iron bolt i fouth 16° lift in its S.W. Interials site outh 0° 17' Eastrict Property to the property to the strict Property to the property to the strict Property	North bank of said in iron bolt in the 33 30" East 1822 In the N.W. corner of West 226.88 feet ale corner, thence South to a 3/4" iron bold st 107.1 feet to a w, thence South 86° the place of beginnited attach separate sheet) w.M., and in Dougla Loam e (Head) ins of which the power is (Legal Subdivision) M. stream? (Yes or No) coint of return (No. 100.	South right of way line feet along the South right of way line feet along the South right on the Oregon State Highwong the West boundary of a 74° 46° East 267.3 feet in west boundary of the 3/4° iron bolt at the S. 29° East 208.7 feet along, containing 12.79 acr s County, Oregon theoretical horseponsec. theoretical horseponsec. of Sec.	of the Umpquant of way line ay Department said material talong the sunnydale w. corner of ing the South es, more or

STATE ENGINEER

inicipal or Domestic Supply—	
(Name of) County, having a prese	ent population of
d an estimated population of	in 19
(b) If for domestic use state number o	of families to be supplied
(Answer questions 1	1, 12, 13, and 14 in all cases)
11. Estimated cost of proposed works, \$1	400.00
	ore April 1951
	n or before June 1st. 1951
	the proposed use on or before June 1st 1951
	(Sgd) George T. Thompson (Signature of applicant)
Remarks:	pump and a 7½ H.P.Electric motor
	pipe on the main line and 780
	20 sprinklers.
All pipe to be portable but the	
maps and data, and return the same for	cation must be returned to the State Engineer, with cor
tions on or heters	Table 1 Control of the Control of th

Application No. 25556	
Permit No.	2 00 68
DEDI	

TO APPROPRIATE THE PUBLIC

	WATERS OF THE STATE OF OREGON
•	Division No. District No.
	This instrument was first received in the office of the State Engineer at Salem, Oregon,
	on the 9th day of January
	19 51, at 8:00 o'clock A. M.
	Returned to applicant:
	Corrected application received:
	Approved:
	June 15, 1951
	Recorded in book No. 49 of
	Permits on page 20068
	CHAS. E. STRICKLIN STATE ENGINEER
	Drainage Basin No. 16 Page 17
	Fees Paid 315.00
	PERMIT
STATE OF OREGON,	S.
County of Marion, This is to certify the SUBJECT TO EXISTING	at I have examined the foregoing application and do hereby grant the same
	initially but the joint wing limitations and conditions:
and shall not exceed	nted is limited to the amount of water which can be applied to beneficial us 0.16 cubic feet per second measured at the point of diversion from th
stream, or its equivalent in	case of rotation with other water users, from Elk Creek
The use to which this	s water is to be applied is irrigation
If for irrigation, this	appropriation shall be limited to 1/30th of one cubic foot pe
second or its equival	ent for each acre irrigated and shall be further limited to a
diversion of not to e	xceed 22 acre feet per acre for each acre irrigated during the
irrigation season of	each year,

and shall be subject to such	reasonable rotation system as may be ordered by the proper state officer.
The priority date of t	this permit is January 9, 1951
Actual construction u	vork shall begin on or before June 15, 1952 and shall
thereafter be prosecuted wi October 1 1953	th reasonable diligence and be completed on or before
	of the water to the proposed use shall be made on or before
WITNESS my hand t	his15th day ofJune, 1951
	CHAS. E. STRICKLIN
	SAME DE STATIONALIN