

\* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, The First National Bank of Portland, as Guardian of the estate of Sanford E. Van Scoy, Incompetent, P. O. Box 3457, Portland, Oregon, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation July 4, 1865 Portland, Oregon

1. The source of the proposed appropriation is Tualatin River, a tributary of none

2. The amount of water which the applicant intends to apply to beneficial use is 1/100th cubic feet per second.

\*\*3. The use to which the water is to be applied is Garden irrigation

4. The point of diversion is located 600 ft. N. and 250 ft. W. from the corner of

Lot 16 of Bosky Dell, 20 Ft. westerly from the N. E. corner of Lot 16, Bosky Dell

being within the Lot 16 of Bosky Dell of Sec. s 33 East, Tp. 2S

R. 1E, W. M., in the county of Clackamas

5. The pipe line to be 150 feet in length, terminating in the Lot 16, Bosky Dell, Clackamas County, Oreg.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam        feet, length on top        feet, length at bottom        feet; material to be used and character of construction       

(b) Description of headgate       

(c) If water is to be pumped give general description       

\* A different form of application is provided where storage works are contemplated. \*\* Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

MH-DEC

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe ..... ft.; size at intake, ..... in.; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use Lots 15 & 16 of Bosky Dell, Clackamas County Oregon.

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
2 S	1 E	33	SE <sup>1</sup> / <sub>4</sub> NE <sup>1</sup> / <sub>4</sub>	0.6

(If more space required, attach separate sheet)

(a) Character of soil ..... dark loam .....  
(b) Kind of crops raised ..... garden vegetables— home use .....

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower .....  
(b) Quantity of water to be used for power ..... sec. ft.  
(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....  
.....  
(e) Such works to be located in ..... of Sec. ....  
(Legal Subdivision)

Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)  
(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....  
....., Sec. ...., Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....  
.....  
(i) The nature of the mines to be served .....

Municipal or Domestic Supply—

10. (a) To supply the city of .....  
..... County, having a present population of .....  
(Name of)  
and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ ..... 150.00 .....

12. Construction work will begin on or before ..... March 1951 .....

13. Construction work will be completed on or before ..... August 1951 .....

14. The water will be completely applied to the proposed use on or before ..... August 1951 .....

The First National Bank of Portland, Guardian of  
the estate of Sanford E. Van Scoy, Incompetent.  
(Signature of applicant)

by:  
(Sgd) Edwin H. Boles  
Ass't. Trust Officer

Remarks: .....

STATE OF OREGON, {  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying  
maps and data, and return the same for ..... correction .....

In order to retain its priority, this application must be returned to the State Engineer, with correc-  
tions on or before ..... March 1 ..... , 19 51 .....

WITNESS my hand this ..... 1st ..... day of ..... February ..... , 19 50 .....

STATE ENGINEER

Application No. 25572

Permit No. 20073

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 12th day of January, 1951, at 8:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

June 15, 1951

Recorded in book No. 49 of

Permits on page 20073

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 2 Page 54 C

Fees Paid \$15.00

PERMIT

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.008 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Tualatin River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 ac. feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 12, 1951

Actual construction work shall begin on or before June 15, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1953

Complete application of the water to the proposed use shall be made on or before

October 1, 1954

WITNESS my hand this 15th day of June, 1951

CHAS. E. STRICKLIN

STATE ENGINEER