* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I. A. J. Standley (Name of applica	nt)
Route 2, Box 10 , Roseburg	
(M.uling address) State of Oregon , do hereby ma	
ollowing described public waters of the State of Oregon, S	
If the applicant is a corporation, give date and place	
If the applicant is a corporation, give and provide	
1. The source of the proposed appropriation is Nor	th Umpqua River (Name of stream)
, a tributary of	
2. The amount of water which the applicant intends t	to apply to beneficial use is
cubic feet per second. (If water is to be used from m	
**3. The use to which the water is to be applied is	irrigation rrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located ft	
corner of	
S 77° 05' 30" W 1830.4 ft. and also	
5 73° 14' 30" W 3484.9 ft. from the So	outheast corner of Wm. W. Tharp DLC 30
(If preferable, give distance and beari	ng to section corner)
(If there is more than one point of diversion, each must be de	escribed. Use separate sheet if necessary)
being within the SEINE & NIISE respectively (Give smallest legal subdivision)	
R. 3 W, W. M., in the county of Douglas	
5. The pipe line (Main ditch, canal or pipe line)	to be 2000 ft. (Miles or feet)
in length terminating in the NEINE' & also NVINE	of Sec. 18 , Tp. 26 S
R. 3W	
DESCRIPTION OF	WORKS
Diversion Works—	
6. (a) Height of dam feet, length	n on top feet, length at bottom
feet; material to be used and character o	
rock and brush, timber crib, etc., wasteway over or around dam)	
(b) Description of headgate	er, concrete, etc., number and size of openings)
(c) If water is to be pumped give general descript	
connected to a 25 hp. motor	tal head water is to be lifted, etc.)

^{*} A different form of application is provided where storage works are contemplated.

^{**} Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

feet; housand feet. (b) At feet; grade (c) Length of p from intake 8 intake and place of us 3.00 8. Location of c	depth of wa n width on bot feet fall p pipe. 2000 in.; six see, 25 sec. ft.	ter	feet; gradefeet; width on top (at wate feet; depth of wate feet. d feet. e at intake,	ference in elevation between
housand feet. (b) At	feet fall p pipe. 2000 in.; six use, 25 sec. ft. area to be irr	niles from headgetom	gate: width on top (at water feet; depth of wedge feet. 2 at intake, 10 in.; diff	er line) pater feet in; size at 1000 ft ference in elevation between
feet; rade (c) Length of p rom intake 8 ntake and place of us 3.00 8. Location of c Town hip will 26 S 26 S 26 S 26 S	feet fall pripe. 2000 in.; size, 25 sec. ft. area to be in	tom	feet; depth of w d feet. e at intake, 10 se 6 in.; dif	in; size at 1000 ft
(c) Length of prom intake 8 ntake and place of us 3.00 8. Location of c	feet fall p pipe. 2000 in.; six use, 25 sec. ft. area to be irr	per one thousand ft.: size ze at place of u ft. Is gr	d feet. 2 at intake, 10 3 se 6 in.; dif	in; size at 1000 ft
(c) Length of prom intake 8 ntake and place of us 3.00 8. Location of 6 Town hip 26 S 26 S 26 S 26 S	pipe. 2000 in.; since 25 sec. ft. area to be irr	ze at place of u	se 6 in.; dif	ference in elevation between
ntake and place of us 3.00 8. Location of o Township 26 S 26 S 26 S 26 S	in.; sinse, 25 sec. ft. area to be irr	ze at place of u	se 6 in.; dif	ference in elevation between
8. Location of countries and place of use 3.00 s. S. Location of countries will 26 S.	sec. ft. area to be irr	ft. Is gr		
3.00 8. Location of 6 Township 26 S 26 S 26 S 26 S	sec. ft. area to be irr		rade uniform?	k'etimatad aanaarti
8. Location of 6 Township 26 S 26 S 26 S 26 S	Range	rigated, or place		Bottmuteu cupucity
26 S 26 S 26 S 26 S 26 S	Range E. or W. of	rigated, or place		
26 S 26 S 26 S 26 S 26 S	F. or W. of		of use	
26 S 26 S 26 S		Section	Forty-acre Tract	Number Acres To Be Irrigated
26 S 26 S 26 S	3 W	18	NE 1 NE 1	22.15
26 S 26 S	3 W	18	MI NE	<u>14.11</u>
26 S	3 77	18	NE WA	0.58
•	3 W	18	SE4 IN4	24.31
26 S 26 S	3 W :	18	NE4 SW4	11.05
26 S	3 W	18	NW SE	7•53 30•67
26 S	3 W	18 18	SEA NEA SWA NEA	37.64
•	:			148.04
				·
Property on which	h water is	to be used i	s more explicitly des	cribed by applicant
under Remarks.	i			4.2.2.2.3.2.3.2.3.2.3.2.3.2.3.2.3.2.3.2.
under hemarks		1	· - ·	ı
			uired, attach separate sheet)	
			e Loam	
(b) Kind of c	crops raised	Pasti	re and forage	
Power or Mining Pu	urposes—			A A
				theoretical horsepow
(b) Quant	tity of water	to be used for p	oower	sec. ft.
(c) Total	fall to be uti	ilized	(Head)	
(d) The n	ature of the ı	vorks by means	of which the power is to be	e developed
(e) Such	works to be	located in	(Legal Subdivision)	of Sec.
Tp(No. N. or S.)				
			eam?	
·			(163 01 110)	
			, Tp(No. N. or S.)	
	•••••••			(AU. E. OF W.)
				(No. E. CT W.)

10	(a) To supply the city of
	County, having a present population of
	imated population of
nd an es	
	(b) If for domestic use state number of families to be supplied
	Estimated cost of proposed works, \$ 10,000
	Construction work will begin on or before January 1, 1952
	Construction work will be completed on or before January 1, 1956
14.	The water will be completely applied to the proposed use on or before January 1, 1956
	(Sgd) A J Standley (Signature of applicant)
Re	marks: (Item 8 continued)
	ADRIAN STANDLEY DEED DESCRIPTION from Vol. 103, page 53 Deed Records of Douglas County
rest. aus	vernment Lots three (3) and Four (4); the Southeast quarter (SE_4^1) of the Southeast quarter (SW_4^1), and the Southwest quarter (SW_4^1) of the Southeast quarter (SE_4^1), 31, Township 25 South of Range 3 West of the Willamette Meridian;
Range 3	
Alsof Rangothence : 10° 34' following Sevente	Bouth 17° 21' East 749.8 feet; thence South 1° 47' West 308.5 feet; thence South 16' 47' West 308' 47' 47' 47' 47' 47' 47' 47' 47' 47' 47
Alsof Rangothence : 10° 34' following Sevente	west of the Willamette Meridian running thence South 21° East 1560.8 feet South 17° 21' East 749.8 feet; thence South 1° 47' West 308.5 feet; thence South 1613.7 feet; thence East 675.6 feet to the North Umpqua River; thence age the meanders of said river upstream to the section line between Sections of (17) and Eighteen (18) said Township and Range; thence North along said line to the Northeast corner of said Section Eighteen (18); thence West to
Alsof Rangothence : 10° 34' following Sevente	so beginning at the Northwest corner of Section Eighteen (18), Township 26 Sec. 3 West of the Willamette Meridian running thence South 21° East 1560.8 feet South 17° 21' East 749.8 feet; thence South 1° 47' West 308.5 feet; thence South 1613.7 feet; thence East 675.6 feet to the North Umpqua River; thence and the meanders of said river upstream to the section line between Sections on (17) and Eighteen (18) said Township and Range; thence North along said line to the Northeast corner of said Section Eighteen (18); thence West to
Alsof Rangothence : 10° 34' following Sevente	west of the Willamette Meridian running thence South 21° East 1560.8 feet South 17° 21' East 749.8 feet; thence South 1° 47' West 308.5 feet; thence South 1613.7 feet; thence East 675.6 feet to the North Umpqua River; thence age the meanders of said river upstream to the section line between Sections of (17) and Eighteen (18) said Township and Range; thence North along said line to the Northeast corner of said Section Eighteen (18); thence West to
Alsof Rangothence : 10° 34' following Sevente	west of the Willamette Meridian running thence South 21° East 1560.8 feet South 17° 21' East 749.8 feet; thence South 1° 47' West 308.5 feet; thence South 1613.7 feet; thence East 675.6 feet to the North Umpqua River; thence age the meanders of said river upstream to the section line between Sections of (17) and Eighteen (18) said Township and Range; thence North along said line to the Northeast corner of said Section Eighteen (18); thence West to
Alsof Rangothence : 10° 34' following Sevente	so beginning at the Northwest corner of Section Eighteen (18), Township 26 Sec. 3 West of the Willamette Meridian running thence South 21° East 1560.8 feet South 17° 21' East 749.8 feet; thence South 1° 47' West 308.5 feet; thence South 1613.7 feet; thence East 675.6 feet to the North Umpqua River; thence and the meanders of said river upstream to the section line between Sections on (17) and Eighteen (18) said Township and Range; thence North along said line to the Northeast corner of said Section Eighteen (18); thence West to
Alsof Rangothence : 10° 34' following Sevente	so beginning at the Northwest corner of Section Eighteen (18), Township 26 Sec. 3 West of the Willamette Meridian running thence South 21° East 1560.8 feet South 17° 21' East 749.8 feet; thence South 1° 47' West 308.5 feet; thence South 1613.7 feet; thence East 675.6 feet to the North Umpqua River; thence and the meanders of said river upstream to the section line between Sections on (17) and Eighteen (18) said Township and Range; thence North along said line to the Northeast corner of said Section Eighteen (18); thence West to
Alsof Rangothence : 10° 34' following Sevente	so beginning at the Northwest corner of Section Eighteen (18), Township 26 Sec. 3 West of the Willamette Meridian running thence South 21° East 1560.8 feet South 17° 21' East 749.8 feet; thence South 1° 47' West 308.5 feet; thence South 1613.7 feet; thence East 675.6 feet to the North Umpqua River; thence and the meanders of said river upstream to the section line between Sections on (17) and Eighteen (18) said Township and Range; thence North along said line to the Northeast corner of said Section Eighteen (18); thence West to
Alsof Rangothence : 10° 34' following Sevente	so beginning at the Northwest corner of Section Eighteen (18), Township 26 Sec. 3 West of the Willamette Meridian running thence South 21° East 1560.8 feet South 17° 21' East 749.8 feet; thence South 1° 47' West 308.5 feet; thence South 1613.7 feet; thence East 675.6 feet to the North Umpqua River; thence and the meanders of said river upstream to the section line between Sections (17) and Eighteen (18) said Township and Range; thence North along said line to the Northeast corner of said Section Eighteen (18); thence West to
Alsof Range thence S 10° 3h' following Sevente section the pla	So beginning at the Northwest corner of Section Eighteen (18), Township 26 Sc 3 West of the Willamette Meridian running thence South 21° East 1560.8 feet South 17° 21' East 749.8 feet; thence South 1° 47' West 308.5 feet; thence 30' Mest 30' Me
Alsof Rangethence State State Cour	West of the Willamette Meridian running thence South 21° East 1560.8 feet South 17° 21' East 749.8 feet; thence South 1° 47' West 308.5 feet; thence South 17° 21' East 749.8 feet; thence South 1° 47' West 308.5 feet; thence South 1613.7 feet; thence East 675.6 feet to the North Umpqua River; thence me the meanders of said river upstream to the section line between Sections en (17) and Eighteen (18) said Township and Range; thence North along said line to the Northeast corner of said Section Eighteen (18); thence West to be of beginning, containing in all 1700 acres. OF OREGON, Ass. or of Marion, ss. aty of Marion,
Alsof Rangethence State State State Court	obeginning at the Northwest corner of Section Eighteen (18), Township 26 Sc 3 West of the Willamette Meridian running thence South 21° East 1500.8 feet South 17° 21' East 719.8 feet; thence South 1° 17' West 308.5 feet; thence Sc East 1613.7 feet; thence East 675.6 feet to the North Umpqua River; thence not the meanders of said river upstream to the section line between Sections and (17) and Eighteen (18) said Township and Range; thence North along said. The to the Northeast corner of said Section Eighteen (18); thence West to be of beginning, containing in all 1700 acres. OF OREGON, and the section of Marion, and Marion, application, together with the accompanying is to certify that I have examined the foregoing application, together with the accompanying the section in the section application, together with the accompanying the section in the section application application, together with the accompanying the section is set to the section application application, together with the accompanying the section is a section and the section application, together with the accompanying the section is a section and the section application and the section application and the section application and the section are section and the section and the section and the section are section and the section are section and the section are section and the section and
Alsof Rangethence State State State Courage Maps a	or beginning at the Northwest corner of Section Eighteen (18), Township 26 Step 3 West of the Willamette Meridian running thence South 21° East 1560.8 feet; Couth 17° 21' East 749.8 feet; thence South 1° 47' West 308.5 feet; thence South 16° 47' West 308.5 fee
Alsof Rangethence State Sevente section the plane STATE Court maps a	obeginning at the Northwest corner of Section Eighteen (18), Township 26 Sc 3 West of the Willamette Heridian running thence South 21° East 1560.8 feet South 17° 21° East 719.8 feet; thence South 1° 17′ West 308.5 feet; thence South 17° 17′ West 308.5 feet; thence So East 1613.7 feet; thence East 675.6 feet to the North Impount River; thence age the meanders of said river upstream to the section line between Sections and (17) and Eighteen (18) said Township and Range; thence North along said line to the Northeast corner of said Section Eighteen (18); thence West to be of beginning, containing in all 1700 acres. OF OREGON, ss. ss. https://doi.org/10.1001/1
Alsof Rangethence State Sevente section the plane STATE Court maps a	or beginning at the Northwest corner of Section Eighteen (18), Township 26 Sc 3 West of the Willamette Meridian running thence South 21° East 1560.8 feet; Gouth 17° 21' East 719.8 feet; thence South 1° 17' West 308.5 feet; thence South 16.3.7 feet; thence East 675.6 feet to the North Umpqua River; thence are the meanders of said river upstream to the section line between Sections are (17) and Eighteen (18) said Township and Range; thence North along said line to the Northeast corner of said Section Eighteen (18); thence West to be of beginning, containing in all 1700 acres. OF OREGON, Anty of Marion, This is to certify that I have examined the foregoing application, together with the accompanying data, and return the same for

• •	605
Permit No. 20	091

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

	Division No. District No.
	This instrument was first received in the office of the State Engineer at Salem, Oregon,
	on the 31st day of January,
	19.51 at 8:00 o'clock A. M.
	Returned to applicant:
	· • • · · · · · · · · · · · · · · · · ·
	Corrected application received:
	A
	Approved: June 15, 1951
	Recorded in book No. 49 of
	•
	Permits on page 20091
	CHAS. E. STRICKLIN STATE ENGINEER
	Drainage Basin No. 16 Page 26
	Fees Paid \$27.95
	PERMIT
STATE OF OREGON, ss.	
The right herein grant and shall not exceed	I have examined the foregoing application and do hereby grant the same, IGHTS and the following limitations and conditions: Led is limited to the amount of water which can be applied to beneficial use Compared to the amount of water which can be applied to beneficial use Compared to the amount of water which can be applied to beneficial use Compared to the amount of water water at the point of diversion from the case of rotation with other water users, from North Umpqua River
The use to which this	water is to be applied is irrigation
second or its equivale	ppropriation shall be limited to 1/80th of one cubic foot per nt for each acre irrigated and shall be further limited to a ceed $2\frac{1}{2}$ acre feet per acre for each acre irrigated during the
irrigation season of e	ach year,
and shall be subject to such	reasonable rotation system as may be ordered by the proper state officer.
The priority date of t	his permit is January 31, 1951
Actual construction u	work shall begin on or before June 15, 1952 and shall
	th reasonable diligence and be completed on or before
Complete application	of the water to the proposed use shall be made on or before
	154h
WITNESS my hand	this 15th day of June , 19 51
	CHAS. E. STRICKLIN