

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Gus Goeres (Name of applicant) of Route 2, Bx 213 Tillamook (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Trask River (Name of stream), a tributary of Tillamook Bay

2. The amount of water which the applicant intends to apply to beneficial use is 0.8875 cubic feet per second. .8875 (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1522.7 ft. N and 100.1 ft. E from the 1/4 corner of 1644.5 ft. N and 32.3 ft. E. Between section 3 and 34, Twps 1 S and 2 S, R. 9 W. W. M. Tillamook, Oregon (Section or subdivision)

THE APPLICANT WILL LIKE TO RESERVE THE RIGHT TO PUMP EITHER NORTH OR South of the point of devirsion which is 1644.5 ft. N. and 32.3 ft. E. if the River should either washh or fill in North or South of this point. (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NW 1/4 SE 1/4 of Sec. 34, Tp. 1 S, R. 9 W., W. M., in the county of Tillamook (Give smallest legal subdivision)

5. The Pipe line to be 1090 ft in length, terminating in the SE 1/4 SW 1/4 of Sec. 34, Tp. 1 S, R. 9 W., W. M., the proposed location being shown throughout on the accompanying map. (Main ditch, canal or pipe line) (Miles or feet) (Smallest legal subdivision) (N. or S.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam None feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 6" intake Electrical Centrifugal 20 h.p. Electric motor total head approx. 25 ft. (Size and type of pump) (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

MH-DEC

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1090 ft.; size at intake, 8" in.; size at 1090 8" ft. from intake 1090 in.; size at place of use 4" and 5" in.; difference in elevation between intake and place of use, 25 ft. Is grade uniform? Yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
1.S.	9.W.	34	NE $\frac{1}{4}$ SW $\frac{1}{4}$	6
1.S.	9.W.	34	SE $\frac{1}{4}$ SW $\frac{1}{4}$	40
2.S.	9.W.	3	NE $\frac{1}{4}$ NW $\frac{1}{4}$	25
Total				71

T.1.S R9W
The SE $\frac{1}{4}$ SW $\frac{1}{4}$ Section 34 Also beginning at the S.E. corner of the N.E. $\frac{1}{4}$ of the SW $\frac{1}{4}$ of section 34, Twp.1.S.R.9.W.W.M. Thence West 19.22 chs to the County Road, Thence North 2.86 chs, thence East 19.22 chs thence South to the place of beginning.
Also the NE $\frac{1}{4}$ NW $\frac{1}{4}$ section 3, Twp.2.S.R.9.W.W.M. except 165 ft off the Entire East side.

(If more space required, attach separate sheet)

(a) Character of soil Sandy River bottom

(b) Kind of crops raised grass

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 2500.
- 12. Construction work will begin on or before June 1951
- 13. Construction work will be completed on or before June 1952
- 14. The water will be completely applied to the proposed use on or before June 1952

(Signature of applicant)

(Sgd) Gus Goeres

Remarks: 1090 ft of 8" wood pipe will be buried and made purminate with
a 4" Tee on the East and a 5" tee on the West

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for revision

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before March 27th, 19 51

WITNESS my hand this 28th day of February, 19 51

CHAS. E. STRICKLIN
STATE ENGINEER

By Ed K. Humphrey, Assistant

bc

Application No. 25655

Permit No. 20120

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 16th day of February, 1951, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

June 15, 1951

Recorded in book No. 49 of

Permits on page 20120

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 1 Page 19

Fees Paid \$21.15

PERMIT

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.888 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Trask River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 16, 1951

Actual construction work shall begin on or before June 15, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1953

Complete application of the water to the proposed use shall be made on or before October 1, 1954

WITNESS my hand this 15th day of June, 1951

CHAS. E. STRICKLIN STATE ENGINEER