

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, C. M. Boulden
(Name of applicant)
of Dayton Rt. 1
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Lambert or Willamette Slough
(Name of stream)
part
a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is one
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 1400+ ft. South and 1020+ ft. East from the Common
(N. or S.) (E. or W.)
corners of Sections 9, 10, 15 and 16: T 5 S: R 3 W: N.M.
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the S.W. of NW of Sec. 15, Tp. 5 S
(Give smallest legal subdivision) (N. or S.)
R. 3 W, W. M., in the county of Yamhill
(E. or W.)

5. The _____ to be _____
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the _____ of Sec. _____, Tp. _____
(Smallest legal subdivision) (N. or S.)
R. _____, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam _____ feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry)

(b) Description of headgate _____
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 3" Centrifugal 20 hp.
(Size and type of pump)
total lift 95'
(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

45 # 40 Rain Bird sprinklers (10 gpm each)

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 4100 ft.; size at intake, 6" in.; size at ft. from intake in.; size at place of use 3" in.; difference in elevation between intake and place of use, 25' ft. Is grade uniform? yes Estimated capacity, 1 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
5 S	3 W	16	SW ¹ / ₄ of NE ¹ / ₄	5 ac.
5	3	16	NW ¹ / ₄ of SE ¹ / ₄	8 ac.
5	3	16	SE ¹ / ₄ of NE ¹ / ₄	10.5 ac.
5	3	16	NE ¹ / ₄ of SE ¹ / ₄	16.5 ac.
5	3	15	NW ¹ / ₄ of NW ¹ / ₄	12 ac.
5	3	15	SW ¹ / ₄ of NW ¹ / ₄	23 ac.
Total Acres				75 acres

Al Co. Survey 2738A Part of Gov. Lots 6 & 7 Begin on E. ln of & N 16° 17' W 3.602 chs from most Ely angle cor Hewitt Clm being S. E. Corner Boulder 29.99 ac N 16° 17' W 15.83 Chs to NW Cor Co. Survey 2738 E 15.61 chs to Willamette Slough S 3° 05' E 6.45 Chs W parallel N ln 13.04 chs S 9° 52' E 8.885 chs to beg. Con. 10 Acres Part of Henry Hewitt Beg. at pin set in Ct. Co. Rd. 44.09 chs E and 41.48 chs S. of NW cor sd. D.L.C.; F 89° 15' E 3.195 chs; S. 74° E 7 chs; N 89° 45' E. 31.64 chs to E. Bdry. ln sd. D.L.C; N 17° W. along E. bdry ln sd D.L.C. 17.21 chs; S 85° 15' W 22.96 chs N 77° 45' W. 13.33 chs to ct of Co. Rd now there; S 2° 15' W along ct. sd. Co. Rd. 15.415 chs. to place of beg. Con 60 Acres

(continued under "Remarks")

(If more space required, attach separate sheet)

(a) Character of soil Chehalis Silt Loam and Willamette Silt Loam
 (b) Kind of crops raised Pasture and sweet corn

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
 (Head)

(d) The nature of the works by means of which the power is to be developed
 (e) Such works to be located in of Sec.
 (Legal Subdivision)

Tp., R., W. M.
 (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
 (Yes or No)

(g) If so, name stream and locate point of return
 Sec., Tp., R., W. M.
 (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

(Name of)

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 5000.00
- 12. Construction work will begin on or before ~~Have everything but pump~~
- 13. Construction work will be completed on or before two yrs. after approval
- 14. The water will be completely applied to the proposed use on or before 3 yrs. after approval.

(sgd.) C. M. Boulden
(Signature of applicant)

Remarks: (Continued from Item 8) Beg on N. ln of & N 89° 45' W 31.2 ft from NE cor. Henry Hewett D. L. C.; S 2° 20' E 230 ft; S 7° 51' E 707.2 ft; S 89° 20' W 40.2 ft; S. 00° 15' E 165 ft; N 89° 00' E 228.4 ft to E. ln sd. Hewett. Clm; S. 16° 28' E along E ln Hewitt clm 1010.5 ft; E 1030.3 ft to low water ln Willamette Slough; Down left bank of Slough N 3° 05' W 126.3 ft; E 12° 14' W 274.4 ft; N 26° 32' W 305 ft; N 37° 30' W 396.3 ft; N 33° 44' W 308.3 ft; N 39° 02' W 496.9 ft; N 37° W. 577.7 ft to S. ln. Andrew Layson D.L.C.; leaving Slough N 89° 45' W. 401.6 ft to beg. Con 42 Ac. Subject to reservations in Deed (Vol 70-252)

The source of this appropriation is actually a channel or part of the Willamette River. (Sgd.) C. M. Boulden

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

Application No. 25717

Permit No. 20142

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13th day of March 19 51, at 11:45 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

June 15, 1951

Recorded in book No. 49 of

Permits on page 20142

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 64 D

Fees Paid \$21.75

PERMIT

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.94 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Lambert Slough, which is a channel of the Willamette River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 13, 1951

Actual construction work shall begin on or before June 15, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1953

Complete application of the water to the proposed use shall be made on or before October 1, 1954

WITNESS my hand this 15th day of June, 19 51

CHAS. E. STRICKLIN STATE ENGINEER