

CERTIFICATE NO. 21557

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Guy Burns and/or Minnie Burns of Route 2, Box 11 Cloverdale, Oregon State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed Creek, a tributary of Big Nestucca River

2. The amount of water which the applicant intends to apply to beneficial use is .06 cubic feet per second.

**3. The use to which the water is to be applied is Domestic including irrigation of not to exceed 1 acre lawns and gardens

4. The point of diversion is located 3492.27 ft. S and 1487.81 ft. E from the N.W. corner of Section 29, Twp. 4S. R. 10W. Tillamook, Oregon and another point is located 263 ft. down stream from the first point.

being within the Government lot 12 of Sec. 29, Tp. 4.S., R. 10.W., W.M., in the county of Tillamook, Oregon

5. The pipe line to be 475 ft. in length, terminating in the Government lot 12 of Sec. 29, Tp. 4.S., R. 10.W., W.M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 3 ft. feet, length on top 8 ft. feet, length at bottom 8 ft. feet; material to be used and character of construction Wood over rock and brush, timber crib, etc., wasteway over or around dam

(b) Description of headgate

(c) If water is to be pumped give general description

* A different form of application is provided where storage works are contemplated. ** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

MH-DEC

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 475 ft.; size at intake, 1 1/2 in; size at 475 ft. from intake 1 1/2 in.; size at place of use 3/4" in.; difference in elevation between intake and place of use, 75 ft. Is grade uniform? yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Williamsitic Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
4.S.	10.W.	29	Government 12	none

Beg at the N.C. or the North Line of Government Lot 12 Sec 29, T. 4. S. R. 10. W. N.M. Thence S34°0E 439.5 Thence S40° 0W 186ft: Thence S50°00'E 230 ft Thence South 125 ft Thence West 330 ft Thence N 1°50'E 775.5 ft to Beg.

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 6

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1000.
- 12. Construction work will begin on or before now complete
- 13. Construction work will be completed on or before
- 14. The water will be completely applied to the proposed use on or before

(Sgd.) Guy Burns
(Signature of applicant)

(Sgd.) Minnie Burns

Remarks: This system has been in use for 15 years but the filing and permit is only for two families. Since that time 6 additional apartments have been added, so that it was deemed advisable to apply for additional water to cover the six appartments now in use.

Mr. Tom Hunsaker is also a user of water from the source specified under Item 1 but has not added new users to his permit.

The applicant states that there seems to be sufficient water provided its use is not wasted during the dry months.

A two inch iron pipe is driven in at the dam for the point of diversion. Watering of lawns and gardens to be from lower diversion point.

The lower diversion is a separate pipe line. It varies in diameter - 2 1/2 inches at point of diversion and 2 inches at the first point of service.

If plan for filtering water proves successful, will divert entire quantity at lower diversion.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19.....

WITNESS my hand this day of, 19.....

STATE ENGINEER

Application No. 25755

Permit No. 20152

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 26th day of March, 1951, at 9:00 o'clock A.M.

Returned to applicant:

Corrected application received:

Approved:

June 15, 1951

Recorded in book No. 49 of

Permits on page 20152

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 1 Page 16 C

Fees Paid \$20.00

PERMIT

STATE OF OREGON, } ss. County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.06 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from an unnamed creek, being 0.027 c.f.s. for use in dwellings and 0.033 c.f.s. for watering lawns and gardens.

The use to which this water is to be applied is Domestic, including the irrigation of not to exceed 1/2 acre lawns and gardens.

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 26, 1951

Actual construction work shall begin on or before June 15, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1953

Complete application of the water to the proposed use shall be made on or before October 1, 1954

WITNESS my hand this 15th day of June, 1951.

CHAS. E. STRICKLIN STATE ENGINEER