

\* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Frank Amentrout, (Name of applicant)  
of Dayton, (Mailing address)  
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Palmer Creek (Name of stream), a tributary of Yanhill River

2. The amount of water which the applicant intends to apply to beneficial use is 150 g.p.m. (If water is to be used from more than one source, give quantity from each) cubic feet per second.

\*\*3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 80'+ ft. S and 1820'+ ft. E from the Common corner of Sections 5, 6, 7, and 8 of Twp. 5S., Range 3 West, W.M. (Section or subdivision)

Said point of diversion is also tied to angle corner of C.S. 2780 as shown on map being 65'+ W and 55'+ North of pin at said corner.

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the E. 1/4 of NW 1/4 of Sec. 8, Tp. 5 S., R. 3 W., W.M., in the county of Yanhill

(E. or W.)

5. The (Main ditch, canal or pipe line) to be (Miles or feet) in length, terminating in the (Smallest legal subdivision) of Sec. (N. or S.) R. (E. or W.), W.M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam none feet, length on top feet, length at bottom feet; material to be used and character of construction (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 2" Centrifugal (Size and type of pump)

20 hp gas motor (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

12 #40 Rainbird sprinklers

\* A different form of application is provided where storage works are contemplated.

\*\* Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 1500 ..... ft.; size at intake, 4" ..... in; size at 1000 ..... ft. from intake ..... 4" ..... in; size at place of use ..... 3" ..... in; difference in elevation between intake and place of use, 50 ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
5 S	3 W	5	SE $\frac{1}{4}$ of SW $\frac{1}{4}$	14 ac
5 S	3 W	5	SW $\frac{1}{4}$ of SW $\frac{1}{4}$	3.6 ac
5 S	3 W	3	NW $\frac{1}{4}$ of NW $\frac{1}{4}$	2.5 ac
5 S	3 W	3	NE $\frac{1}{4}$ of NW $\frac{1}{4}$	9.9 ac
				30 ac

Part of Alvis Kimsey Cl. Beginning at S. E. corner Lot 5, Co. Survey # 2730, said part being on S. line of and N. 37° 27' W. 1013.1 ft. from S. E. corner Cl.; N. 1° 21' E. with S. line Lot 5, 1765.3 ft. to angle corner Peery & Converse; N. 67° 01' E. 339.7 ft. to angle corner and S. W. corner Converse; N. 1° 39' E. 1192.4 ft.; N. 37° 16' W. 323.3 ft. to N. E. corner of 26.20 A. tract of Maud Rhodes; S. 2° 13' W. 1190 ft.; S. 87° 01' E. 267.1 ft.; S. 2° 13' W. 1739 ft. to S. line Kimsey Cl. in center county road; S. 37° 27' E. 430.8 ft. to beginning. (Containing 26.20 A.)

Part of E. half Alvis Kimsey Cl. Beginning on S. line of & S. 87° 27' E. 333.2 ft. from S. W. corner said Cl.; S. 87° 27' E. along Kimsey and Thersing Cls. and along center county road 422.6 ft. to point N. 37° 27' W. 1443.9 ft. from S. E. corner Kimsey Cl.; N. 2° 13' E. parallel to division line of Cl. 1789 ft.; N. 87° 01' W. 267.1 ft.; N. 2° 13' E. parallel division line 1190 ft. to N. line Lot 5,

(If more space required, attach separate sheet) (continued under Remarks)

(a) Character of soil Amity Silt Loam, Willamette Silt Loam & Wapato Silty Clay Loam

(b) Kind of crops raised Grain and Pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal Subdivision)

Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. ....  
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

Municipal or Domestic Supply—

10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1500 .....

12. Construction work will begin on or before July 1-51 .....

13. Construction work will be completed on or before July 30 .....

14. The water will be completely applied to the proposed use on or before August 1 .....

(Sgd) Frank Armentrout  
(Signature of applicant)

Remarks: (item continued) .....

Co. Survey # 2730 to point N. 87° 16' W. 323.3 ft. from N. E. corner lot; N. 87° 16' W. 323.3 ft. to N. E. corner of 46.61 A. of Maud Rhodes; S. 2° 13' W. parallel division line 1188.6 ft.; S. 87° 01' E. 167.8 ft; S. 2° 13' W. parallel division line 1792.1 ft. to beginning. (Containing 26.20 A.)

Being part of Alvis Kimsey Cl. and 3.32 A. in John Odell Cl. Beginning on division line of and S. 2° 13' W. 2563.3 ft. from N. W. corner E. half Cl. and being N. W. corner Lot 5, Survey 2730; S. 2° 13' W. 2659.5 ft. to S. W. corner E. half Cl. and on N. line of and N. 89° 06' W. 397.4 ft. from N. E. corner Odell Cl.; N. 89° 06' W. between Cl. 313.7 ft. to W. corner of 90/100 A. tract in Odell Cl.; S. 13° 13' E. along center county road 201 ft. to angle; S. 70° 10' E. 609.2 ft. to E. line Odell and angle of Kimsey; S. 57° 27' E. along S. line Kimsey 333.2 ft.; N. 2° 13' E. parallel division line Cl. 1792.1 ft. N. 87° 01' E. 167.8 ft; N. 2° 13' E. parallel division line 1188.6 ft. to N. line Lot 5, Survey 2730; N. 87° 16' W. 575.7 ft. to beginning. (Ex. Sold 90/100. Vol. 109-234. Containing 46.61 A. Leaving 45.21 A.)

Part of Alvis Kimsey Cl. Beginning at division line of Cl. S. 2° 13' W. 2565.4 ft. from N. E. corner of W. half of Cl.; being S. E. corner of N. W. quarter of Kimsey Cl.; S. 2° 13' W. along division line 743 ft. W. 297.3 ft.; N. 2° 13' E. parallel to division line of Cl. 742.2 ft. to pipe on division line between N. and S. halves of W. half of Cl. S. 87° 16' E. 297. ft. to beginning. (Tract 4, County Survey # 2730, Containing 5.15 A.)

STATE OF OREGON, {  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

Application No. 25545

Permit No. 20165

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 3rd day of January, 1951, at 10:15 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

June 15, 1951

Recorded in book No. 49 of Permits on page 20165

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 90.0

Fees Paid \$ 5.00

PERMIT

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.334 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Palmer Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/60th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be still further limited to a diversion of not to exceed 0.334 c.f.s.,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is January 3, 1951

Actual construction work shall begin on or before June 15, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1953

Complete application of the water to the proposed use shall be made on or before October 1, 1954

WITNESS my hand this 15th day of June, 1951

CHAS. E. STRICKLIN STATE ENGINEER