

CERTIFICATE NO. 21494

\* APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Homer Gallier; Frank E. Bergstrom; Wesley Ashwell
(Name of applicant)
of Willamina Rt. 1
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the

following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is South Yamhill River
(Name of stream)
a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 0.06
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

\*\*3. The use to which the water is to be applied is Domestic supplies
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

and time protection including irrigation of not to exceed 5 acre for each of 3 properties

4. The point of diversion is located 1580 ft. N and 200 ft. W from the SE
(N. or S.) (E. or W.)
corner of Sec. 8
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

being within the NE 1/4 of Sec. 8, Tp. 6 S,
(Give smallest legal subdivision) (N. or S.)

R. 7 W., W. M., in the county of Polk
(E. or W.)

5. The Main ditch, canal or pipe line to be
(Miles or feet)
in length, terminating in the
(Smallest legal subdivision) of Sec. , Tp.
(N. or S.)

R. , W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom

feet; material to be used and character of construction
(Loose rock, concrete, masonry,

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description cent. pump & 5 h.p. motor
(Size and type of pump)

(Size and type of engine or motor to be used, total head water is to be lifted, etc.)

\* A different form of application is provided where storage works are contemplated.

\*\* Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet. 750 ft. of 2 in 250 ft. of 1 in

(c) Length of pipe, ..... ft.; size at intake, ..... in; size at ..... ft. from intake ..... in.; size at place of use ..... in.; difference in elevation between intake and place of use, about 20 ..... ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use .....

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
6 S	7 W	9	NW $\frac{1}{4}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$ SW $\frac{1}{4}$	

Property on which water is to be used is a part of that more explicitly described by applicant as follows:

R. T. Clark & R. Jennings, et ux to Elwin Littlejohn, et ux.

Beginning at an iron pipe on the north boundary of State Highway which point is north 1551 ft. and south 75 degrees 01' East 381.8 ft. of the corner to Sections 8, 9, 16, 17 in Township 6, South Range 7, West of the Willamette Meridian in Polk County, Oregon; thence North 15 degrees East 245 feet; thence South 44 degrees 30' East 205 ft.; thence South 15 degrees West 112 feet; thence North 75 degrees 01' West 180 ft.; to point of beginning containing 9.17/104 acres and sold to same party North fractional part beginning at Northwest corner of above described fraction, thence North 15 degrees East 65 feet; thence South 31 degrees 45' East 239.4 feet; thence South 15 degrees West 8 feet; thence North 44 degrees 30' West 205 feet; to point of beginning containing 8/100 acres.

Book 124, Page 9 Lewis Gallinger, et ux to Wesley H. Aswell, et ux. (If more space required, attach separate sheet) (continued under Remarks)

- (a) Character of soil .....
- (b) Kind of crops raised .....

Power or Mining Purposes—

- 9. (a) Total amount of power to be developed ..... theoretical horsepower.
- (b) Quantity of water to be used for power ..... sec. ft.
- (c) Total fall to be utilized ..... feet. (Head)
- (d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. .... (Legal Subdivision)

Tp. ...., R. ...., W. M. (No. N. or S.) (No. E. or W.)

- (f) Is water to be returned to any stream? ..... (Yes or No)
  - (g) If so, name stream and locate point of return .....
- ....., Sec. ...., Tp. ...., R. ...., W. M. (No. N. or S.) (No. E. or W.)

- (h) The use to which power is to be applied is .....
- (i) The nature of the mines to be served .....

Municipal or Domestic Supply—

10. (a) To supply the city of .....

..... County, having a present population of .....

(Name of)

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied ..... 6 .....

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 800<sup>00</sup>.....

12. Construction work will begin on or before 1 year from approval date .....

13. Construction work will be completed on or before 2 yrs " " " .....

14. The water will be completely applied to the proposed use on or before 3 yrs. from approval date. ....

(Sgd) Homer Gallion .....

(Signature of applicant)

(Sgd) Frank E. Bergstrom .....

(Sgd) Wesley Ashwell .....

by Mrs. Homer Gallion

Remarks: (item continued) .....

Beginning at an iron pipe 131.7 feet East and 413.5 feet North of the corner to Section 8, 9, 16 and 17, and running thence North 30 min West 334.0 feet to the South boundary of the State Highway; thence South 75 deg. 01 Min. East 309 feet; thence South 807.5 feet to the South boundary of the land described in Transfer Certificate of Title No. 169; of Polk County, Oregon, April 19, 1940; thence West to the place of beginning, all in Section 9, Township 6 South, and Range 7 West, in the County of Polk, and State of Oregon.

Book 125, Page 406 Lawrence Vern Wooley to Winona Arahawana Wooley

Beginning at an iron pipe on the North boundary of State Highway, which point is North 1551 feet and South 75 degrees 01 minutes East 201.8 feet of the corner to section 8-9-16-17, Township 6 South Range 7 West of the Willamette Meridian; thence North 15 degrees East 346 feet; thence South 44 degrees 30 minutes East 205 feet; thence South 15 degrees West 245 feet; thence North 75 degrees 01 minutes West 180 feet to point of beginning. containing one and 22/100 acres.

Beginning at Northwest corner of the above described land; thence North 15 degrees east 55 feet; thence North 49 degrees 30 minutes East 193 feet; thence South 15 degrees West 65 feet; thence North 44 degrees 30 minutes West 205 feet to point of beginning; containing 23/100 acres.

Jointed together they contain one and 45/100 acres, situated in Polk County, Oregon.

2 families on Gallion property .....

3 " " Bergstrom " .....

1 " " Ashwell " .....

STATE OF OREGON, { ss.  
County of Marion,

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19.....

WITNESS my hand this ..... day of ....., 19.....

STATE ENGINEER

Application No. 25794

Permit No. 20168

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 2th day of April, 1951, at 1:30 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

June 15, 1951

Recorded in book No. 49 of Permits on page 20168

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 90 R

Fees Paid \$20.00

PERMIT

STATE OF OREGON, County of Marion, ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.26 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from South Yamhill River

The use to which this water is to be applied is domestic, including the irrigation of not to exceed 1/2 acre for each of three properties and fire protection.

If for irrigation, this appropriation shall be limited to of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 9, 1951

Actual construction work shall begin on or before June 15, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1953

Complete application of the water to the proposed use shall be made on or before October 1, 1954

WITNESS my hand this 15th day of June, 1951

CHAS. E. STRICKLIN STATE ENGINEER