

* APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, H. Vernon Stephens (Name of applicant) of Route 2 - Dayton (Mailing address), State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Palmer Creek (Name of stream), a tributary of Yamhill River

2. The amount of water which the applicant intends to apply to beneficial use is 0.33 + 0.046 cubic feet per second. (If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 635 ft. N and 700 ft. W from the SE corner of Rachel Matheny DLC (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the SW 1/4 NE 1/4 of Sec. 31, Tp. 5S, R. 3W, W. M., in the county of Yamhill

R. 3W, W. M., in the county of Yamhill

5. The Pipe line to be App. 600' in length, terminating in the of Sec. , Tp. , R. , W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Electric Centrifugal Pump, 5 or 7 H.P. (Size and type of engine or motor to be used, total head water is to be lifted, etc.)

About 10 8 g.p.m. sprinklers

* A different form of application is provided where storage works are contemplated.

** Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

M.H. DEC

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 600 ft.; size at intake, 4 in.; size at ft. from intake in.; size at place of use 3 in.; difference in elevation between intake and place of use, 3 ft. Is grade uniform? Yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
5 S	3 W	31	NE $\frac{1}{4}$ NE $\frac{1}{4}$	1
			NW $\frac{1}{4}$ NE $\frac{1}{4}$	2
			SW $\frac{1}{4}$ NE $\frac{1}{4}$	21
			SE $\frac{1}{4}$ NE $\frac{1}{4}$	6
				30

(If more space required, attach separate sheet)

(a) Character of soil Amity & Dayton Soil

(b) Kind of crops raised Pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal Subdivision)

Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 3000⁰⁰.....
- 12. Construction work will begin on or before One year from approval date.....
- 13. Construction work will be completed on or before two years from " ".....
- 14. The water will be completely applied to the proposed use on or before 3 yrs " " ".....

(Sgd) H. Vernon Stephens.....
(Signature of applicant)

Remarks:

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion or correction.....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before December 21,, 1950..

WITNESS my hand this 21st day of November....., 1950..

CHAS. E. STRICKLIN.....
STATE ENGINEER

By Ed K. Humphrey, Assistant
mrh

Application No. 25195

Permit No. 20172

PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 28 day of August, 1950, at 2:25 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

June 15, 1951

Recorded in book No. 49 of

Permits on page 20172

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 90 Q

Fees Paid \$15.00

PERMIT

STATE OF OREGON, ss. County of Marion.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.375 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Palmer Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/10th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is August 28, 1950 for 0.33 cfs & December 19, 1950 for 0.045 cfs

Actual construction work shall begin on or before June 15, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1953

Complete application of the water to the proposed use shall be made on or before October 1, 1954

WITNESS my hand this 15th day of June, 1951

CHAS. E. STRICKLIN STATE ENGINEER