

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Oceanlake Water District of Oceanlake, Ore. State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

X About 1930, Oceanlake, Oregon

1. The source of the proposed appropriation is Rock Creek, a tributary of Devils Lake and Pacific Ocean

2. The amount of water which the applicant intends to apply to beneficial use is .75 + .75 cubic feet per second.

\*\*3. The use to which the water is to be applied is domestic use (Municipal)

4. The point of diversion is located 2840 ft. S. 48°30' W. from the N.E. corner of Sec. 12, T.7S., R.11W., W.M. (Pump site) and approx 500' down falls in Rock Creek. 2425 ft. S. and 4760 ft. E. from the N.E. corner of Sec. 12, T.7S., R.11W., W.M. (Gravity site)

being within the S 1/4 NE 1/4 of Sec. 12, Tp. 7S., R. 11W., W.M., in the county of Lincoln

5. The Pumping Site is adjacent to present supply line and will pump into existing line in length, terminating in the of Sec. , Tp. , R. , W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description whatever is found to be necessary to get required amount of water into existing line and to a reservoir in line about 1000' from pump site

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 4.75 ft.; size at intake, 6 in.; size at ..... ft. from intake ..... in.; size at place of use 5 in.; difference in elevation between intake and place of use, 100 ft. Is grade uniform? ..... Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use City of Ocean Lake and vicinity of Devils Lake

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated		
<u>Willamette</u>	<u>Meridian</u>	<u>6 S</u>	<u>11 W</u>	<u>34</u>	<u>SE 1/4 SE 1/4</u>	
				<u>35</u>	<u>S 1/2 S 1/2</u>	
				<u>36</u>	<u>S 1/2 SW 1/4</u>	
				<u>36</u>	<u>SW 1/4 SE 1/4</u>	
<u>7 S</u>	<u>11 W</u>			<u>1</u>	<u>W 1/2 NE 1/4</u>	
				<u>1</u>	<u>W 1/2</u>	
				<u>2</u>	<u>All Sec 3 All</u>	
				<u>10</u>	<u>All</u>	
				<u>11</u>	<u>N 1/2</u>	
				<u>11</u>	<u>SW 1/4</u>	
				<u>11</u>	<u>W 1/2 SE 1/4</u>	
		<u>12</u>	<u>N 1/2</u>			
		<u>15</u>	<u>NE 1/4 NE 1/4</u>			

(If more space required, attach separate sheet)

(a) Character of soil .....

(b) Kind of crops raised .....

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.  
(Head)

(d) The nature of the works by means of which the power is to be developed .....

(e) Such works to be located in ..... of Sec. ....  
(Legal Subdivision)

Tp. ...., R. ...., W. M. ....  
(No N or S) (No E or W)

(f) Is water to be returned to any stream? .....  
(Yes or No)

(g) If so, name stream and locate point of return .....

....., Sec. ...., Tp. ...., R. ...., W. M. ....  
(No N or S) (No E or W)

(h) The use to which power is to be applied is .....

(i) The nature of the mines to be served .....

Municipal or Domestic Supply

10. (a) To supply the city of Oceanlake - Ore.  
Lincoln County, having a present population of 67 water users  
 and an estimated population of 3400 pop. in 1949  
Estimated population of 5500 in 1955

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Ans. to questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ \_\_\_\_\_ ?
- 12. Construction work will begin on or before as needed.
- 13. Construction work will be completed on or before \_\_\_\_\_ ?
- 14. The water will be completely applied to the proposed use on or before \_\_\_\_\_ ?

Oceanlake Water Dist.

D. P. Slater, Engineer

Remarks: This preliminary filing is for priority rights only  
for water for city at such a time as more is needed.  
A very careful check was made last summer of present  
supply and it was found to be getting close to capacity.  
District is building two add. reservoirs to safeguard  
supply at peak loads this summer.

STATE OF OREGON, }  
 County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before \_\_\_\_\_, 194\_\_\_\_\_

WITNESS my hand this \_\_\_\_\_ day of \_\_\_\_\_, 194\_\_\_\_\_

PERMIT

STATE OF OREGON,

County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.50 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Rock Creek

The use to which this water is to be applied is municipal

If for irrigation, this appropriation shall be limited to - - - - of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 22, 1947 for 0.75 c.f.s. & July 18, 1949 for 0.75 c.f.s.

Actual construction work shall begin on or before November 16, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1953

Complete application of the water to the proposed use shall be made on or before October 1, 1954

WITNESS my hand this 16th day of November 1951

Chas. E. Stricklin

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933

Application No. 22962

Permit No. 10114

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 22nd day of April 1947, at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved: November 16, 1951

Recorded in book No. 49 of

Permits on page 117

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 18 Page 68

Fees Paid