

\*APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, G.M. Rhein (Name of applicant) of Dayton, Rt. 2 (Mailing address) State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Unnamed stream and Res. to be constructed a tributary of Yamhill under App. No. R-24250

2. The amount of water which the applicant intends to apply to beneficial use is 0.35 cubic feet per second.

\*\*3. The use to which the water is to be applied is irrigation and supplemental irrigation

4. The point of diversion is located 1450' ft. S and 2050' ft. W from the N.E. corner of Sec 13, T4S, R4W, W1/2. Said point being 3526.23 west and N 30° 20' W 1140.5 of said N.E. P.

being within the SW 1/4 NE 1/4 of Sec. 13, Tp. 4S, R. 4W, W. M., in the county of Yamhill

5. The Main ditch, canal or pipe line to be in length, terminating in the of Sec. Tp. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 8 feet, length on top 20 feet, length at bottom 3 feet; material to be used and character of construction earth

(b) Description of headgate

(c) If water is to be pumped give general description 20 H.P. motor - electric 3" pump. - Flood system.

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

**Canal System or Pipe Line—**

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 700 ft.; size at intake, 4 in.; size at ..... ft. from intake ..... in.; size at place of use 3 in.; difference in elevation between intake and place of use, 65-70 ft. Is grade uniform? yes. Estimated capacity, ..... sec. ft.

8. Location of area to be irrigated, or place of use 18 a. i.

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated		Suppl
				Total	Primary	
<u>Willamette</u>	<u>Meridian</u>					
<u>45</u>	<u>4 W.</u>	<u>13</u>	<u>SE 1/4 of NE 1/4</u>	<u>200.1</u>	<u>11</u>	<u>7</u>

(If more space required, attach separate sheet)

(a) Character of soil Willamette  
 (b) Kind of crops raised diversified - mostly pasture.

**Power or Mining Purposes—**

9. (a) Total amount of power to be developed ..... theoretical horsepower.  
 (b) Quantity of water to be used for power ..... sec. ft.  
 (c) Total fall to be utilized ..... feet.  
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ..... of Sec. ....  
(Legal subdivision)

Tp. (No. N or S) ..... R. (No. E or W) ..... W. M.  
 (f) Is water to be returned to any stream? .....  
(Yes or No)  
 (g) If so, name stream and locate point of return .....  
 Sec. .... Tp. (No N or S) ..... R. (No E or W) ..... W. M.

(h) The use to which power is to be applied is .....  
 (i) The nature of the mines to be served



Municipal or Domestic Supply

10. (a) To supply the city of \_\_\_\_\_  
\_\_\_\_\_ County, having a present population of \_\_\_\_\_  
and an estimated population of \_\_\_\_\_ in 19\_\_\_\_

(b) If for domestic use state number of families to be supplied \_\_\_\_\_

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1800.
- 12. Construction work will begin on or before \_\_\_\_\_
- 13. Construction work will be completed on or before Construction is complete.
- 14. The water will be completely applied to the proposed use on or before 3 yrs. after approval.

*J.M. Rhein*  
(Signature of applicant)

Remarks: \_\_\_\_\_

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for \_\_\_\_\_

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before February 10, 1950.

WITNESS my hand this 11th day of January, 1950

CHAS. E. STRICKLEN  
STATE ENGINEER

By Ed K. Humphrey, Assistant

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.225 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed stream and reservoir to be constructed under Application No. R-24250, Permit No. R-1122.

The use to which this water is to be applied is irrigation and supplemental irrigation of not to exceed 18 acres.

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated from direct flow and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year from direct flow and storage from reservoir to be constructed under Permit No. R-1122, provided further that the amount of water allowed herein, together with the amount secured under any other right existing for the same lands shall not exceed the limitation allowed herein,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is November 1, 1949

Actual construction work shall begin on or before November 16, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1953

Complete application of the water to the proposed use shall be made on or before

October 1, 1954

WITNESS my hand this 16th day of November 1951

*Chas. E. Stricklin*  
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 24251  
Permit No. 20123  
PERMIT  
TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON  
Division No. District No.  
This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 1st day of November 1949 at 1:20 o'clock P. M.  
Returned to applicant:  
Corrected application received:  
Approved: November 16, 1951  
Recorded in book No. 49 of  
Permits on page  
CHAS. E. STRICKLIN  
STATE ENGINEER  
Drainage Basin No. 2 Page 90-0  
Fees Paid \$11