•APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

	T. J. Shipler	(Notice of abbundance)				
of	Route & B	ex 44 - Salem	,			
		, do hereby make application f				
	J	e State of Oregon, SUBJECT TO EX				
If the ap	If the applicant is a corporation, give date and place of incorporation					
1. The s	ource of the proposed app	ropriation is Chatnieka	Creek &			
2 Res. t	o be Constructe	3d, a tributary of	n Greek			
2. The a	imount of water which the	e applicant intends to apply to benefi	cial use is 6273 0.21			
cubic feet per s	second.	water is to be used from more than one source, giv	- Augustifer Arom Angh			
**3. The 1	use to which the water is t	to be applied is	(A.A., manufacturing, domestic supplies, etc.)			
4. The p	point of diversion is locate	ed 415 ft. 5 and 630 (N. or S.)	ft. N from the NE			
corner of		(Section or subdivision)				
•						
••••••						
*****	(If preferat	ble, give distance and bearing to section corners				
being within t		f diversion, each must be described. Use separate sh f of Sec. agal subdivision)	- · · · · · · · · · · · · · · · · · · ·			
R. J W		Palk	(.4 01 5 1			
5. The	Pipe	line to be	2000			
		allest legal subdivision)				
		d location being shown throughout o				
	r	DESCRIPTION OF WORKS				
Diversion Wor	ks—					
6. (a) F	Height of dam	feet, length on top	feet, length at bottom			
	feet: material to be use	ed and character of construction	(Loose rock, concrete, masonry,			
	er crib, etc., wasteway over or around cription of headgate	(Timber, concrete, etc., number a	and size of openings)			
•						
(c) If w	eater is to be pumped give	general description 2 "	"antrifugal			
DU MP	Gasoline E	ng / DC - H / H R	size and type of pump)/			
, ,			ad ato:			

^{*}A different form of application is provided where storage works are contemplated.

eadgate. At her	idgate: width on	top (at water)	line)	feet; width on botton
housand feet.	feet; depth of t	oater	feet; grade	feet fall per on
•	* · · * *** *** *** * * * * * * * * * *	miles from he	adoate: width on top (at v	vater line)
				of water fee
	feet fal			oj waser
				in.; size at
				; difference in elevation betwee
				S Estimated capacit
		jt. 18	grade uniform?y.	Stimated capacit
	•			
8. Locatio	n of area to be	irrigated, or pla	Porty-acre Tract	Number Acres To Be Irrigated
		10	15/11/15/11	
7_5_	3W	-		19.97
		20	NW 44 N W 14	10.03
		1		3
ence North (st along the the Northwange, thence ortheast corn said Secti	s North 19.46 20.531 chains e North line est Corner of East along t ner thereof, on 14.686 cha	of chains from to the North of said Sect Che in the North ling thence South ins, thence	Three, West of the F m the center of said h line of said Secti- ion 40 chains, thenc Section Twenty, in s ie of said Lot One, 8 a along the East line West 48.88 chains to	on Nineteen, thence e South 5.827 chains aid Township and .88 chains to the of Lots One and Two, the place of beginning
nence North (ast along the conthwange, thence ortheast corn and Section Together	s North 19.46 20.531 chains e North line est Corner of East along t ner thereof, on 14.686 cha with right o	of chains from to the North of said Sect Lot One in the North linthence South ins, thence of way for ro	Three, West of the F om the center of said h line of said Secti- tion 40 chains, thenc Section Twenty, in s he of said Lot One, 8 he along the East line	illamette Meridian, Section Nineteen, on Nineteen, thence e South 5.827 chains aid Township and .88 chains to the of Lots One and Two, the place of beginning the above described
nence North (ast along the conthwange, thence ortheast corn and Section Together	s North 19.46 20.531 chains e North line est Corner of East along t ner thereof, on 14.686 cha with right o	of said Sect of said Sect Lot One in the North lin thence South ins, thence of way for ro the South 19.	Three, West of the F om the center of said h line of said Secti- tion 40 chains, thenc Section Twenty, in s he of said Lot One, 8 he along the East line West 48.88 chains to had and gateway from 469 chains of the No	illamette Meridian, Section Nineteen, on Nineteen, thence e South 5.827 chains aid Township and .88 chains to the of Lots One and Two, the place of beginning the above described
nemce North ast along the bothe Northweange, thence ortheast com n said Secti Together roperty over	s North 19.46 20.531 chains e North line est Corner of East along t ner thereof, on 14.686 cha with right o	of said Sect of Said Sect of Said Sect of Said Sect of Lot One in the North line thence South ins, thence of way for rothe South 19.	Three, West of the Form the center of said he line of said Section 100 chains, thence Section Twenty, in some of said Lot One, 8 along the East line West 48.88 chains to ead and gateway from 469 chains of the Normality Loam.	illamette Meridian, Section Nineteen, on Nineteen, thence e South 5.827 chains aid Township and .88 chains to the of Lots One and Two, the place of beginning the above described rtheast Quarter of
hence North ast along the o the Northwe ange, thence ortheast com n said Secti Together roperty over (a) Chara	s North 19.46 20.531 chains e North line est Corner of East along t ner thereof, on 14.686 cha with right o and across t	of said Sect of Said Sect of Said Sect of Said Sect of Lot One in the North line thence South ins, thence of way for rothe South 19.	Three, West of the F om the center of said h line of said Secti- tion 40 chains, thenc Section Twenty, in s he of said Lot One, 8 he along the East line West 48.88 chains to had and gateway from 469 chains of the No	illamette Meridian, Section Nineteen, on Nineteen, thence e South 5.827 chains aid Township and .88 chains to the of Lots One and Two, the place of beginning the above described rtheast Quarter of
nence North ast along the bothe Northweange, thence ortheast com asid Sectil Together roperty over (a) Chara (b) Kind of	s North 19.46 20.531 chains s North line est Corner of East along t ner thereof, on 14.686 cha with right o and across t cter of soil of crops raised g Purposes—	of said Sect of Said Sect of Said Sect of Said Sect of Lot One in the North line thence South tins, thence of way for rothe South 19.	Three, West of the Form the center of said he line of said Section 100 chains, thence Section Twenty, in sec	illamette Meridian, Section Nineteen, on Nineteen, thence e South 5.827 chains aid Township and .88 chains to the of Lots One and Two, the place of beginning the above described rtheast Quarter of
hence North ast along the o the Northwe ange, thence ortheast com n said Sectil Together roperty over (a) Chara (b) Kind of	s North 19.46 20.531 chains e North line est Corner of East along t ner thereof, on 14.686 cha with right o and across t cter of soil of crops raised	of said Sect of Said Sect of Said Sect of Said Sect of Lot One in the North line thence South tins, thence of way for rothe South 19.	Three, West of the Form the center of said he line of said Section 100 chains, thence Section Twenty, in sec	illamette Meridian, Section Nineteen, on Nineteen, thence e South 5.827 chains aid Township and .88 chains to the of Lots One and Two, the place of beginning the above described rtheast Quarter of
nence North ast along the bothe Northweange, thence ortheast corn n said Secti Together roperty over (a) Chara (b) Kind over or Mining 9. (a) To	s North 19.46 20.531 chains s North line est Corner of East along t ner thereof, on 14.686 cha with right o and across t cter of soil of crops raised g Purposes—	of said Sect Lot One in the North lin thence South lins, thence of way for roche South 19.	Three, West of the F om the center of said the line of said Secti- tion 40 chains, thence Section Twenty, in some of said Lot One, 8 along the East line West 48.88 chains to be ad and gateway from 469 chains of the No equired, attach separate sheet; (Control Loam Louberries	illamette Meridian, Section Nineteen, on Nineteen, thence e South 5.827 chains aid Township and .88 chains to the of Lots One and Two, the place of beginning the above described rtheast Quarter of CONTINUED UNDER REMARKS)
themce North is ast along the Northwange, thence ortheast corn said Secti. Together roperty over (a) Chara (b) Kind (cover or Mining 9. (a) Together (b) Quantum	s North 19.46 20.531 chains e North line est Corner of East along the thereof, on 14.686 cha with right of and across the corner of soil of crops raised g Purposes— tal amount of positions.	of said Sect of Said Sect of Said Sect of Said Sect of Cone in the North line thence South line, thence of way for rothe South 19.	Three, West of the F om the center of said the line of said Secti- tion 40 chains, thence Section Twenty, in some of said Lot One, 8 along the East line West 48.88 chains to be ad and gateway from 469 chains of the No equired, attach separate sheet; (Control Loam Louberries	illamette Meridian, Section Nineteen, on Nineteen, thence e South 5.827 chains aid Township and .88 chains to the of Lots One and Two, the place of beginning the above described rtheast Quarter of CONTINUED UNDER REMARKS)
hence North (ast along the last along the last along the last acres or the last corn said Section Together roperty over (a) Chara (b) Kind (c) To (b) Quantum (c) To	s North 19.46 20.531 chains s North line est Corner of East along t ner thereof, on 14.686 cha with right of and across t cter of soil cter of soil cter of soil cter of soil and across tal amount of potential amount of potential to be util	of said Sect of Said Sect of Said Sect of Said Sect of Lot One in the North line thence South line, thence of way for rothe South 19. (If more space rothe course to be deve to be used for paidlized	Three, West of the Form the center of said he line of said Section 100 chains, thence Section Twenty, in some of said Lot One, 8 along the East line West 18.88 chains to be and and gateway from 169 chains of the North Loam. Lawberries loped lower feet.	illamette Meridian, Section Nineteen, on Nineteen, thence e South 5.827 chains aid Township and .88 chains to the of Lots One and Two, the place of beginning the above described rtheast Quarter of CONTINUED UNDER REMARKS) theoretical horsepower . sec. ft.
hence North (ast along the last along the last along the last acres or the last corn said Section Together roperty over (a) Chara (b) Kind (c) To (b) Quantum (c) To	s North 19.46 20.531 chains s North line est Corner of East along t ner thereof, on 14.686 cha with right of and across t cter of soil cter of soil cter of soil cter of soil and across tal amount of potential amount of potential to be util	of said Sect of Said Sect of Said Sect of Said Sect of Lot One in the North line thence South line, thence of way for rothe South 19. (If more space rothe course to be deve to be used for paidlized	Three, West of the Form the center of said he line of said Section 100 chains, thence Section Twenty, in some of said Lot One, 8 along the East line West 18.88 chains to be ad and gateway from 169 chains of the North Loam Lawberries loped lower (Heid)	illamette Meridian, Section Nineteen, on Nineteen, thence e South 5.827 chains aid Township and .88 chains to the of Lots One and Two, the place of beginning the above described rtheast Quarter of CONTINUED UNDER REMARKS) theoretical horsepower . sec. ft.
hence North ast along the o the Northwe ange, thence ortheast com n said Sectil Together roperty over (a) Chara (b) Kind cower or Mining 9. (a) To (b) Qu (c) To (d) Th	s North 19.46 20.531 chains s North line est Corner of East along t ner thereof, on 14.686 cha with right of and across t cter of soil cter of soil cter of soil cter of soil and across tal amount of potential amount of potential to be util	of said Sect of Said Sect of Said Sect of Said Sect of Cone in the North line thence South line, thence of way for rothe South 19. (If more space rothe cone of the South 19.) Ower to be deve to be used for publiced works by means	Three, West of the Form the center of said he line of said Section 100 chains, thence Section Twenty, in some of said Lot One, 8 along the East line West 18.88 chains to be ad and gateway from 169 chains of the North Loam Lawberries loped lower (Heid)	illamette Meridian, Section Nineteen, on Nineteen, thence e South 5.827 chains aid Township and .88 chains to the of Lots One and Two, the place of beginning the above described rtheast Quarter of CONTINUED UNDER REMARKS) theoretical horsepower . sec. ft.
hence North (ast along the othe Northwange, thence ortheast corn as aid Section Together roperty over (a) Chara (b) Kind (c) To (d) Th (e) Su	s North 19.46 20.531 chains s North line est Corner of East along t ner thereof, on 14.686 cha with right of and across t cter of soil of crops raised g Purposes— tal amount of pot antity of water tal fall to be util e nature of the a	of said Sect of Said Sect of Said Sect of Cone in the North line thence South line, thence of way for rothe South 19. Other South 19. Other space of the Cone of Strains, thence of the sect of the	Three, West of the Form the center of said he line of said Section 100 chains, thence Section Twenty, in sec	illamette Meridian, Section Nineteen, on Nineteen, thence e South 5.827 chains aid Township and .88 chains to the of Lots One and Two, the place of beginning the above described rtheast Quarter of CONTINUED UNDER REMARKS) . theoretical horsepower . sec. ft.
hence North ast along the o the Northwe ange, thence ortheast corn n said Secti Together roperty over (a) Chara (b) Kind cover or Mining 9. (a) To (b) Qu (c) To (d) Th (e) Su (p. (No. N. or S	s North 19.46 20.531 chains s North line est Corner of East along the thereof, on 14.686 cha with right of and across the cter of soil of crops raised g Purposes— tal amount of potential to be util e nature of the tenth of the	of said Sect of Said Sect of Said Sect of Said Sect of Lot One in the North line thence South line, thence of way for rothe South 19. (It more space of the South Sect of Section Section of the South Section of the South Section of the South Section of the Sect	Three, West of the Form the center of said he line of said Section 100 chains, thence Section Twenty, in sec	illamette Meridian, Section Nineteen, on Nineteen, thence e South 5.827 chains aid Township and .88 chains to the of Lots One and Two, the place of beginning the above described rtheast Quarter of CONTINUED UNDER REMARKS) . theoretical horsepower . sec. ft.
hence North hast along the othe Northwange, thence ortheast corn said Section Together roperty over (a) Chara (b) Kind (c) Together over Mining 9. (a) Together (c) Together (c) Together (d) The (e) Sum (f) Is	s North 19.46 20.531 chains s North line est Corner of East along the thereof, on 14.686 cha with right of and across the cter of soil cter of soil cter of soil cter of water tal amount of postantity of water tal fall to be utility e nature of the the ch works to be located	of said Sect of Said Sect of Said Sect of Cone in the North line thence South line, thence of way for room of the South 19. (If more space room of the South 19.) Ower to be deve to be used for plized works by means ocated in the south 19.) The corw.)	Three, West of the F om the center of said the line of said Section the line of said Section tion 40 chains, thence Section Twenty, in some of said Lot One, 8 the along the East line West 48.88 chains to the said and gateway from the said and gateway from the chains of the North Commence of the said the Loam the Loam the Loam the Loam the Loam the chains to the said Lot One, 8 the sa	illamette Meridian, Section Nineteen, on Nineteen, thence e South 5.827 chains aid Township and .88 chains to the of Lots One and Two, the place of beginning the above described rtheast Quarter of CONTINUED UNDER REMARKS) . theoretical horsepower . sec. ft.
hence North hast along the othe Northwange, thence ortheast corn said Section Together roperty over (a) Chara (b) Kind (c) Together over Mining 9. (a) Together (c) Together (c) Together (d) The (e) Sum (f) Is	s North 19.46 20.531 chains s North line est Corner of East along t ner thereof, on 14.686 cha with right of and across t cter of soil of crops raised g Purposes— tal amount of pot antity of water tal fall to be util e nature of the t ch works to be lo	of said Sect of Said Sect of Said Sect of Said Sect of Lot One in the North line thence South line, thence of way for rothe South 19. (It more space rothe to be used for plized works by means ocated in the said to any strained to any str	Three, West of the Form the center of said he line of said Section 100 chains, thence Section Twenty, in sec	illamette Meridian, Section Nineteen, on Nineteen, thence e South 5.327 chains aid Township and .88 chains to the of Lots One and Two, the place of beginning the above described rtheast Quarter of CONTINUED UNDER REMARKS) . theoretical horsepower . sec. ft. be developed of Sec.
hence North hast along the othe Northwange, thence ortheast corn n said Section Together roperty over (a) Chara (b) Kind (c) Together over Mining 9. (a) Together (c) Together (d) The (e) Sumple (e) Sumple (f) Is (g) If	s North 19.46 20.531 chains s North line est Corner of East along the thereof, on 14.686 cha with right of and across the cter of soil of crops raised g Purposes— tal amount of post tal fall to be util e nature of the the ch works to be lood, R. water to be returned.	of said Sect of Sa	Three, West of the F om the center of said the line of said Section tion 40 chains, thence Section Twenty, in some of said Lot One, 8 the along the East line West 48.88 chains to the said and gateway from the chains of the North Community of the North Community The Loam The Loam The Loam The Loam The Community of the section of the se	illamette Meridian, Section Nineteen, on Nineteen, thence e South 5.827 chains aid Township and .88 chains to the of Lots One and Two, the place of beginning the above described rtheast Quarter of CONTINUED UNDER REMARKS) theoretical horsepower sec. ft. be developed of Sec. No E or W.) W.
hence North ast along the othe Northwange, thence ortheast corn as aid Section Together roperty over (a) Chara (b) Kind (c) Together over Mining 9. (a) Together (c) Together (d) The (e) Sum (f) Is (g) If	s North 19.46 20.531 chains s North line est Corner of East along the thereof, on 14.686 cha with right of and across the cter of soil of crops raised g Purposes— tal amount of post tal fall to be util e nature of the the ch works to be lood, R. water to be returned.	of said Sect of Sa	Three, West of the Form the center of said he line of said Section 100 chains, thence Section Twenty, in section Twenty, in see of said Lot One, 8 along the East line West 18.88 chains to ead and gateway from 169 chains of the North Chains of the North Cauberries loped loped loped loped lower (Head) (Legal subdivision) (Legal subdivision) out of return (Yes or No) Int of return (No. N. or	illamette Meridian, Section Nineteen, on Nineteen, thence e South 5.327 chains aid Township and .88 chains to the of Lots One and Two, the place of beginning the above described rtheast Quarter of CONTINUED UNDER REMARKS) theoretical horsepowe sec. ft. be developed of Sec. (No E or W.) W.

micipal or Domestic Supply—		
1	•••••••••••••••••••••••••••••••••••••••	
	oing a present population of	
an estimated population of		
(b) If for domestic use state	number of families to be supplied	
(American	wer questions 11, 12, 13, and 14 in all cases)	
11. Estimated cost of proposed woo	rks,\$200000.	
12. Construction work will begin	on or before One year	from approval
13. Construction work will be con	mpleted on or before twoy.r	s'!
14. The water will be completely	applied to the proposed use on or be	efore 3
	, T. Ship	Lev nature of applicant)
Remarks: The	applicant int	ends to
acres durin		
season but		
years will		-
land to		
It is reques		
water allowed b		
7 acres and th	at this quant	ity de made
appurtenont to	30 acres	•,
• • • •	velop that the	
of Water after ex		
not sufficient to	irrigorte 17 acre.	s, It is desired
to have the availa	uble supply maa	le appurtages
to 30 acres.		
(Continued from Item 8): Section Nineteen and of Lots O tange, as reserved and provide of Polk County, Oregon. Subject to right of way f	ed for in deed recorded in Bo For public road as same now e	ok 56 page 355, records
said property. Polk County, O	regon	
STATE OF OREGON,		
County of Marion,		
This is to certify that I have ex	camined the foregoing application,	together with the accompanying
naps and data, and return the same fo	r	
In order to retain its priority, t	this application must be returned to	the State Engineer, with correc-
tions on or before	, 19	
WITNESS my hand this	day of	. 19 .

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use

and shall not exceed						
ream, or its equivalent in case of rotation with other water users, from Chatnicka Creek and two						
eservoirs to be constructed under Application No. R-25592, Permit No. R-1148.						
The use to which this water is to be applied is irrigation						
If for irrigation, this appropriation shall be limited to						
econd or its equivalent for each acre irrigated from direct flow and shall be further						
imited to a diversion of not to exceed 2 acre feet per acre for each acre irrigated						
uring the irrigation season of each year from direct flow and storage from reservoir						
o be constructed under Permit No. R-1118, and shall be still further limited to a iversion of not to exceed 0.212 c.f.s., and shall be subject to such reasonable otation system as may be ordered by the proper state officer.						
This permit is issued subject to the terms and conditions of a stipulation ecorded on Pages 569 and 570, Volume 3, Miscellaneous Records of the State Engineer and by reference made a part hereof.						
The priority date of this permit is						
Actual construction work shall begin on or before						
hereafter be prosecuted with reasonable diligence and be completed on or before						
October 1, 1953						
Complete application of the water to the proposed use shall be made on or before						
October 1, 1954						
WITNESS my hand this 16th day of Charles him						
Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 76, Oregon Laws 1933.						

Application No. 2553 1.00t PERMIT Permit No.

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON . District Division No.

This instrument was first received in the

office of the State Engineer at Salem, Oregon, on the 26 th day of Jan

19 51, at 11:70 o'clock Returned to applicant:

Corrected application received:

November 16, 1951

Approved:

Permits on page Recorded in book No. 49 CHAS. E. STRICKL Drainage Basin No.

Fees Paid