

Permit No. 1230

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Thomas E McGinnis of Agress State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Fall creek, a tributary of Illinois River

2. The amount of water which the applicant intends to apply to beneficial use is 0.02 c.f.s. About 5 barrels daily

3. The use to which the water is to be applied is Domestic

4. The point of diversion is located 1480 ft S and 1660 ft W from the N-F corner of Sec 18 Township 35-S Range 16-W. These measurements are from NE corner of Sec 18

being within the NE 1/4 of Sec 18, Tp 35-S R. 16-W, W. M., in the county of Clatsop

5. The pipeline to be 1400 ft in length terminating in the NE 1/4 of Sec 18, Tp 35-S R. 16-W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

6. (a) Height of dam 40 feet, length on top 11 feet, length at bottom 11 feet; material to be used and character of construction Natural falls

(b) Description of headgate

(c) If water is to be pumped give general description

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities must be made to the Hydroelectric Commission.

211230

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

✓ (c) Length of pipe, 1400 ft.; size at intake, 2 in.; size at 500 ft. from intake 1 1/2 in.; size at place of use 1 1/4 in.; difference in elevation between intake and place of use, 20' app. ft. Is grade uniform? Irregular Estimated capacity, 1000 gal. sec. ft.

8. Location of area to be irrigated, or place of use S. N.E. 1/4 Sec 18 T. 35 S

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
<u>35 S</u>	<u>11</u>	<u>18</u>	<u>S. 1/4 of N.E. 1/4 of Sec 18</u>	

Property on which water is to be used is a part of that more explicitly described by applicant as follows:
 Description of Property in deed is as follows
 Beginning at Myrtle tree 20' from old camp road 134' northeasterly to stake 15' from center of old road, East side. Thence in a South easterly direction 658' to maple tree on creek bank near where road crosses fall creek; thence North Westerly following road on north side of right of way 485' to stake on right of way line; thence north easterly up the hill 111' to stake on old road; thence north Westerly 233' to place of beginning; containing 2 acres more or less. Surface measurements Land located in NE 1/4 Sec 18, T. 35 Range 11 W.M. Curry County State of Oregon.

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
 (Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
 (Legal subdivision)

Tp. R. W. M.
 (No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream?
 (Yes or No)

(g) If so, name stream and locate point of return

..... Sec. Tp. R. W. M.
 (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied 2

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$.....

12. Construction work will begin on or before Completed

13. Construction work will be completed on or before

14. The water will be completely applied to the proposed use on or before using

water at present.

Thomas E. McGinnis
(Signature of applicant)

Thomas E. McGinnis

Remarks: There is a pipe line already
constructed and extending to within
100 ft. of my residence

This pipe line was built
by the Civilian Conservation Corps
about 1933.

This line is about 1400 FT
and carries water from the falls
in the above mentioned creek. Falls
located about 1300 ft from
confluence of creek with Seines
River

Waters runs across fall creek
so having its source in sec 15 TOWN 35
and flowing in a westerly direction to
join the Seines river in Sec, 10

According to map sec 18 is not
in the Government's present. It is
exact land it will be open by

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for completion

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before May 11, 1951
April 16, 1951

WITNESS my hand this 12th day of April 1951
15th day of March 1951

RECEIVED

STATE ENGINEER
SALEM, OREGON

CHAS. E. STRICKLIN
STATE ENGINEER

By *Ed K. Humphrey*
Ed K. Humphrey, Assistant

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Fall Creek

The use to which this water is to be applied is domestic, including the irrigation of not to exceed 1/2 acre for each family.

If for irrigation, this appropriation shall be limited to - - - - - of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is February 7, 1951

Actual construction work shall begin on or before November 16, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1953

Complete application of the water to the proposed use shall be made on or before

October 1, 1954

WITNESS my hand this 16th day of November 1951

Chas. E. Stricklin

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 25629
Permit No. 20230

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 7th day of February 1951, at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

November 16, 1951 of
Recorded in book No. 49
Permits on page 113

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 105 Page 56E

Fees Paid