

Permit No. 21251

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Thompson Brothers, of 258 W. 15th Ave. - Eugene, Oregon, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Big Fall Creek, a tributary of Willamette River

2. The amount of water which the applicant intends to apply to beneficial use is 200 cubic feet per second.

**3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located ... ft. and ... ft. from the corner of ... Irrigation will be by means of portable pumps ... Big Fall Creek, anywhere along creek within

being within the ... of Sec. ... Tp. ... R. ... W. M., in the county of ...

5. The ... to be ... in length, terminating in the ... of Sec. ... Tp. ... R. ... W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction

(b) Description of headgate ...

(c) If water is to be pumped give general description ...

*A different form of application is provided where storage works are contemplated. **Application for permits to a prostrate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 2980 ft.; size at intake, 6 in.; size at ft. from intake 5 in.; size at place of use 4 1/2 (sprinkler pipe); difference in elevation between intake and place of use, 40 ft. Is grade uniform? Yes. Estimated capacity, 9/10 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range W. 1/4	Section	Forty-acre Tract	Number Acres To Be Irrigated
18 S	18 E	31	SW 1/4 of Sec. 31	40
18 S	18 E	31	SW 1/4 of Sec. 31	40
18 S	18 E	31	SE 1/4 of Sec. 31	40
Legal description of property is attached.				
18 S	18 E	31	SE 1/4 SW 1/4	0.5
			SW 1/4 SE 1/4	5.5
			SE 1/4 SE 1/4	10
19 S	18 E		NE 1/4 NW 1/4	2
			NW 1/4 NE 1/4	32

(If more space required, attach separate sheet)

(a) Character of soil: Gravelly
 (b) Kind of crops raised: Pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
 (b) Quantity of water to be used for power sec. ft.
 (c) Total fall to be utilized feet.
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp., R., W. M.

(f) Is water to be returned to any stream?
 (Yes or No)

(g) If so, name stream and locate point of return
 Sec., Tp., R., W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.625 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Big Fall Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is March 13, 1951

Actual construction work shall begin on or before November 16, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1953

Complete application of the water to the proposed use shall be made on or before October 1, 1954

WITNESS my hand this 16th day of November 1951

Chas. E. Stricklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 25163
Permit No. 6044

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 13th day of March 1951, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

November 16, 1951 of
Recorded in book No. 49

Permits on page
CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 2 Page 876

Fees Paid