

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Neil G. Allen and Wilma M. Allen of Rt 4 Box 543 Albany Oregon do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Willamette River, a tributary of Columbia River. 2. The amount of water which the applicant intends to apply to beneficial use is 0.175 cubic feet per second.

3. The use to which the water is to be applied is Irrigation.

4. The point of diversion is located 172 ft. N and 191 ft. W from the SE corner of sec 24 and any point where Willamette River touches property described herein.

being within NESW, NWSE, SWSE of Sec. 24 Tp. 10 S R. 4 W W. M. in the county of Benton

5. The Pipe line to be 1600 in length, terminating in the of Sec. Tp. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works-

6. (a) Height of dam feet, length on top feet, length at bottom feet: material to be used and character of construction

(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description Cent pump 5 hp electric motor 18-10 gpm sprinklers

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1600 ft.; size at intake, 4 in.; size at 400 ft. from intake 3 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 0 ft. Is grade uniform? Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<u>10 S</u>	<u>4 W</u>	<u>24</u>	<u>NE 1/4 SW 1/4</u>	<u>5 6</u>
"	"	"	<u>NW 1/4 SE 1/4</u>	<u>6 4</u>
"	"	"	<u>SE 1/4 SW 1/4</u>	<u>2 2</u>
"	"	"	<u>SW 1/4 SE 1/4</u>	<u>6 4</u>
				<u>19 6</u>

(If more space required, attach separate sheet)

(a) Character of soil Newberg

(b) Kind of crops raised Row crops

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp., R., W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of) and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 2000 00
- 12. Construction work will begin on or before 1 year from approval date
- 13. Construction work will be completed on or before 2 yrs " " "
- 14. The water will be completely applied to the proposed use on or before 3 yrs from approval date

Neil G. Allen and Wilma M. Allen
(Signature of applicant)

by: Neil G. Allen

Remarks:

Property on which water is to be used is a part of that more explicitly described by applicant as follows:

[Faint, mostly illegible text in the Remarks section]

55

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before 19

WITNESS my hand this day of 19

STATE ENGINEER

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.175 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Willamette River

The use to which this water is to be applied is Irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 10, 1951

Actual construction work shall begin on or before November 16, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1953

Complete application of the water to the proposed use shall be made on or before

October 1, 1954

WITNESS my hand this 16th day of November 1952

Chas. E. Stricklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 25796

Permit No. 26277

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 10th day of April 1951, at 10:20 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

November 16, 1951 of Recorded in book No. 49

Permits on page

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 2 Page 67

Fees Paid \$