To Appropriate the Public Waters of the State of Oregon

I, W. E. Schwering and	P.C. Mc Govern
Channel age	Manust)
of Blue Biver	
State of Oregan, do hereby n	nake application for a permit to appropriate the
following described public waters of the State of Oregon,	SUBJECT TO EXISTING RIGHTS:
If the applicant is a corporation, give date and place	e of incorporation
1. The source of the proposed appropriation is	Spark Creek
	of McKenzie River
2. The amount of water which the applicant intends	
	mure than one source, give quantity from each)
**3. The use to which the water is to be applied is	Dry 1 9.01 t. 10 m. L. dome estimated from estimated from the state of
4. The point of diversion is located 1659 ft. (18	N and 1368 ft W from the SE
corner of SOU 20 (Bedien er	Pubdivision)
(If proferable, give distance and bear	tag to section corner)
(M there is more than one point of diversion, each must be d	lessribed. Tee esparate shoot if mecanicy)
being within the NN 145E14 (Olive smallest legal subdivision)	of Sec. 20 , Tp. 25
R. II., W. M., in the county of Lane	
5. The Pipe line	to be
(Mint dish, cons) or pipe line) in length, terminating in the	
R	own throughout on the accompanying map.
DESCRIPTION OF	WORKS
Diversion Works—	
6. (a) Height of damNove feet, length	on top feet, length at bottom
feet; material to be used and character of	Construction (Lease rock, concrete, messery
	(Lease rock, concrete, massery,
reck and brush, timber crib, etc., wasteway over er around dam) (b) Description of headgate	r, concrete, etc., number and size of spenings)
(c) If water is to be pumped give general description	m Gravity flow
(Size and type of engine or motor to be used, total	al head water is to be lifted atc.)

^{*}A different form of application is provided where storage works are contemplated.

^{**}Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

fee				feet; width on bottomfeet fall per one
usand jeet.				ter line)
				water feet;
				, , , , , , , , , , , , , , , , , , , ,
ie				in.; size at ft.
				difference in elevation between Estimated capacity.
ike and place of	use, 175 d	ft. I.	s grade uniform?	Estimated capacity,
•••••				
				Number Acres To Be Irrigated
Township MELLANETTE ME	Range	Section	Porty-acre Tract	Number Acres To Be Irrigated
16 5	4E	20	3E'14 SE'14	10.61
		29	NE'14 NE'14	9.82 % a
D	hist	ie +a b-	ed is a next of that -	rore explicitly described
Property on work by applicant	as follows:	to be us	The state of the s	
P. C. McGovern	n property	per i i mader è vite : è la mandre recession mandre considere della considera della considera considera della		
	+ har	dener to Sec	and running theres	ey in Township 16 South st along the line between
Sections 20 a	rd 29 1320	feet to the	e Southwest corner of t	st along the line between the Southeast quarter
of the South	east quarter	r of Section	n 20; thence South to t ong said bank of the ri	iver to the Southwest
correr of the	e Plat of Ca	ascade Park	as platted and recorded to the conderman of the boundary	ry of said Flat as follows:
I ama Country	topond of P	lats; therice	e following the boundar South 75° 30! East 605.	ry ci said Flat as follows: -3 feet; thence Worth2
		(If more space	ce required, attach separate sheet) (Co	ontinued under demands
(a) Charact	ter of soil		Clay Shot Tasture, Creha	rd
(b) Kind of	f crops raised		lasture, Creha	// U
ower or Mining l				, theoretical horsepower.
		power to be d e		
(b) Qua	entity of wate	er to be used fo	, power	sec. ft.
(c) Tota	al fall to be u	tilized	Heid)	
(d) The	nature of the	· works by med	ans of which the power is to	be developed
(0) Sun	h works to be	located in		of Sec.
,			(Legul subdivision)	
(No. N. or S.)	, A. (No	., W.	stroam?	
			stream?(Yes or No)	
	o, name strea	am and locate	point of return	
(g) If s	, = = = ===============================		, T p.	, R, W. M.

(i) The nature of the mines to be served

STATE ENGINEER

County, having a present population of and en estimated population of (b) If for domestic use state number of families to be supplied 11. Estimated cost of proposed works, \$ 3000 00 12. Construction work will begin on or before	funicipal or Domestic Su	pply				
(b) If for domestic use state number of femilies to be supplied 10. 11. Estimated cost of proposed works, \$ 2000 CO. 12. Construction work will begin on or before 20 LC year from approved dan 13. Construction work will be completed on or before 2 Lyrs. 14. The water will be completely applied to the proposed use on or before 3 Lyrs. 15. The water will be completely applied to the proposed use on or before 3 Lyrs. 16. The water will be completely applied to the proposed use on or before 3 Lyrs. 17. The water will be completely applied to the proposed use on or before 3 Lyrs. 18. Construction work will be completely applied to the proposed use on or before 3 Lyrs. 19. Also, to the five, six, thirteen, fourteen, sixteen, severtien, eighteen, nine head of the state of th	10. (a) To supply ti	ie city of	*******************************	***************************************	•••••	••••
11. Estimated cost of proposed works, \$ 2000 CO 12. Construction work will begin on or before Once year from approval dan 13. Construction work will begin on or before Once year from approval dan 14. The water will be completely applied to the proposed use on or before 3yrz. 15. The water will be completely applied to the proposed use on or before 3yrz. 16. The water will be completely applied to the proposed use on or before 3yrz. 17. The water will be completely applied to the proposed use on or before 3yrz. 18. Construction work will be completely applied to the proposed use on or before 3yrz. 19. Also, lots five, six, thirteen, fourteen, sixteen, seventien, eighteen, nine been and brenty in the place of open also, and all thou he Blue sirver, all years of open and all years of the Country, or Also, a sixteen footh roadway for general public use-leading to the Edwards highly a sixteen footh roadway for general public use-leading to the Edwards highly a sixteen footh roadway for general public use-leading to the Edwards highly a sixteen footh roadway the general public use-leading to the Edwards highly a sixteen footh roadway the general public use-leading to the Edwards highly a sixteen footh roadway the general public use-leading to the Edwards highly a sixteen footh roadway the general public use-leading to the Edwards highly a sixteen footh roadway the general public use-leading to the Edwards pub	(Manua ed)	County, having a 1	resent population	of	•••••	*********
11. Estimated cost of proposed works, \$ 2000 CO. 12. Construction work will begin on or before	nd an estimated populat	lon of	in 19	•		
11. Estimated cost of proposed works, \$ 300 00. 12. Construction work will begin on or before	(b) If for dome	stic use state numbe	er of families to b	supplied	10	•••••
12. Construction work will be completed on or before 2 year from approvad dan 13. Construction work will be completely applied to the proposed use on or before 3yrs. 14. The water will be completely applied to the proposed use on or before 3yrs. 15. Construction work will be completely applied to the proposed use on or before 3yrs. 16. The water will be completely applied to the center of the KcKenzle highway; them. See that the content of the highway to the place of performance of the Southward of the Southward for green's public was eleasing to the KcKenzle Highway described as follows: Commencing at the Southward to the Kckenzle Highway described as follows: Commencing at the Southward to the Nothward for green's public was eleasing to the Nothward to the Content of the Southward to the Southward to the Workmark Highway; thence Kast 16 Feet; thence North parallel to the quarter section line 11 feet; thence West 16 feet; thence North parallel to the quarter section line South to the place of beginning. 18. E. Schwering property 18. E. Schwering property 19. Estimance at a point on South line of Section 20 Township 16 S.R. LETT. 6 feet 589 20 Th from the S.E. corner of said Section, thence S 39 20 Th 792 feet along, said South line of Section 20 Township 16 S.R. LETT. 6 feet thence North 21 feet to center of County at the south feet to place of beginning; containing to the south 20 Township 16 South, R. Feginning at a point on the South line of Section 20 20 In Township 16 South, R. Township 16 South, R. Township 16 South, R. Township 16 South 15 feet to the South County of Marion, 19. East, Williamste Beriddian, 360,0 feet West from the South Southeast corner thereoff a running to the South S	•	(American)	me il, il, il, and if in all	eners)		
12. Construction work will be completed on or before 2 year from approved dan 13. Construction work will be completely applied to the proposed use on or before 3yrs. 14. The water will be completely applied to the proposed use on or before 3yrs. 15. The water will be completely applied to the proposed use on or before 3yrs. 16. The water will be completely applied to the proposed use on or before 3yrs. 17. The water will be completely applied to the proposed use on or before 3yrs. 18. The water will be completely applied to the proposed use on or before 3yrs. 19. The water will be completely applied to the proposed use on or before 3yrs. 19. The water will be completely applied to the proposed use on or before 3yrs. 19. The water water water water of the content of the place of beginning as the Southerst correr of the Coutheau applied to the Southeau quarter year. Section 20, thence South on the parter section line 111 feet; thence West 16 feet; thence Worth parallel to the quarter section line 111 feet; thence West 16 feet; thence Worth parallel to the quarter section line South to the place of beginning. 19. E. Somering property 10. E. Somering property 10. E. Somering property 10. E. Somering as a point on South line of Section 20 Township 16 S.R. L. E.W. of the Southeau applied South line of Section 20 Township 16 S.R. L. E.W. of the Southeau control 2016 feet to center of South of South 600 feet to place of beginning; containing township 16 S.R. L. E.W. of the South feet South 600 feet to place of beginning; containing township 16 South, R. The principle of Section 20 in Township 16 South, R. The South 600 feet to place of beginning; containing township 16 South, R. The South 600 feet town of South 600 feet township 16 South 18 feet 18 feet town the South 18 feet 18	11. Estimated cost o	f proposed works, \$	3000.00			
18. Construction work will be completely applied to the proposed use on or before 3yrs. 14. The water will be completely applied to the proposed use on or before 3yrs. 121.6 feet; thence North 58°16' East to the center of the NcKenzie highway; thence Morthwasterly, and Mestarly, along, the senter of the highway to the place of nering Also, Lots five, six, thirteen, fourteen, sixteen, seventien, eighteen, nine been and twenty in the plat of Cascada Park, an addition, to film liver. Blyo, a recorded in Book 1, page 36, Lane County Record of Plats, all in Lane County, Drew Also, a sixteen foot roadway for general public use. eleasing to the Nckenzie Highway described as follows: Commencing at the Southwest correr of the Dutheast planter of the Southwast quarter, "Section 20, thence South on the planter section line 111 feet; thence West 16 feet; thence North parallel to the quarter section line 110 feet; thence West 16 feet; thence North parallel to the quarter section line South to the place of beginning. N. E. Schwering property Beginning at a point on South line of Section 20 Township 16 S.R., be T.W., 6 Section 30 years and South. Also, of Section 20; thence North 221 feet to center of County Realong, said South, time of Section 20; thence North 222 feet to center of County Realong, said South, Line of Section 20; thence North 221 feet to center of County Realong, said South, the feet to place of beginning, containin 30,66 Acres. Feginning at a point on the South line of Section 20 in Township 16 South, 32 Test, Williametre Wertdian, 360, feet West from the Southers towner thereof years runnin thence West along the South line of Section 20 in Township 16 South, 32 Test, Williametre Wertdian, 360, feet West from the South Series of University that Carterior of that tract of Land which was conveyed to Kanena Sparks (nor Schwer yurnumin the South Series of the Series of					G.OOM/A	d date
Remarks: (Item 8 continued) Responsible (Item 8 continued) Responsible (Item 8 continued) Responsible (Item 8 continued) Replace (Item 8 continued) Responsible (Item 8	13. Construction we	ork will be completed	on or before 2	ure		
Remarks: (Item 8 continued) 121.6 feet; thence North 58°16' hast to the center of the McKenzie highway; thence Morthwesterly, and Meastarly, along the senter of the highway to the place of nerin Also, lots five, six, thirteen, fourteen, sixteen, seventeen, eighteen, nine teen and twenty in the plat of Cascade Park, an addition to Blue River Lity, as recorded in Sook ly page 86, Lane County Record of Plats, all in Lane County, Ore Alsoy, a sixteen foot roadway for general public use leading to the McKenzie Highway of the Southeast or general public use leading to the McKenzie Highway of the Southeast or general public use leading to the McKenzie Highway of theme Boath on the quarter section line 131 feet; thence West 16 feet; thence Morth parallel to the quarter section line 131 feet; thence West 16 feet; thence East 15 Teet; thence Tollowing the quarter section line 131 feet; thence West 16 feet; thence East 16 Teet; thence Tollowing the quarter section line 131 feet; thence West 16 feet; thence East 16 Teet; thence Tollowing the quarter section line 130 feet; thence in South of the place of beginning. E. Schwenring property Beginning at a point on South line of Section 20 Township 16 S.R. I, E.T.W. 6 feet S 89° 20 1 W from the S.E. corner of said Section, thence 8 89° 20 1 W. 792 feet along said South, Line of Section 20 1 Township 16 South, 8 feet South 660 feet to place of beginning; containin 10.66 Acres. Featuring at a point on the South line of Section 20 1n Township 16 South, 18 East, Williamette Werdiding, 159.0 feet West from the Southeast corner thereof, arminin thence West along the South line of said Section 20, 291.2 feet to the South East corner of that track of Land Which was conveyed to Unenes Sparks (now Schwer) by that certain deed recorded at Page 257 in Book 157, Lane County Record of ceed and thence North C60.0 feet; thence East 291.0 feet; thence South C60.0 feet to the South C60.0 feet; thence Seat 291.0 feet; thence South C60.0 feet to the South C60.0 feet; thence South C60.0 feet; t						
Remarks: (Item 8 continued) 121.6 feet; thence North 58°16' East to the center of the McKenzie highway; thence Northwesterly, and Mestarly, along the center of the highway to the place of certification. Also, lots five, six, thirteen, fourteen, sixteen, severtten, eighteen, nine teen and twenty in the plat of Cascade Park, an addition to Blue River. City, as recorded in Book h, page 86, Lane County Record of Plats, all in Lane County, Ore Also; a sixteen foot roadway for general public use leading to the McKenzie Highway described as follows: Commencing at the Southwest correr of the Southeast quarter, Section 20, thence South on the quarter section line 13 feet; thence West 16 feet; thence North parallel to the quarter section line 13 feet; thence West 16 feet; thence North parallel to the quarter section line South to the place of beginning. **B. Schwering property** Beginning at a point on South line of Section 20 Township 16 S.R. 4 E.M.* 6 feet 5 89° 20' W from the S.E. corner of said Section, thence S 89° 20' W 7.792 fealong said South line of Section 20 thence North 221 feet to center of County Road thence S 39° E. 132 feet, thence North 12.8 feet thence N 89° 20' E 60 feet; the South 660 feet to place of beginning, containin 10.66 Acres. Feginning at a point on the South line of Section 20 in Township 16 South, R. Esst; Willamette Meridian, 369.0 feet West from the Southeast corner thereof, and runnin thence West along the South line of Said Section 20, 291.3 feet to the South East; Willamette Meridian, 369.0 feet West from the Southeast corner thereof, and runnin thence West along the South line of said Section 20, 291.3 feet to the South East; Willamette Meridian, 369.0 feet West from the South 600.0 feet; the Schwer by that certain deed recorded at Page 257 in Book 157, Lane County Record of deed and thence North 600.0 feet; thence East 291.0 feet; thence South 600.0 feet to tiplace of beginning, containin likely acres, more or less, in Lane County, Oregon. In order to retain its priority, this a		e completely applied	to the proposed a	se on or bejore by	/.e.S	***********
Remarks: (Item 8 continued) 121.6 feet; thence North 50°16' East to the center of the McKenzie highway; thence Northwesterly, and Mestarly, along the center of the highway to the place of herit Also, Lots five, six, thirteen, fourteen, sixteen, severtten, eighteen, nine teen and twenty in the plat of Cascade Park, an addition to Blue River. City, as recorded in Book ly page 86. Lane County Record of Plats, all in Lane County, Orrelation and States of the Southwest correr of the Southwest correr of the Southwest quarter. Section 20; thence South on the marter section line 13 feet; thence West 16 feet; thence North parallel to the quarter section line 13 feet; thence West 16 feet; thence North parallel to the quarter section line South to the place of beginning. **B. E. Schwering property** Beginning at a point on South line of Section 20 Township 16 S.R. 4 E.R.*. 6 feet 5 80° 20' W from the S.E. corner of said Section, thence S 89° 20' W 7.72 fee along said South line of Section 20; thence North 121 feet to center of County Roa thence S 39° E. 132 feet, thence North 112.6 feet thence N 89° 20' E 60 feet; the South 600 feet to place of beginning; containin 10.66 Acres. Feglinning at a point on the South line of Section 20 in Township 16 South, R. Esst; Willamette Meridian, 369.0 feet West from the Southeast corner thereof, and runnin thence West along the South line of said Section 20, 291.3 feet to the South East; Willamette Meridian, 369.0 feet West from the Southeast corner thereof, and runnin thence West along the South line of said Section 20, 291.3 feet to the South East; Willamette Meridian, 369.0 feet West from the Southeast corner thereof, and runnin thence West along the South line of said Section 20, 291.3 feet to the South East; Willamette Meridian, 369.0 feet West from the South 600.0 feet to the South Cook feet to			30-1			•••••
Remarks: (Item 8 continued) 121.6 feet; thence North 50°16' East to the center of the McKenzie highway; thence Northwesterly, and Mestarly, along the center of the highway to the place of herit Also, Lots five, six, thirteen, fourteen, sixteen, severtten, eighteen, nine teen and twenty in the plat of Cascade Park, an addition to Blue River. City, as recorded in Book ly page 86. Lane County Record of Plats, all in Lane County, Orrelation and States of the Southwest correr of the Southwest correr of the Southwest quarter. Section 20; thence South on the marter section line 13 feet; thence West 16 feet; thence North parallel to the quarter section line 13 feet; thence West 16 feet; thence North parallel to the quarter section line South to the place of beginning. **B. E. Schwering property** Beginning at a point on South line of Section 20 Township 16 S.R. 4 E.R.*. 6 feet 5 80° 20' W from the S.E. corner of said Section, thence S 89° 20' W 7.72 fee along said South line of Section 20; thence North 121 feet to center of County Roa thence S 39° E. 132 feet, thence North 112.6 feet thence N 89° 20' E 60 feet; the South 600 feet to place of beginning; containin 10.66 Acres. Feglinning at a point on the South line of Section 20 in Township 16 South, R. Esst; Willamette Meridian, 369.0 feet West from the Southeast corner thereof, and runnin thence West along the South line of said Section 20, 291.3 feet to the South East; Willamette Meridian, 369.0 feet West from the Southeast corner thereof, and runnin thence West along the South line of said Section 20, 291.3 feet to the South East; Willamette Meridian, 369.0 feet West from the Southeast corner thereof, and runnin thence West along the South line of said Section 20, 291.3 feet to the South East; Willamette Meridian, 369.0 feet West from the South 600.0 feet to the South Cook feet to			WU.E.	(Meneture of as	plicant)	9
Remarks: (Item 8 continued) 121.6 feet; thence North 58°16' East to the center of the McKenzie highway; thence Northwesterly, and Mestarly, along the center of the highway to the place of certification. Also, lots five, six, thirteen, fourteen, sixteen, severtten, eighteen, nine teen and twenty in the plat of Cascade Park, an addition to Blue River. City, as recorded in Book h, page 86, Lane County Record of Plats, all in Lane County, Ore Also; a sixteen foot roadway for general public use leading to the McKenzie Highway described as follows: Commencing at the Southwest correr of the Southeast quarter, Section 20, thence South on the quarter section line 13 feet; thence West 16 feet; thence North parallel to the quarter section line 13 feet; thence West 16 feet; thence North parallel to the quarter section line South to the place of beginning. **B. Schwering property** Beginning at a point on South line of Section 20 Township 16 S.R. 4 E.M.* 6 feet 5 89° 20' W from the S.E. corner of said Section, thence S 89° 20' W 7.792 fealong said South line of Section 20 thence North 221 feet to center of County Road thence S 39° E. 132 feet, thence North 12.8 feet thence N 89° 20' E 60 feet; the South 660 feet to place of beginning, containin 10.66 Acres. Feginning at a point on the South line of Section 20 in Township 16 South, R. Esst; Willamette Meridian, 369.0 feet West from the Southeast corner thereof, and runnin thence West along the South line of Said Section 20, 291.3 feet to the South East; Willamette Meridian, 369.0 feet West from the Southeast corner thereof, and runnin thence West along the South line of said Section 20, 291.3 feet to the South East; Willamette Meridian, 369.0 feet West from the South 600.0 feet; the Schwer by that certain deed recorded at Page 257 in Book 157, Lane County Record of deed and thence North 600.0 feet; thence East 291.0 feet; thence South 600.0 feet to tiplace of beginning, containin likely acres, more or less, in Lane County, Oregon. In order to retain its priority, this a			PC.	M. Store	ر کی بیعیا	
121.6 feet; thence North 58°16' East to the center of the McKenzie highway; thence Northwesterly and Westarly along the center of the highway to the place of perind Also, Lots five, six, thirteen, fourteen, sixteen, severnten, eighteen, nine teen and twenty in the plat of Cascada Park, an addition to Blue River City, as recorded in Book I, page 86, Lane County Record of Platts, all in Lane County, Ore Also; a sixteen foot roadway for general public use leading to the Eckenzie Highway described as follows: Commencing at the Southwest correr of the Southeast quarter; Section 20; thence South on the quarter section line 11 feet; thence West 16 feet; thence North parallel to the quarter section line 18 feet; thence West 16 feet; thence Korth parallel to the quarter section line South to the place of beginning. W. E. Schwering property Beginning at a point on South Line of Section 20 Township 16 S.R. 4 E.W.Y. 6 feet 5 89° 20' W from the S.E. corner of said Section, thence S 89° 20' W 772 fee along said South Line of Section 20; thence North Lile feet to center of County Roathence S 39° E. 132 feet, thence North Lile of Section 89° 20' W 60 feet to place of beginning; containin 10,56 Acres. Feginning at a point on the South line of Section 20 in Township 16 South, 20 th East, Millamette Weridian, 369.0 feet West from the Southeast corner thereof, and runnin thence West along the South line of Said Section 20, 291.0 feet to the So east corner of that tract of Land Which was conveyed to Kanema Sparks (now Schwer) that certain deed recorded at Page 25' in Sook 157, Lane County Record of deed and thence North 60.0 feet; thence East 291.0 feet; thence South 60.0 feet to tiplace of beginning, containin Lall acres, more or less, in Lane County, Oregon. In order to retain its priority, this application must be returned to the State Engineer, with corrions on or before West South State Engineer, with corrions on or before		9		,		
County of Marion, This is to certify that I have examined the foregoing application, together with the accompany naps and data, and return the same for	recorded in Book 4, Also, a sixtee Highway described a quarter of the Sout line 131 feet; then line to the McKenzi section line South N. E. Schwering prop Beginning at a feet S 89° 20' W from Along said South line thence S 39° E. 132 South 560 feet to pl Feginning at a runnin thence West east corner of that by that certain deed and thence North 560	page 86, Lane Confort roadway for s follows: Comme heast quarter, Sece West 16 feet; e Highway; thence to the place of boarty point on South Limit the S.E. corners of Section 20; feet, thence North according to the South tract of land while recorded at Page 100 feet; thence is containin in the land containing containi	de Park, an adunty Record of repersis publication 20, then thence North publication in Section of Section of Said Section of Said Section of Said Section of Section	dition to Blue. Plats, all in lie use leading outhwest correct South on the arallel to the thence follow. 20 Township 16 on, thence S 82 feet to cent thence N 89° 20 feet to cent thence N 89° 20 feet to Lane Southeast con 20, 291. Ed to Lane Count is, thence South ess, in Lane Count fees, in Lane Count f	River City. Lane County to the Lok r of the Sor equarter se quarter se ing the quarter So. R. L. E.W So. 20' W. 7 Ler of Count O' E 600 fee ship 16 Sou corner there C feet to t marks (now So y Record of county, Oreg	y, Oregonzio utheast ection cti n rter 292 feet y Road, t; tner th, Ran che Sout chwerin deeds; to the
STATE OF OREGON, County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corr tions on or before, 19						
County of Marion, This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrions on or before, 19						
County of Marion, This is to certify that I have examined the foregoing application, together with the accompany naps and data, and return the same for In order to retain its priority, this application must be returned to the State Engineer, with corrions on or before						***
County of Marion, This is to certify that I have examined the foregoing application, together with the accompany naps and data, and return the same for						
This is to certify that I have examined the foregoing application, together with the accompany naps and data, and return the same for			****	· · · · · · · · · · · · · · · · · · ·		
This is to certify that I have examined the foregoing application, together with the accompany maps and data, and return the same for	County of Manier	ss .				
In order to retain its priority, this application must be returned to the State Engineer, with corr ions on or before			A)			
In order to retain its priority, this application must be returned to the State Engineer, with corrions on or before, 19						
ions on or before, 19						
HUTNESS					e Engineer, wi	ith correc
WITNESS my hand this day of	tions on or before			•		
	WITNESS my hand	l this	day of		, 19	

PERMIT

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The	right herein gr	ented i	e limit	ed to									
stream, or	its equivalent i	n case	of rot	ation	witl	h oth	er wat	er users, fi	rom	Spar	k Cree	k	
	use to which th												
	gation and O												
If fo	r irrigation, thi	s appro	priati	on sh	all b	e lim	ited to	يد	/80th	•••••	ef o	ne cubi	c foot per
	r its equiva												
	n of not to												
	on season of												
	o exceed 0.2												
	be subject to su												
	priority date of												
	ual constructio												
	be prosecuted												
Octo	ober 1, 1953	·····			•••••		··•						
Con	mplete applicat	ion of t	the wo	ster t	o th	e pro	posed 1	use shall b	e mad	e on (or before	:	
Oct	ober 1, 1954			••••	••••		··· ·						
WI	TNESS my han	d this.	16ช	b	0	day o	f	November			7.1951		0.
							40	nas	ا ب	رک	ru	STATE	ENGINEER
Perz	mits for power develo	pement are	subject	to the	PAYM	ent of	amenual fo	es as provided	in secti	ens 1 4	and 1, chapt	er 74, Ore	gon Laws 1983.
	1	!	he	Ĕ,	:	1		<u>:</u>	:		of .	K	1
	ပ္		i ii	Orego	:					:	: : :	ENGINEER	78
26	UBL	0.	eived	lem, (7	P. M.			: :		:	M	Page Ld
3	PERMIT APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	District No.	t rec	ıt Sa	April			ed:	:	1951	169	STRICKLIN	Pc
Application No. Application No.	RMIT IATE THE OF THE S	Distr	s fire	reet (- 1	ck	-	eceiv	:	November 16, 1951		STKI	e2 .
No.	PERMIT PRIATE THE RS OF THE OF OREGOI		t wa	Engir	y of	22, 20. o'clock	ant:	ion r	•	, , , , , , , , , , , , , , , , , , ,	ok N	ıΞ	
ition No.	PE APPROPR WATERS OF		men	tate]	, hda	30	pplic	licat		A B	in bo	CHAS.	ii N
Application Permit No.	APPI	No.	nstru	the S	181	2	to a	d apt		2	ded	5	e Bas
A _I Pe	TO A	Division No.	This instrument was first received in the	office of the State Engineer at Salem, Oregon,	on the 18th day of	19 <i>S.L.</i> , at	Returned to applicant:	Corrected application received:	Approved:	:	Recorded in book No.		Drainage Basin No. Fees Paid
		Divi	I	offic	on ti	19.5	Retu	Con	App	:	_ d		Dra