

APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Chas. I. Patton
(Name of applicant)
of 1430 East Park St. Grants Pass
(Mailing address)
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Rogue river
(Name of stream)
a tributary of rogue river

2. The amount of water which the applicant intends to apply to beneficial use is 0.02
cubic feet per second.
(If water is to be used from more than one source, give quantity from each)

**3. The use to which the water is to be applied is Irrigation
(Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 80 ft. S and 400 ft. E from the NW
(N. or S.) (E. or W.)
corner of Gov. Lot 5
(Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)
being within the NW 1/4 SW 1/5 (Lot 5) of Sec. 21, Tp. 36 S
(Give smallest legal subdivision) (N. or S.)

R. 5 W, W. M., in the county of Josephine
(E. or W.)

5. The pipe line to be 320 feet
(Main ditch, canal or pipe line) (Miles or feet)
in length, terminating in the SW 1/4 SW 1/4 (Lot 5) of Sec. 21, Tp. 36 S
(Smallest legal subdivision) (N. or S.)

R. 5 W, W. M., the proposed location being shown throughout on the accompanying map.
(E. or W.)

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam none feet, length on top _____ feet, length at bottom _____ feet; material to be used and character of construction _____
(Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate Valve in 2" pipe
(Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description centrifugal pump
5 H. P. Electric motor. 30 foot lift
(Size and type of pump) (Size and type of engine or motor to be used, total head water to be lifted, etc.)

*A different form of application is provided where storage works are contemplated

**Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) none feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 350 ft.; size at intake, 3 in.; size at 350 ft. from intake 3 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 30 ft. Is grade uniform? yes Estimated capacity, 0.2 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
36 S	5 W	21	NW 1/4 SW 1/4 (Lot 5)	1.4
Description:				
Commencing on the South bank ofogue river at a point 230 feet east of the northwest corner of lot 5 in Section 21, Township 36 South Range 5 West of the Willamette Meridian, Oregon and being 65 feet South of the Northwest corner of said lot 5; thence easterly, following the South bank of saidogue river about 295 feet to the center of the mouth of Fruitdale Creek (being the creek sometimes designated as Centennial Creek) thence up the center of said creek in a generally southerly and westerly direction to a point directly South of the point of beginning; thence North to the point of beginning.				

(If more space required, attach separate sheet)

- (a) Character of soil Sandy loam
- (b) Kind of crops raised Lawn, garden

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.
- (b) Quantity of water to be used for power sec. ft.
- (c) Total fall to be utilized feet.
- (d) The nature of the works by means of which the power is to be developed

- (e) Such works to be located in of Sec.

(Legal subdivision)

Tp. , R. , W. M.

(No. N. or S.)

(No. E. or W.)

- (f) Is water to be returned to any stream?

(Yes or No)

- (g) If so, name stream and locate point of return

, Sec. , Tp.

(No. N. or S.)

, R.

(No. E. or W.)

, W. M.

- (h) The use to which power is to be applied is

- (i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Insert city)
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 1200.00
12. Construction work will begin on or before April 17, 1952
13. Construction work will be completed on or before April 17, 1953
14. The water will be completely applied to the proposed use on or before April 17, 1954

J. J. Patton
(Signature of applicant)
1430 East Park St.
Grants Pass, Oreg.

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 19 _____

WITNESS my hand this _____ day of _____, 19 _____

STATE ENGINEER

PERMIT

STATE OF OREGON,
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same,
SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use
and shall not exceed 0.02 cubic feet per second measured at the point of diversion from the
stream, or its equivalent in case of rotation with other water users, from Rogue River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per
second or its equivalent for each acre irrigated and shall be further limited to a
diversion of not to exceed 1/2 acre feet per acre for each acre irrigated during the
irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 18, 1951

Actual construction work shall begin on or before November 16, 1952 and shall
thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1953

Complete application of the water to the proposed use shall be made on or before

October 1, 1954

WITNESS my hand this 16th day of

November 19 51
Chas. E. Stricklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 25827

Permit No. 20211

PERMIT

TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. District No.

This instrument was first received in the
office of the State Engineer at Salem, Oregon,
on the 18 day of April
1951, at 1 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

November 16, 1951

Recorded in book No. 49 of

Permits on page

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 15 Page 602

Fees Paid