

Permit-

Permit No. 20290

\*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, Joseph N Schulte (Name of applicant) of P.O. Box 57 Tigar (Mailing address) State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

- 1. The source of the proposed appropriation is Fanno Creek (Name of stream), a tributary of Tualatin River.
2. The amount of water which the applicant intends to apply to beneficial use is 1/40th of a (or less) cubic feet per second.
\*\*3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)

4. The point of diversion is located 150 ft. N. and 200 ft. W. from the southeast corner of Lot 14 of The Amended Plat of North Tigarville addition, a duly recorded subdivision in Washington County. (If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary) being within the Lot 14 of North Tigarville of Sec. 2, Tp. 28, R. 12W, W. M., in the county of Washington.
5. The Pipe Line (Main ditch, canal or pipe line) to be 300 feet (Miles or feet) in length, terminating in the Lot 14 (Smallest legal subdivision) of Sec. 2, Tp. 28, R. 12W, W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works-

6. (a) Height of dam . . . feet, length on top . . . feet, length at bottom . . . feet; material to be used and character of construction . . . (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)

(b) Description of headgate . . . (Timber, concrete, etc., number and size of openings)

(c) If water is to be pumped give general description 1 - 1 inch 250 I.P.M. Mc Donald stationary, 22 ft section lift Piston pump two sprinklers delivering 20 H.P.M. by cubic ft per Min.

\*A different form of application is provided where storage works are contemplated.
\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 300 ft.; size at intake, 1 in.; size at 20 ft. from intake 3/4 in.; size at place of use 1/2 in.; difference in elevation between intake and place of use, 10 ft. Is grade uniform? yes Estimated capacity, 1/40<sup>th</sup> a lin sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
<u>2S</u>	<u>1W</u>	<u>2</u>	<u>NE<sup>4</sup> NW<sup>4</sup></u>	<u>2</u>

Beginning at the Southeast corner of Lot 14 of the Amended Plat of North Tigardville Addition, a duly recorded subdivision in Washington County, Oregon, running thence North 64° 38' West along the Southerly line of said Lot 14, a distance of 100.0 feet to a point from which an iron pipe bears North 23° 50' East 20.0 feet; thence North 23° 50' East parallel with the Easterly line of said Lot 14 a distance of 135.25 feet to an iron pipe; thence North 13° 31' West 134.2 feet to an iron pipe; thence continuing North 13° 31' West 40 feet to a point in the center of Fanno Creek; thence down stream following the center of Fanno Creek with all its meanderings thereof in a Westerly, Northerly, Northeasterly and South-easterly direction 750 feet; more or less, to

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Heavy to light garden soil  
Vegetable

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.

(b) Quantity of water to be used for power ..... sec. ft.

(c) Total fall to be utilized ..... feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ..... of Sec.

Tp. .... R. .... W. M.

(f) Is water to be returned to any stream? ..... (Yes or No)

(g) If so, name stream and locate point of return

..... Sec. .... Tp. .... R. .... W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

**Municipal or Domestic Supply—**

10. (a) To supply the city of .....  
..... County, having a present population of .....  
and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 100,000
- 12. Construction work will begin on or before June 15 - 1951
- 13. Construction work will be completed on or before July 1 - 1951
- 14. The water will be completely applied to the proposed use on or before July 1 - 1951

*Joseph H. Schutte*  
(Signature of applicant)

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ..... 19 .....

WITNESS my hand this ..... day of ..... 19 .....

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.025 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Fanno Creek

The use to which this water is to be applied is irrigation

If for irrigation this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is April 23, 1951

Actual construction work shall begin on or before November 16, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1953

Complete application of the water to the proposed use shall be made on or before October 1, 1954

WITNESS my hand this 16th day of November, 1951

*Chas. E. Stricklin*

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 25839  
Permit No. 20216

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23rd day of April, 1951, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

November 16, 1951 of  
Recorded in book No. 49

Permits on page 20216

CHAS. E. STRICKLIN  
STATE ENGINEER

Drainage Basin No. 2 Page 624

Fees Paid \$