

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Francis Probst, of Jewell - Elsie Rte, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation X

1. The source of the proposed appropriation is Humboldt, a tributary of Nehalem River

2. The amount of water which the applicant intends to apply to beneficial use is 0.06 cubic feet per second.

3. The use to which the water is to be applied is Domestic

4. The point of diversion is located 28 ft. S and 490 ft. E from the NW corner of Sec. 6

being within the LOT 4 (NW 1/4 NW 1/4) of Sec. 6 Tp. 4N

R. 7W, W. M., in the county of Clatsop

5. The Main ditch, canal or pipe line to be app. 2200' in length, terminating in the of Sec. Tp. (N. or S.)

R. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam None feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description Centrifugal pump, Electric - About 1 H.P.

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 2200 ft.; size at intake, 1/2 in.; size at ft. from intake in.; size at place of use 1/4 in.; difference in elevation between intake and place of use, 10 ft. Is grade uniform? yes Estimated capacity, sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range <i>W</i>	Section	Forty-acre Tract	Number Acres To Be Irrigated
<u>5 N</u>	<u>7 W</u>	<u>31</u>	<u>SW 1/4 SE 1/4</u>	
Property on which water is to be used is a part of that more explicitly described by applicant as follows:				
A tract of land situated in Lot 3, Section 6, Township 4 North, Range 7 West, Willamette Meridian, particularly described as follows:				
Beginning at a point 1088 feet West of the Northeast corner of said Lot 3;				
thence West 209 feet;				
thence South 249 feet;				
thence East 209 feet;				
thence North 249 feet to the place of beginning, excepting therefrom the North 40 feet for road right-of-way.				

(If more space required, attach separate sheet)

(a) Character of soil River bottom

(b) Kind of crops raised

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp., R., W. M.

(f) Is water to be returned to any stream?

(g) If so, name stream and locate point of return

..... Sec., Tp., R., W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of _____
_____ County, having a present population of _____
(Check all)
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$ 1200
- 12. Construction work will begin on or before _____
- 13. Construction work will be completed on or before Completed
- 14. The water will be completely applied to the proposed use on or before New in use.

Frank Probst
(Signature of applicant)

Remarks:

3 Houses, Store, & Gas Station & occasionally
for inn.

STATE OF OREGON, }
County of Marion. } SS

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____ 194 _____

WITNESS my hand this _____ day of _____ 194 _____

STATE ENGINEER

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.06 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Humbug Creek

The use to which this water is to be applied is domestic

If for irrigation, this appropriation shall be limited to - - - - - of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 16, 1951

Actual construction work shall begin on or before November 16, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1953

Complete application of the water to the proposed use shall be made on or before

October 1, 1954

WITNESS my hand this 16th day of November, 1951

Chas. E. Stricklin

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 25945

Permit No. 20242

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 16th day of May 1951 at 1:02 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

November 16, 1951

Recorded in book No. 50 of

Permits on page

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. / Page 14C

Fees Paid #