## \*APPLICATION FOR PERMIT

## To Appropriate the Public Waters of the State of Oregon

	Lartin		
of	45 A	Monr	·
State ofOrc.g.a.a.			
following described public waters of			
If the applicant is a corporation			
1. The source of the proposed a	ppropriation is	mer	Creek
t trib to Hammer	. C., a tributary of	(Name of	stream)
2. The amount of water which t			
cubic feet per second. O. 75			
**3. The use to which the water i	is to be applied is	Terioq f	ntity from each)
	(Irrigat	ion, power, wilning, man	ufacturing, domestic supplies, etc.)
4. The point of diversion is loc	ated <del>11.</del>	qnaft.	francile
corner of at any pour	of where h	ammer	Creck
and tributary	fouch pro	Mon)	described
berein			U S C I JE W
			····· · · · · · · · · · · · · · · · ·
(If prefe	erable, give distance and bearing to a	ection corners	
being within the NESW, SESW, (Give smalles	nt of diversion, each must be described  NWSE & SWSE  tt legal subdivision)	d. Use separate sheet is of Sec. 26	necessary) , Tp. 145
R. $(E. \text{ or } W.)$ , $W. M., in the county of$	Benton		0.3.
5. The (Main ditch, c	canal or pipe line)	to be .	(Miles or feet)
n length, terminating in the (s			
R W. M., the propos			(N. or S.)
	DESCRIPTION OF WO	)RKS	
Diversion Works—			
6. (a) Height of dam	feet, length on to	ο <del>p</del>	feet, length at bottom
feet: material to be u	sed and character of const	-	
		,	(Loose rock, concrete, masonry,
(b) Description of headgate			
,	(Timber, concre	te, etc., number and size	of openings)
(c) If water is to be numbed sin		~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	er en
(c) If water is to be pumped giv	e general description	(Size and	d type of pump
15 hp motor (Size and type-of ena	gine or motor to be used, total head v	water to be lifted, etc.	
25 - 6 g pm	sprink/ers	······	

<sup>\*</sup>A different form of application is provided where storage works are contemplated.

<sup>\*\*</sup>Application for permits to appropriate water for the generation of electricity, with the exception of municipalities must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem,

readgate. At head	lgate: width on	top (at water	r line)	jeet; width on bottom
nousand feet.		feet; grade	feet fall per one	
•		miles from h	neadante: width on ton (at wo	iter line)
				f water fect,
grade				
(c) Length	of pipe,	ft.	; size at intake,	in.; size atft
rom intake	in.;	size at place	of use in.;	difference in elevation between
intake and place o	of use,	ft.	Is grade uniform?	Estimated capacity
	sec. ft.			
8. Location	of area to be	irrigated, or p	place of use	
Township	Range E. or W. of Willamette Meridian	Section	Forty-acre Tract	Number Acres To Be Irrigated
145	6 W	26	NE145W14	15.7
	pr. spranter-additional argent white addition and the spranter against a second		SE'4SW'14	6.3
		a see shape o come o	NW14SE14	3 2. 8
			SW145E14	9.4
roperty on whi	ch water is	to be used	is a part of that more	e explicitly described by
pplicant as fo	77			
		er Claim #).	8 in Sections 26 and 35	
hat portion of est of the Wil	Jacob Hamme lamette Her	ldian in Be	nton County. State of Or	Township 14 South Range
hat portion of est of the Wil eginning at a	Jacob Hamme lamette Mer point .600	ld <b>ian in</b> Be of a chain	nton County, State of Or West of a stone, said po	Township 14 South Range regon, described as follow bint being the Northeast
hat portion of est of the Wil eginning at a orner of said 1.057 chains	Jacob Hammolamette Heripoint .606 Claim #48,tl	dian in Be of a chain hence South ance S.O.11	Inton County, State of Or West of a stone, said po 189°58'West along the N 1 Fast 18 467 chains to	Township 14 South Range regon, described as follow bint being the Northeast North line of said Claim a pipe in the South line
hat portion of est of the Wilderinning at a orner of said	Jacob Hamme lamette Her point .606 Claim #48,tl c a pipe,th Railroad ri	dian in Be of a chain hence South mce S.O°11 tht of way,	which County, State of Or West of a stone, said por 89°58' West along the National State of Orth 89°46' West thence North 89°46' West	Township IL South Range regon, described as follow bint being the Northeast North line of said Claim a pipe in the South line talong said South line t
hat portion of est of the Wileginning at a orner of said 1.057 chains of the P.E.? E. pipe which is beed Records of	Jacob Hammolamette Mer point .606 Claim #48,tl ca pipe,th Railroad ri the Norther Benton Cour	dian in Be of a chain hence South moe S.0°11 tht of way, est corner hty,Oregon;	inton County, State of Or West of a stone, said por 189°58'West along the Number of a 2 acre tract describence South 0°8'East 1	Township 14 South Range regon, described as follow bint being the Northeast North line of said Claim a pipe in the South line to along said South line to the characteristic of the said South line to the sai
hat portion of est of the Wileginning at a orner of said 1.057 chains of the P.E.? E. pipe which is peed Records of the center of	Jacob Hammelamette Mer point .606 Claim #48,tl capipe,the Railroad ri the Norther Benton Cour he County Ro	dian in Be of a chain hence South mee S.O'll tht of way, est corner hty,Oregon; had,thence	inton County, State of Or West of a stone, said por 189°58'West along the National State of the North 89°46'West of a 2 acre tract description of the South 0°8'East 18 North 75°34'West along	Township lh South Range regon, described as follow bint being the Northeast North line of said Claim a pipe in the South line to along said South line to rited in Book 6h Page 378 4.015 chains to a pipe in the center of said road
hat portion of est of the Wilceinning at a orner of said 1.057 chains of the P.E.? E. pipe which is eed Records of the center of 1.198 chains to	Jacob Hammelamette Meripoint .606 Claim #48,tle a pipe,the Railroad rithe Morther Benton County Real pipe; the a pipe; the	dian in Be of a chain hence South the south of way, ist corner hty, Oregon; bad, thence hee South O	inton County, State of Or West of a stone, said por 189°58'West along the Market 18.467 chains to thence North 89°46'West of a 2 acre tract describence South 0°8'East 180°5'34'West along 19°11'East 33.468 chains	regon, described as followed int being the Northeast North line of said Claim a pipe in the South line to along said South line to the Control of said of the center of said road to an oak stake in the
hat portion of est of the Wilceinning at a orner of said 1.057 chains to the P.E.? E. pipe which is leed Records of the center of 1.198 chains to outh line of s	Jacob Hammelamette Heripoint .606 Claim #48,the Railroad rithe Morther Benton County Recounty	dian in Be of a chain hence South mace S.0*11 pht of way, est corner hty,Oregon; oad,thence hee South O 13;thence N said Claim	inton County, State of Or West of a stone, said por 189°58' West along the Market 18.467 chains to thence North 89°46' West of a 2 acre tract describence South 0°8' East 18 North 75°34' West along 1°11' East 33.468 chains forth 89°43' East along 19°11' East 33.468 chains 10°11' East 34.468 chains 10°11'	Township 14 South Range regon, described as follow bint being the Northeast North line of said Claim a pipe in the South line to along said South line to the Center of said road to an oak stake in the said South line 53.687 chest 9.748 chains:thence N
hat portion of est of the Wileginning at a orner of said 1.057 chains of the P.E.? E. pipe which is eed Records of he center of 1.198 chains to outh line of seconds of the Southeas	Jacob Hammelamette Herrold 1606 Claim #48,the a pipe,the Hailroad rithe Horther Benton County Residual Claim #48,the the the the Herrold 1600 to the County Residual Claim #48,the terrold 1600 to the terrold	dian in Be of a chain hence South mace S.0°11 th of way, est corner hty,Oregon; bad,thence hee South O a;thence N said Claim	enton County, State of Or West of a stone, said por 189°58' West along the Market 18.467 chains to thence North 89°46' West of a 2 acre tract describence South 0°8' East 18 North 75°34' West along 191' East 33.468 chains 1914' East 33.468 chains 1914' East 33.468 chains 1914' East 1914	Township 14 South Range regon, described as follow wint being the Northeast North line of said Claim a pipe in the South line tribed in Book 6h Page 378 4.615 chains to a pipe in the center of said road to an oak stake in the said South line 53.687 chest 9.748 chains:thence Northneed under Remarks)
hat portion of est of the Willeginning at a corner of said 1.057 chains of the P.E.? E. pipe which is beed Records of the center of 1.198 chains to couth line of seconds of the Southeas (a) Charac	Jacob Hammelamette Herrold 1606 Claim #48,the a pipe,the Hailroad rithe Horther Benton County Residual Claim #48,the the the the Herrold 1600 to the County Residual Claim #48,the terrold 1600 to the the terrold 1600 to the ter	dian in Be of a chain hence South mace S.0°11 pht of way, est corner hty,Oregon; oad,thence hee South O S;thence N said Claim of more space	enton County, State of Or West of a stone, said por 189°58'West along the Market 18.467 chains to thence North 89°46'West of a 2 acre tract description of a	Township 14 South Range regon, described as follow wint being the Northeast North line of said Claim a pipe in the South line tribed in Book 6h Page 378 4.615 chains to a pipe in the center of said road to an oak stake in the said South line 53.687 chest 9.748 chains:thence Northneed under Remarks)
hat portion of est of the Wilceinning at a orner of said 1.057 chains of the P.E.? E. pipe which is beed Records of the center of 1.198 chains to outh line of south line	Jacob Hammelamette Heripoint .606 Claim #48,tle a pipe,the Hailroad rithe Morther Benton County Residual Claim #100 terof soil	dian in Be of a chain hence South mace S.0°11 pht of way, est corner hty,Oregon; oad,thence hee South O S;thence N said Claim of more space	enton County, State of Or West of a stone, said por 189°58'West along the Market 18.467 chains to thence North 89°46'West of a 2 acre tract description of a	Township 14 South Range regon, described as follow wint being the Northeast North line of said Claim a pipe in the South line tribed in Book 6h Page 378 4.615 chains to a pipe in the center of said road to an oak stake in the said South line 53.687 chest 9.748 chains:thence Northneed under Remarks)
hat portion of est of the Wilceinning at a orner of said 1.057 chains of the P.E.? E. pipe which is peed Records of the center of 1.198 chains to outh line of so the Southeas (a) Charac (b) Kind of Power or Mining?	Jacob Hammelamette Heripoint .606 Claim #48,tle a pipe,the Hailroad rithe Morther Benton County Residual Claim #100 terof soil	dian in Be of a chain hence South mace S.0°11 pht of way, est corner hty,Oregon; oad,thence hee South O S;thence N said Claim of more space	enton County, State of Or West of a stone, said por 189°58'West along the Market 18.467 chains to thence North 89°46'West of a 2 acre tract description of a	Township 14 South Range regon, described as follow wint being the Northeast North line of said Claim a pipe in the South line tribed in Book 6h Page 378 4.615 chains to a pipe in the center of said road to an oak stake in the said South line 53.687 chest 9.748 chains:thence Northneed under Remarks)
hat portion of est of the Wilerinning at a orner of said 1.057 chains of the P.E.? E. pipe which is leed Records of the center of 1.198 chains to outh line of so the Southeas (a) Charac (b) Kind of Power or Mining 9. (a) Total	Jacob Hammelamette Her point .606 Claim #48,tle a pipe,the Railroad rithe Norther Benton County Resident Claim #45 corner of ter of soil forops raised Purposes-	dian in Be of a chain hence South mace S.O.11 th of way, est corner hty,Oregon; bad,thence hee South O S;thence N said Claim of more space	enton County, State of Or West of a stone, said por 189°58' West along the Market 18.467 chains to thence North 89°46' West of a 2 acre tract describence South 0°8' East 18 North 75°34' West along 19°11' East 33.468 chains 10°th 89°43' East along 18°48; thence North 17' West required attach separate sheet) (Colored South 18°48)	Township 14 South Range regon, described as follow being the Northeast North line of said Claim a pipe in the South line to along said South line to the center of said road to an oak stake in the said South line 53.687 chest 9.748 chains: thence is ontinued under Remarks)
cest of the Willerinning at a corner of said 1.057 chains of the P.E.? Expipe which is peed Records of the center of 1.198 chains to couth line of south lin	Jacob Hammelamette Heripoint .606 Claim #48,tle a pipe,the Hailroad right Heripoint Heripoint Heripoint Heripoint Heripoint County Resid Claim #100 ter of soil for the formal for the said Claim #100 ter of soil for the formal for the said Claim #100 ter of soil for the formal for the said Claim #100 ter of soil for the formal for the said Claim #100 ter of soil for the formal for the said Claim #100 ter of soil for the formal for the said Claim #100 ter of soil for the formal for the said Claim #100 ter of soil for the said Clai	dian in Be of a chain hence South mace S.O.11 th of way, est corner hty,Oregon; bad,thence hce South O S;thence N said Claim of more space  Ouer to be de to be used for	enton County, State of Or West of a stone, said por 189°58' West along the Market 18.467 chains to thence North 89°46' West of a 2 acre tract describence South 0°8' East 18 North 75°34' West along 1911' East 33.468 chains forth 89°43' East along 1948; thence North 17' West required attach separate sheet) (Control of the separate sheet) (Control of	Township 14 South Range regon, described as follow oint being the Northeast North line of said Claim a pipe in the South line to along said South line to the center of said road to an oak stake in the said South line 53.637 chest 9.748 chains: thence is ontinued under Remarks)
hat portion of lest of the Wilderinning at a corner of said 1.057 chains of the P.E.? E. pipe which is beed Records of the center of the center of the center of the South line of so the South east (b) Kind of Power or Mining 9. (a) Total (b) Quality (c) Total (c) Total (d) (e) Total (d) (e) Total (e) (e) Total (e) (e) Total (e)	Jacob Hammelamette Heripoint .606 Claim #48,tle a pipe,the Hailroad rithe Morther Benton County Residual Claim #4 ter of soil for corner of ter of soil for properties and amount of pointity of water al fall to be utility.	dian in Be of a chain hence South mace S. O'll the of way, est corner hty, Oregon; bad, thence had South O B; thence N said Claim off more space  ower to be de to be used for lized	enton County, State of Or West of a stone, said por 189°58' West along the Market 18.467 chains to thence North 89°46' West of a 2 acre tract describence South 0°8' East 18 North 75°34' West along 191' East 33.468 chains forth 89°43' East along 1948; thence North 17' West required attach separate sheet) (Control of the separate sheet) (Control of the separate sheet)	Journship 14 South Range regon, described as follow wint being the Northeast North line of said Claim a pipe in the South line tribed in Book th Page 378 4.015 chains to a pipe in the center of said road to an oak stake in the said South line 53.687 chest 9.748 chains: thence Northined under Remarks)
hat portion of est of the Wilceinning at a orner of said 1.057 chains of the P.E.? E. pipe which is beed Records of the center of 1.198 chains to south line of so the Southeas (a) Charac (b) Kind of Power or Mining 9. (a) Total (b) Qual (c) Total	Jacob Hammelamette Heripoint .606 Claim #48,tle a pipe,the Hailroad rithe Morther Benton County Residual Claim #4 ter of soil for corner of ter of soil for properties and amount of pointity of water al fall to be utility.	dian in Be of a chain hence South mace S. O'll the of way, est corner hty, Oregon; bad, thence had South O B; thence N said Claim off more space  ower to be de to be used for lized	enton County, State of Or West of a stone, said por 189°58'West along the Market 18.467 chains to thence North 89°46'West of a 2 acre tract description of a	Journship 14 South Range regon, described as follow wint being the Northeast North line of said Claim a pipe in the South line tribed in Book th Page 378 4.015 chains to a pipe in the center of said road to an oak stake in the said South line 53.687 chest 9.748 chains: thence Northined under Remarks)
hat portion of lest of the Willeginning at a orner of said 1.057 chains of the P.E.? E. pipe which is leed Records of the center of 1.198 chains to south line of so the Southeas (a) Charac (b) Kind of Power or Mining 9. (a) Tota (d) The	Jacob Hammelamette Heripoint .606 Claim #48,tle a pipe,the Hailroad rithe Morther Benton County Residual Claim #4 ter of soil for corner of ter of soil for properties and amount of pointity of water al fall to be utility.	dian in Be of a chain hence South hence S.O'll th of way, est corner hty,Oregon; bad, thence hce South O B; thence N said Claim our more space  ower to be de to be used for lized works by mea	enton County, State of Or West of a stone, said por 189°58'West along the filest 18.467 chains to thence North 89°46'West of a 2 acre tract description of a	Journship 14 South Range regon, described as follow wint being the Northeast North line of said Claim a pipe in the South line tribed in Book th Page 378 4.015 chains to a pipe in the center of said road to an oak stake in the said South line 53.687 chest 9.748 chains: thence Northined under Remarks)
hat portion of est of the Wilerinning at a orner of said 1.057 chains of the P.E.? E. pipe which is leed Records of he center of 1.198 chains to outh line of so the Southeas (a) Charac (b) Kind of Power or Mining 9. (a) Tota (d) The (e) Such that the content of the center of 1.198 chains to outh line of so the Southeas (a) Charac (b) Kind of the Content of the Con	Jacob Hammelamette Heripoint .606 Claim #48,tle a pipe,the Hailroad right Heripoint Heripoint Heripoint Heripoint Heripoint County Resident Claim #100 ter of soil for the following for the said Claim for the soil for the said Claim for the s	dian in Be of a chain hence South mess South that of way, est corner hty, Oregon; bad, thence hee South O S; thence N said Claim our more space  ower to be de to be used for lized works by mea	enton County, State of Or West of a stone, said por 189°58' West along the filest 18.467 chains to thence North 89°46' West of a 2 acre tract description of	Journship 14 South Range regon, described as follow wint being the Northeast North line of said Claim a pipe in the South line to along said South line to the din Book the Page 378 4.615 chains to a pipe in the center of said road to an oak stake in the said South line 53.637 chest 9.748 chains: thence is ontinued under Remarks)  theoretical horsepower is seed developed
hat portion of est of the Wileginning at a orner of said 1.057 chains of the P.E.? E. pipe which is eed Records of he center of 1.198 chains to outh line of so the Southeas (a) Charac (b) Kind of Power or Mining 9. (a) Tota (d) The (e) Suc Tp.	Jacob Hammelamette Heripoint .606 Claim #48,tle a pipe,the Railroad rite Morther Benton County Resident Claim #48 to corner of the forest raised Purposes—al amount of pointity of water al fall to be utilized to the state of th	dian in Be of a chain hence South hence South the of way, ist corner hty, Oregon; bad, thence hee South O is thence N said Claim our to be de to be used for lized works by mean ocated in the ocated	enton County, State of Or West of a stone, said por 189°58'West along the filest 18.467 chains to thence North 89°46'West of a 2 acre tract description of a	Journship 14 South Range regon, described as follow wint being the Northeast North line of said Claim a pipe in the South line to along said South line to the din Book the Page 378 4.615 chains to a pipe in the center of said road to an oak stake in the said South line 53.637 chest 9.748 chains: thence is ontinued under Remarks)  theoretical horsepower is seed developed
hat portion of est of the Wilerinning at a orner of said 1.057 chains of the P.E.? E. pipe which is leed Records of the center of 1.198 chains to outh line of so the Southeas (a) Charac (b) Kind of Power or Mining 9. (a) Tota (b) Quantum (c) Tota (d) The (e) Suction (f) Is use (f) Is u	Jacob Hammelamette Herrolamette Herrolamette Herrolamette Herrolamette Herrolamette Benton County Rolamette of Soil for	dian in Be of a chain hence South hence South the of way, ast corner hty, Oregon; bad, thence hee South O. 3; thence Nower to be deto be used for lized works by mean ocated in the corner hy, W. E. or W.)	enton County, State of Or West of a stone, said por 189°58' West along the Market 18.467 chains to thence North 89°46' West of a 2 acre tract description of	Journship 14 South Range regon, described as follow wint being the Northeast North line of said Claim a pipe in the South line to along said South line to the din Book the Page 378 4.615 chains to a pipe in the center of said road to an oak stake in the said South line 53.637 chest 9.748 chains: thence is ontinued under Remarks)  theoretical horsepower is seed developed
hat portion of lest of the Wilderinning at a corner of said 1.057 chains of the P.E.? E. pipe which is beed Records of the center of 1.198 chains to couth line of so the South eas (a) Charac (b) Kind of Power or Mining 9. (a) Tota (d) The (e) Suction (e) Suction (f) Is used to the South eas (e) Suction (f) Is used to the South eas (e) Suction (f) Is used to the South eas (e) Suction (f) Is used to the South eas (e) Suction (f) Is used to the South eas (e) Suction (f) Is used to the South eas (e) Suction (f) Is used to the South eas (e) Suction (f) Is used to the South eas (e) Suction (f) Is used to the South eas (e) Suction (f) Is used to the South eas (e) Suction (f) Is used to the South ease (f) Is used to the Sout	Jacob Hammelamette Herrolamette Herrolamette Herrolamette Herrolamette Herrolamette Benton County Rolamette of Soil for	dian in Be of a chain hence South hence South the of way, ast corner hty, Oregon; bad, thence hee South O. 3; thence Nower to be deto be used for lized works by mean ocated in the corner hy, W. E. or W.)	enton County, State of Or West of a stone, said por 189°58'West along the filest 18.467 chains to thence North 89°46'West of a 2 acre tract description of a	Journship 14 South Range regon, described as follow wint being the Northeast North line of said Claim a pipe in the South line to along said South line to the din Book the Page 378 4.615 chains to a pipe in the center of said road to an oak stake in the said South line 53.637 chest 9.748 chains: thence is ontinued under Remarks)  theoretical horsepower is seed developed

(i) The nature of the mines to be served

10. (a) To supply the city of	
	s present population of
md an estimated population of	
(b) If for domestic use state nes	mber of families to be supplied
(Annua o	marifolius 11, 15, 15, and 16 in all cases)
11. Estimated cost of proposed works,	150000
•	or before year from appreval
13. Construction work will be comple	eted on or before Zyrs.
14. The water will be completely appl	lied to the proposed use on or before Type Same
	100 P
	(Manature of applicant)
Damanlass	
Remarks:	
West Li. 003 chains to the place	of beginning. Except a 50 foot railroad right of
y. Also except County Road. Leav	ing 246 acres in Benton County, Oregon.
7	
······································	
	······································
······································	······································
······································	······································
······································	••••••••••••••••••••••••••••••••••••••
······································	······································
- 17 - 17 - 17 - 17 - 17 - 17 - 17 - 17	······································
ss.	
County of Marion, ss.	
County of Marion, ss.	ed the foregoing application, together with the accompanyin
County of Marion,  This is to certify that I have examine	ed the foregoing application, together with the accompanyin
County of Marion,  This is to certify that I have examine the same for	
County of Marion,  This is to certify that I have examine naps and data, and return the same for	ed the foregoing application, together with the accompanying pplication must be returned to the State Engineer, with correct, 19

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed						
stream, or its equivalent in case of rotation with other water users, from Hammer Creek and unnamed stream.						
If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per						
second or its equivalent for each acre irrigated and shall be further limited to a						
diversion of not to exceed 22 acre feet per acre for each acre irrigated during the						
irrigation season of each year,						
<u></u>						
••••••••••••••••••••••••••••••••••••••						
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.						
The priority date of this permit is						
Actual construction work shall begin on or before November 16, 1952 and shall						
thereafter be prosecuted with reasonable diligence and be completed on or before						
October 1, 1953						
Complete application of the water to the proposed use shall be made on or before						
October 1, X						
WITNESS my hand this 16th day of Hovember 1951 Letter & State Engineer						
Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 76, Oregon Laws 1933.						

Application No. < 595 Permit No.

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON District No. PERMIT Division No. This instrument was first received in the

office of the State Engineer at Salem, Oregon × 19 51, at 1:30 o'clock P. on the 18th day of May

Corrected application received:

Returned to applicant:

November 16, 1951

Approved:

Permits on page .... Recorded in book No. 50

CHAS. E. STRICKLIN

BTATE

Page Drainage Basin No.

Fees Paid. W. C. S. ...