

APPLICATION FOR PERMIT

## To appropriate the Public Waters of the State of Oregon

I, Everett A. Ferry (Name of applicant)  
of Sunny Valley (Mailing address)  
State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, **SUBJECT TO EXISTING RIGHTS:**

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is No Name Creek (Name of stream), a tributary of Grave Creek
2. The amount of water which the applicant intends to apply to beneficial use is 0.04 cubic feet per second. (If water is to be used from more than one source, give quantity from each)
- \*\*3. The use to which the water is to be applied is Irrigation (Irrigation, power, mining, manufacturing, domestic supplies, etc.)
4. The point of diversion is located 950 ft. N and 1150 ft. E from the S 1/4 corner of Section 2 (Section or subdivision)

(If preferable, give distance and bearing to section corner)

(If there is more than one point of diversion, each must be described. Use separate sheet if necessary)

- being within the SW 1/4 SE 1/4 of Sec. 2, Tp. 34 S  
(Give smallest legal subdivision) (N. or S.)
- R. 6 W, W. M., in the county of Josephine  
(E. or W.)
5. The ditch to be 400 feet in length, terminating in the SW 1/4 SE 1/4 of Sec. 2, Tp. 34 S  
(Main ditch, canal or pipe line) (Miles or feet) (Smallest legal subdivision) (N. or S.)
- R. 6 W W. M., the proposed location being shown throughout on the accompanying map.  
(E. or W.)

### DESCRIPTION OF WORKS

**Diversion Works—**

6. (a) Height of dam 9 feet, length on top 75 feet, length at bottom 50 feet; material to be used and character of construction Earth dam. Wasteway around (Loose rock, concrete, masonry, rock and brush, timber crib, etc., wasteway over or around dam)
- (b) Description of headgate Lumber. One opening 1'x1' (Timber, concrete, etc., number and size of openings)
- (c) If water is to be pumped give general description (Size and type of pump)  
(Size and type of engine or motor to be used, total head water to be lifted, etc.)

\*A different form of application is provided where storage works are contemplated.

\*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Salem, Oregon.

**Canal System or Pipe Line—**

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) 1.0 feet; width on bottom 0.8 feet; depth of water 0.6 feet; grade 4 feet fall per one thousand feet.

(b) At \_\_\_\_\_ miles from headgate: width on top (at water line) \_\_\_\_\_ feet; width on bottom \_\_\_\_\_ feet; depth of water \_\_\_\_\_ feet; grade \_\_\_\_\_ feet fall per one thousand feet.

(c) Length of pipe, \_\_\_\_\_ ft.; size at intake, \_\_\_\_\_ in.; size at \_\_\_\_\_ ft. from intake \_\_\_\_\_ in.; size at place of use \_\_\_\_\_ in.; difference in elevation between intake and place of use, \_\_\_\_\_ ft. Is grade uniform? \_\_\_\_\_ Estimated capacity, \_\_\_\_\_ sec. ft.

8. Location of area to be irrigated, or place of use \_\_\_\_\_

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
34 S	6 W	2	SW 1/4 SE 1/4	3
Description:				
Beginning at a point in the center of the Pacific Highway which bears north 9 degrees 33' West 9.11 chains from the quarter section corner between sections 2 and 11 of Township 34 South Range 6 West of the Willamette meridian, Oregon. thence East 30 feet to the easterly line of said highway; thence North along said highway 60 feet; thence East 400 feet to the true point of beginning; thence run east 920 feet; more or less to the East line of the Southwest Quarter of the Southeast Quarter of said section 2; thence north 500 feet; thence West 500 feet; thence in a southwesterly direction to the point of beginning.				

(If more space required, attach separate sheet)

(a) Character of soil Red granite and clay

(b) Kind of crops raised Garden, pasture

**Power or Mining Purposes—**

9. (a) Total amount of power to be developed \_\_\_\_\_ theoretical horsepower.

(b) Quantity of water to be used for power \_\_\_\_\_ sec. ft.

(c) Total fall to be utilized \_\_\_\_\_ feet.

(d) The nature of the works by means of which the power is to be developed \_\_\_\_\_

(e) Such works to be located in \_\_\_\_\_ of Sec. \_\_\_\_\_

Tp. \_\_\_\_\_, R. \_\_\_\_\_, W. M. \_\_\_\_\_

(f) Is water to be returned to any stream? \_\_\_\_\_

(g) If so, name stream and locate point of return \_\_\_\_\_

\_\_\_\_\_, Sec. \_\_\_\_\_, Tp. \_\_\_\_\_, R. \_\_\_\_\_, W. M. \_\_\_\_\_

(h) The use to which power is to be applied is \_\_\_\_\_

(i) The nature of the mines to be served \_\_\_\_\_

**Municipal or Domestic Supply—**

10. (a) To supply the city of .....

..... County, having a present population of .....

and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Article contains 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 400.00 .....

12. Construction work will begin on or before May 21, 1952 .....

13. Construction work will be completed on or before May 21, 1953 .....

14. The water will be completely applied to the proposed use on or before May 21, 1954 .....

*Everett A. Perry.*  
(Signature of applicant)  
*Sunny Valley, Ore.*

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ....., 19 .....

WITNESS my hand this ..... day of ....., 19 .....

STATE ENGINEER

PERMIT

STATE OF OREGON, }  
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from unnamed creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 1 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 23, 1951

Actual construction work shall begin on or before November 16, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1953

Complete application of the water to the proposed use shall be made on or before

October 1, 1954

WITNESS my hand this 16th day of November 1951

*Chas. E. Stricklin*  
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 25276

Permit No. 0.01

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 23 day of May 1951, at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

November 16, 1951

Recorded in book No. 50 of

Permits on page

CHAS. E. STRICKLIN  
STATE ENGINEER

Drainage Basin No. 15 Page 48B

Fees Paid