

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Almond E. Gregory, also sometimes known as A. E. Gregory, of Route 1, Box 1021, Klamath Falls, Oregon, Midland District, State of Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

Not corporation

1. The source of the proposed appropriation is Klamath River, a tributary of Pacific Ocean

2. The amount of water which the applicant intends to apply to beneficial use is 2 1/2 cubic feet per second, all from Klamath River

3. The use to which the water is to be applied is irrigation and stock water

4. The point of diversion is located 4675 ft. N. and 5151 ft. E. from the corner of Sections 24 and 25, T. 39 S., R. 9 E., W. M., and Sections 19 and 20, T. 39 S., R. 9 E., W. M., and is shown at the northwest corner of Tract 27, Midland Tracts.

on line between lots 2 & 3, Midland Tracts on meander line Klamath River being within the of Sec. of Tp. R. W. M., in the county of Klamath, Oregon

5. The main ditch to be 3400 ft. in length, terminating in the Lot 19 Midland Tracts/ of Sec. and extending thence over applicant's land as indicated

DESCRIPTION OF WORKS

Diversion Works-

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate Concrete or metal pipe and calco gate if available

(c) If water is to be pumped give general description 1-6" centrifugal pump on Lot 6, Sec. 30, T. 39 S., R. 9 E., W. M. and one in Lot 19 of Midland Tracts as indicated

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) PIPE feet; width on bottom feet; depth of water 3 1/2' feet; grade flat feet fall per one thousand feet.

(b) At 3400' ~~miles~~ from headgate: width on top (at water line) 18' feet; width on bottom 6' feet; depth of water 3 1/2' feet; grade flat feet fall per one thousand feet.

(c) Length of pipe 24' to 30' ft.; size at intake, 30" in.; ~~size at outlet~~ ft. from intake in.; size at place of use none-ditch in.; difference in elevation between intake and place of use, level ft. Is grade uniform? YES Estimated capacity, 5 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range	Section	Forty-acre Tract	Number Acres To Be Irrigated
		Midland Tract		
		19	39.5 acres	to be all irrigated
		27	39.3 "	
Sec. 30, T. 39 S., R. 9 E., W. M.		28	34.2 "	
			113.0 "	being \$16.15 for recording and examination fees \$10.00 total \$26.15.
AS DESCRIBED IN DEED :				
39 S.	9 E.	18	Midland Tracts	
	W. M.	19	" "	
		20	" "	
		27	" "	
			" "	
All that pt. Lot 28 W. CNERYCO		28 /	containing in all <u>221.5</u> acres more or less as per deed recorded Vol. 114 page 63 Deed Records Klamath Co., Ore.	
		Sec. 30		
		Lot 6		

(If more space required, attach separate sheet)

(a) Character of soil sandy loam and peat

(b) Kind of crops raised all common to irrigated land in Klamath County

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

Tp. , R. , W. M.

(f) Is water to be returned to any stream?

(g) If so, name stream and locate point of return

 Sec. Tp. R. , W. M.

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of
..... County, having a present population of
(Name of)
and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

- 11. Estimated cost of proposed works, \$..... 3,500.00.....
- 12. Construction work will begin on or before June 1, 1951.....
- 13. Construction work will be completed on or before September 1, 1951.....
- 14. The water will be completely applied to the proposed use on or before September 1, 1952.....

Almond E. Gregory
Almond E. Gregory
(Signature of applicant)

Remarks: Said ditch is to be large flat ditch in order to allow
enough excavation to construct appropriate ditch banks across marshy land.
Said ditch is also to be used for drainage purposes and for carrying water
to areas in addition to those shown.
Applicant desires sufficient stock water for 2500 head of horses or
cattle, and in addition, water for domestic use, being 20 miner's inches.

STATE OF OREGON, }
County of Marion, } ss

This is to certify that I have examined the foregoing application, together with the accompanying
maps and data, and return the same for corrections and additions.....

In order to retain its priority, this application must be returned to the State Engineer, with correc-
tions on or before July 16, 1951.

WITNESS my hand this 11th day of June 1951.

CHAS. S. WICKLIN
STATE ENGINEER

By Robert D. Conklin, Assistant

PERMIT

STATE OF OREGON,

County of Marion,

ss

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 3.0 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Klamath River.

The use to which this water is to be applied is irrigation, stock and domestic, being 2.50 c.f.s. for irrigation and 0.50 c.f.s. for stock and domestic.

If for irrigation, this appropriation shall be limited to 1/10th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 3 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be still further limited to a diversion of not to exceed 3.0 c.f.s.

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is May 31, 1951

Actual construction work shall begin on or before November 16, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1953

Complete application of the water to the proposed use shall be made on or before October 1, 1954

WITNESS my hand this 16th day of November 1951

Chas. E. Stricklin

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933

Application No. 253

Permit No. 1

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 31 day of May 1951, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

November 16, 1951

Recorded in book No. 50 of

Permits on page

CHAS. E. STRICKLIN STATE ENGINEER

Drainage Basin No. 14 Page 9

Fees Paid \$24.15