*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

of	1, Lewis C. Losenz (Name)	Salem
		y make application for a permit to appropriate the
	ing described public waters of the State of Oreg	
	If the applicant is a corporation, give date and p	
-,	is the approximate a corporation, give date and p	uce of incorporation
1.	1. The source of the proposed appropriation is	West Branch Little Fidding
••••		ry of
2.	The amount of water which the applicant inte	nds to apply to beneficial use is
ubic fe	eet per second.	rom more than one source, give quantity from each)
**3.	3. The use to which the water is to be applied is	ittiga tion
		(Errigation, power, mining, manufacturing, domestic supplies, etc.)
4	4 The point of diversion is located	
	4. The point of diversion is located ft.	
orner ((Section	a or subdivision)
Par	table pumping at any point	where West Branch of Little orty described herein
Pu	dding River touches prop	erty described herein
	(If preferable, give distance and	bearing to section corner)
eina w	(If there is more than one point of diversion, each must	
		5.6% of Sec 16 . Tp75
(E.	W, W. M., in the county of Mario	'h
5.	The Pipe line (Main ditch, canal or pipe line)	to be App 400
ı lengti	th, terminating in the (Smallest legal subdivision)	of Sec, Tp,
• • • • • • • • • • • • • • • • • • • •		shown throughout on the accompanying map.
	DESCRIPTION	OF WORKS
		OF WORKS
	on Works—	
6.		gth on top
	feet; material to be used and character	of construction
	orush, timber crib, etc., wasteway over or around dam)	
, 0	(Tin	nber, concrete, etc., number and size of openings)
(0	c) If water is to be pumped give general descrip	tion Centritugal pump
6a.	Size and type of engine or motor to be used.	
	Einhlers To be used	some nead water is to be lifted, etc.)

[&]quot;A different form of application is provided where storage works are contemplated.

			at each point on top (at wat	ter line)	
tho	ousand feet.	jeer, depin of	water	feet; grade	feet fall ner one
	(b) At		miles from	headaate width on ton (at an	vater line)
		feet; width on	hottom	And and	Pater line)
gra	de	···· feet fa	-11 ner one the		of water feet;
	(c) Length	of nine	AAA 4	rusana jeet.	
fror	m intake	in	70.0	t.; size at intake.	3 in.; size at ft.
inta		in.	.; size at place	\geq of use	difference in a
	and place o	of use, App.	5 ft.	Is grade uniform? ye	Estimated capacity,
******	~)			
	8. Location	of area to be	irrigated, or j	place of use	
		Williamette Meridian		Forty-acre Tract	Number Acres To Be Irrigated
	-7-S - WILLIAMS TI	-2w	16	NE14 SE14	
		and a company of the second of			/3 (5 supp 1)
				SE14SE14	3.5
Breven make age			-		8.5 (1 supp
from Sout the	t 1.76 chain the Northe th, Range 2 24 West, in center line	west of the corner of a branch	89° West, of the Thor Willamette o an iron p h of the Pu	1.95 chains and South (as Eyre Donation Land (Meridian in Marion Cou lipe; thence South 88° (dding River; thence Nor	e explicitly described by 7.73 chains and North 63* 7.0 15' West, 34.143 chains 7.1
Hest from Sout the line alon from Sout 10,	t 1.76 chain the Northe th, Range 2 The Nest, the center line of said Ri the North the East 1 the East 1 the Sorne 1930 in Volume 3 chains to	west of the 2.07 feet to of a branch ver to the 1 line of saidine of Section of the traume 205, Page 1 a point on the soil	of the Thore will amette of an iron point of the Purious North line id Donation ion 16 in sect conveyed 456, Deethe North limeral of the North limeral of th	1.95 chains and South 7 as Eyre Donation Land Compe; thence South 88 0 dding River; thence Nor of said Eyre Donation L Land Claim to a point aid Townsnip and Range, d to Nicholaus Gerig by d Records for Marion Compendent Land Claim to a compendent of the Records for Marion Compendent Land Claim to Compendent Land Claim to Compendent Land Claim to a point of the Records for Marion Compendent Land	73 chains and North 63° 70° 15' West, 34.148 chains Flaim No. 73 in Township 7 11ty, Oregon; thence North 75' West, 164.54 feet to
Hest from Sout the line alon from Sout 10,	t 1.76 chain the Northe th, Range 2 th West, the center line of said Ri the North the East 1 the East 1 thest corne 1930 in Volume (a) Character (b) Kind of co	west of the 2.07 feet to of a branch ver to the 1 line of saidine of Section of the traume 205, Page 4 point on the form of soil	of the Thore will amette of an iron point of the Purious North line id Donation ion 16 in sect conveyed 456, Deethe North limeral of the North limeral of th	1.95 chains and South 7 2. Eyre Donation Land County thence South 88 0 2. Meridian in Marion County thence South 88 0 3. Meridian in Marion County thence Nor 3. Meridian in Marion County thence Nor 4. Claim to a point and Claim to a point and Townsnip and Range, 5. d. to Nicholaus Gerig by 6. Records for Marion County boundary Line of the equired, attach separate sheet)	73 chains and North 63° 70° 15' West, 34.148 chains Taim No. 73 in Township 7 press, 164.54 feet to therly alon the center and Claim; thence Easterly which is 6.73 chains Westerly and which point is the deed recorded January unty, Oregon; thence Torth he Simon Swarts Donation
the line along from 10,	t 1.76 chain the Northe th, Range 2 Liv Nest, the center line e of said Ri is the North the East 1 chaest come 1930 in Volume (a) Character (b) Kind of core of Mining Pur	west of the 2.07 feet to of a branch ver to the 1 line of saidine of Section of the traume 205, Page a point on the constrained rops raised	Willamette of the Thore Willamette of the Purion phof the Purion North line id Donation ion 16 in sect conveye ge 456, Dee the North Ill more space r	1.95 chains and South 7 as Eyre Donation Land Compe; thence South 68° 0 dding River; thence Nor of said Eyre Donation L Land Claim to a point aid Townsnip and Range, d to Nicholaus Gerig by d Records for Marion Comperly boundary line of the equired, attach separate sheet) (Confidence of the comperation of the equired, attach separate sheet)	73 chains and North 63. 70° 15' West, 34.146 chains laim No. 73 in Township 7 anty, Oregon; thence North 15' West, 164.54 feet to therly alon- the center and Claim; thence Easterly which is 6.73 chains Westerly and which point is the deed recorded January anty, Oregon; thence Torth the Simon Swarts Donation tinued under Remarks) a. to E. Beaver daim
the line along from 10,	t 1.76 chain the Northe th, Range 2 Liv Nest, the center line e of said Ri is the North i the East 1 linest corne 1930 in Volume (a) Character (b) Kind of cur for Mining Pur 9. (a) Total a	west of the 2.07 feet to of a branch ver to the 1 line of saidine of Section of the traine 205, Page 1 a point on the 1 rops raised rops raised rops raised rops raised	of the Thom Willamette of the Pu North line id Donation ion 16 in s act conveye ge 456, Pee the North (If more space r If more space r er to be devel	1.95 chains and South 7 Serve Donation Land Compession in Marion Countries; thence South 88 0 In Meridian in Marion Countries; thence South 88 0 Indian River; thence Nor of said Eyre Donation Land Claim to a point aid Townsnip and Range, de to Nicholaus Gerig by the Records for Marion Countries and Land Claim to a Meridian Conferment of the Conferment of the Records attach separate sheet) In Meridian Line of the Land Conferment of the Records for Marion Conferment of the Land Claim of the Records attach separate sheet)	73 chains and North 63. 70° 15' West, 34.143 chains laim No. 73 in Township 7 anty, Oregon; thence North 6' West, 164.54 feet to therly along the center and Claim; thence Easterly which is 6.73 chains Westerly and which point is the deed recorded January anty, Oregon; thence Torth the Simon Swarts Donation tinued under Remarks) a. + C C. Beauer daim theoretical horsepower.
the line along from 10,	t 1.76 chain the Northe th, Range 2 Liv West, th center line e of said Ri is the North i the East 1 linest corne 1930 in Volu 1930 in V	west of the 2.07 feet to of a branch ver to the 1 line of saidine of Section of the traume 205, Page a point on the constrained rops raised	of the Thore will anette of the Thore of the Punt of the North	1.95 chains and South 7 Serve Donation Land Common Land Common Land Common Land Common Repert thence Nor of said Eyre Donation Land Claim to a point aid Townsnip and Range, de to Nicholaus Gerig by the Records for Marion Common Land Common Land Common Land Common Land Claim to a point aid Townsnip and Range, de Records for Marion Common Land Records for Marion Common Records for Marion Records for	73 chains and North 63. 70° 15' West, 34.148 chains laim No. 73 in Township 7 arty, Oregon; thence North 16' West, 164.54 feet to therly alon the center and Claim; thence Easterly which is 8.73 chains Westerly and which point is the deed recorded January anty, Oregon; thence Torth the Simon Swerts Donation tinued under Remarks) a.t. Beauer dam theoretical horsepower.
the line along from 10,	t 1.76 chain the Northe th, Range 2 24 West, th center line e of said Ri is the North i the East 1 chaest corne 1930 in Volu 3 chains to (a) Character (b) Kind of ci r or Mining Pur 9. (a) Total a (b) Quanti (c) Total for	west of the 2.07 feet to of a branch ver to the line of saidine of Section of the transmer of soil rops raised rops raised rops was a mount of power to the unity of water to fall to be utilized.	of the Thom Willamette o an iron p h of the Pu North line id Donation ion 16 in s act conveye ge 456, Pee the North act respective the North cut more space r cr to be devel be used for peed	1.95 chains and South 7 Serve Donation Land County Eyre Donation Land County thence South 88 Outh 7 In Meridian in Marion County thence Nor of said Eyre Donation Land Claim to a point aid Townsnip and Range, donated to Nicholaus Gerig by the Records for Marion County boundary Line of the equired attach separate sheet) (Control of Metter 1972) I Metter 1972 I Oped Ower Sect.	73 chains and North 63 70° 15' West, 34.148 chains Plaim No. 73 in Township 7 Inty, Oregon; thence North The west, 164.54 feet to Therly alon the center and Claim; thence Easterly which is 8.73 chains Westerly and which point is the deed recorded January unty, Oregon; thence Torth the Simon Swarts Donation tinued under Remarks) and Claim Reaver dam theoretical horsepower. c.ft.
the line along from 10,	t 1.76 chain the Northe th, Range 2 24 West, th center line e of said Ri is the North i the East 1 chaest corne 1930 in Volu 3 chains to (a) Character (b) Kind of ci r or Mining Pur 9. (a) Total a (b) Quanti (c) Total for	west of the 2.07 feet to of a branch ver to the line of saidine of Section of the transmer of soil rops raised rops raised rops was a mount of power to the unity of water to fall to be utilized.	of the Thom Willamette o an iron p h of the Pu North line id Donation ion 16 in s act conveye ge 456, Pee the North act respective the North cut more space r cr to be devel be used for peed	1.95 chains and South 7 as Eyre Donation Land C Meridian in Marion Cou ipe; thence South 68° 0 dding River; thence Nor of said Eyre Donation L Land Claim to a point aid Townsnip and Range, d to Nicholaus Gerig by d Records for Marion Cou erly boundary line of the equired attach separate sheet) (Conf	73 chains and North 63. 70° 15' West, 34.148 chains laim No. 73 in Township 7 arty, Oregon; thence North 16' West, 164.54 feet to therly alon the center and Claim; thence Easterly which is 8.73 chains Westerly and which point is the deed recorded January anty, Oregon; thence Torth the Simon Swarts Donation tinued under Remarks) a.t. Beauer daim theoretical horsepower.
the line along from 10,	t 1.76 chain the Northe th, Range 2 Liv Nest, the center line of said Ri is the North is the East 1 linest corne 1930 in Volu 1940 Character (b) Kind of cu 1950 Character (c) Total for (d) The naive	west of the 2.07 feet to of a branch ver to the 1 line of Section of the traume 205, Page a point on the point of soil rops raised rops raised rops was a feet to fall to be utilized ture of the work ture ture of the work ture of the work ture of the work ture of the work ture ture ture ture ture ture ture ture	of the Thore will anette of the Thore will anette of the Purch line id Donation ion 16 in sect conveyed 456, Peet the North line of the No	1.95 chains and South 7 Serve Donation Land County Eyre Donation Land County thence South 88 Outh 7 In Meridian in Marion County thence Nor of said Eyre Donation Land Claim to a point aid Townsnip and Range, donated to Nicholaus Gerig by the Records for Marion County boundary Line of the equired attach separate sheet) (Control of Metter 1972) I Metter 1972 I Oped Ower Sect.	73 chains and North 63 70° 15' West, 34.143 chains Taim No. 73 in Township 7 Inty, Oregon; thence North The west, 164.54 feet to Therly alon the center and Claim; thence Easterly which is 6.73 chains Westerly and which point is the deed recorded January unty, Oregon; thence Torth the Simon Swarts Donation tinued under Remarks) and Claim Reaver daim theoretical horsepower. c.ft.
the line along from 10,	the Norther the Norther the Norther the Norther the Range 2 center line of said Ring the North the East 1 center 1930 in Volumest corner (b) Kind of corner (b) Kind of corner (b) Kind of corner (c) Total a (d) The naid (e) Such we consider the North (c) Total for (d) The naid (e) Such we consider the North (e	west of the 2.07 feet to of a branch ver to the I line of Section of the training of t	of the Thom Willamette of the Pu North line id Donation ion 16 in s act conveye ge 456, Pee the North act conveye ge 456 Pee the Nor	1.95 chains and South 7 as Eyre Donation Land C Meridian in Marion Cou ipe; thence South 88 0 Idding River; thence Nor of said Eyre Donation L Land Claim to a point aid Townsnip and Range, Id to Nicholaus Gerig by d Records for Marion Con erly boundary line of the equired attach separate sheet) (Conf. I we the lower section of which the power is to be de- (Head) of which the power is to be de- (Legal subdivision)	73 chains and North 63. 70° 15' West, 34.143 chains laim No. 73 in Township 7 arty, Oregon; thence North 19 west, 164.54 feet to therly alon the center and Claim; thence Easterly which is 6.73 chains Westerly and which point is the deed recorded January anty, Oregon; thence Torth the Simon Swarts Donation tinued under Remarks) a.t. Beauer daim theoretical horsepower.
the line alon from the lo,	t 1.76 chain the Northeth, Range 2 th, Range 2 to of said Ring the North the East 1 the East 1 the East 1 the East 1 the Morth the East 1 the Morth the Morth the Morth the East 1 the Morth the Morth the Market (a) Character (b) Kind of core (b) Kind of core (c) Total for (d) The nate (d) The nate (e) Such we (n) Norse (f) Is water	west of the 2.07 feet to of a branch ver to the I line of saidine of Section of the traume 205, Page a point on of soil rops raised rops raised rops water to fall to be utilized ture of the works to be located. R. (No. E. or or to be returned)	of the Thom Willamette of the Pu North line id Donation ion 16 in s act conveye ge 456, Pee the North it more space r or to be devel be used for peed rks by means ted in w. W. M. ed to any streat	1.95 chains and South 7 Serve Donation Land Composition in Marion Countries; thence South 88 of the Meridian in Marion Countries; thence Normal South 88 of the Meridian in Marion Countries; thence Normal Education in Land Claim to a point and Township and Range, do to Nicholaus Gerig by the Records for Marion Conference of the Meridian South South State of the Meridian South	73 chains and North 63 70° 15' West, 34.143 chains Taim No. 73 in Township 7 Inty, Oregon; thence North 15' West, 164.54 feet to Therly alon the center and Claim; thence Easterly which is 6.73 chains Westerly and which point is the deed recorded January unity, Oregon; thence Torth the Simon Swarts Donation tinued under Remarks) a. to Seaver daim theoretical horsepower. c. ft. eveloped
the line alon from the lo,	t 1.76 chain the Northeth, Range 2 th, Range 2 to of said Ring the North the East 1 the East 1 the East 1 the East 1 the Morth the East 1 the Morth the Morth the Morth the East 1 the Morth the Morth the Market (a) Character (b) Kind of core (b) Kind of core (c) Total for (d) The nate (d) The nate (e) Such we (n) Norse (f) Is water	west of the 2.07 feet to of a branch ver to the I line of Section of the training of t	of the Thom Willamette of the Pu North line id Donation ion 16 in s act conveye ge 456, Pee the North it more space r or to be devel be used for peed rks by means ted in w. W. M. ed to any streat	1.95 chains and South 7 Serve Donation Land Composition in Marion Countries; thence South 88 of the Meridian in Marion Countries; thence Normal South 88 of the Meridian in Marion Countries; thence Normal Education in Land Claim to a point and Township and Range, do to Nicholaus Gerig by the Records for Marion Conference of the Meridian South South State of the Meridian South	73 chains and North 63° 70° 15' West, 34.143 chains aim No. 73 in Township 7 arty, Oregon; thence North 15' West, 164.54 feet to therly alon- the center and Claim; thence Easterly which is 6.73 chains Westerly and which point is the deed recorded January anty, Oregon; thence Torth the Simon Swarts Donation tinued under Remarks) a.t. Beauer daim theoretical horsepower. c.ft.
the line alon from the lo,	t 1.76 chain the Northe th, Range 2 24 Nest, th center line e of said Ri as the North a the East 1 chains to 1930 in Volu 3 chains to (a) Character (b) Kind of ca (c) Total a (b) Quanti (c) Total fo (d) The nai (e) Such wo (g) If so, no	west of the 2.07 feet to of a branch ver to the I line of saidine of Section of the traume 205, Page a point on of soil rops raised rops raised rops water to fall to be utilized ture of the works to be located. R. (No. E. or or to be returned)	of the Thom Willamette of the Pu North line id Donation ion 16 in s act conveye ge 456, Pee the North act conveye ge 456 pee the North act space act act space the North act space act	1.95 chains and South 7 Serve Donation Land Composition in Marion Countries; thence South 88° of the said Eyre Donation Land Claim to a point and Township and Range, de to Nicholaus Gerig by the Records for Marion Conference of the said Township and Range, de Records for Marion Conference of the said Township and Range, de Records for Marion Conference of the said Township and Range, de Records for Marion Conference of the said Township and Range, de Records for Marion Conference of the said Township and Range, de Records for Marion Conference of the said Township and Range, de Records for Marion Conference of the said Township and Range, de Records for Marion Conference of the said Township and Range, de Records for Marion Conference of the said Township and Range, de Records for Marion Conference of the said Township and Range, de Records for Marion Conference of the said Township and Range, de Records for Marion Conference of the said Township and Range, de Records for Marion Conference of the said Township and Range, de Records for Marion Conference of the said Township and Range, de Records for Marion Conference of the said Township and Range, de Records for Marion Conference of the said Township and Range, de Records for Marion Conference of the said Township and Range, de Records for Marion Conference of the said Township and Range, de Records for Marion Conference of the said Township and Range, de Records for Marion Conference of the said Township and Range, de Records for Marion Conference of the said Township and Range, de Records for Marion Conference of the said Township and Range, de Records for Marion Conference of the said Township and Range, de Records for Marion Conference of the said Township and Range, de Records for Marion Conference of the said Township and Range, de Records for Marion Conference of the said Township and Range, de Records for Marion Conference of the said Township and Range, de Records for Marion Conference of the said Township and Range, de Records for Marion Conference	73 chains and North 63. 70° 15' West, 34.143 chains aim No. 73 in Township 7 arty, Oregon; thence North 15' West, 164.54 feet to therly alon the center and Claim; thence Easterly which is 6.73 chains Westerly and which point is the deed recorded January anty, Oregon; thence Torth the Simon Swarts Donation tinued under Remarks) a.t. Beauer dam theoretical horsepower. c.ft.

ta an estimated	i population						************	***************************************	····	**********	•••••••
	for domesti						unnlind				
			tudata a sana a san	positions 11.					··· · · · · · · · · · · · · · · · · ·	*******	· • · · · · · • • •
11. Estima:	ted over of a		anon l a	• 100	00		•				
							10 a.m	C			,
12. Constru											
13. Constru							-				
14. Ine wo	tter will be	complet	ery app	lied to th	ie propos	ed use o	on or be	fore .3y.r	`S`	••••••	• · · · · · · • • •
•••••••••••••••••••••••••		·•····································	••••••	······································		/				• • • • • • • • • • • • • • • • • • • •	
					¥	au	(Mene	Lo	TE	3	
										0	
	10			۵.			•••••			·· ··· ····	****
	(Continue		• • • • • • • • • • • • • • • • • • • •		· · · • • · · · · · · · · · · · · · · ·	•••••••		• • • • • • • • • • • • • • • • • • • •		· • • • • • • • • • • • • • • • • • • •	
and Claim w	nich is L	l links	West	erly fr	om the	reentr	ant co	mer of t	he Nort	th li	ne o
aid Donation	il links	to said	ience ireen	trant c	y along orner:	thence	North	1ne of sa 26 • East	iid Swai	rts D the	onat: West
coundary of	the North	ern pro	ojecti	on of the	he said	Swart	s Dona	tion Land	Claim	to t	ne E
.ineofsaid	.Section	l6;the	enceS	outherly	y along	the E	ast li	neof. sai	d Secti	ion 1	6. t
he center 1: he-place of	beginnin	e count	y noa	a; then	ce sout	nweste	LIA BI	ong the s	sald cer	nter	line
••••••••		** ********									
			··• · · · · · · · · · · · · · · · · · ·	· • • • • · · · · · · · · · · · · · · ·						· · · · · · · ·	

•••••						*******			•		
								······································	•••••		
		······································				· · · · · · · · · · · · · · · · · · ·	······································				
									• • •		• • • • • • • • • • • • • • • • • • •
								•••			
									• • •		
STATE OF OR	- 1										
STATE OF OR County of M	};										
County of M	};		exami	ned the	foregoing	applica	ation, to	ogether wit	th the ac		anyin
County of M This is to	arion,	t I have								-	anyin
This is to	arion, certify tha	t I have	e for	•••••••••••••••••••••••••••••••••••••••		•••••		•••••••••••••••••••••••••••••••••••••••	••••••		••••••
County of M This is to naps and data,	arion, certify tha and return to retain it	t I have	e for	•••••••••••••••••••••••••••••••••••••••	on must	•••••		•••••••••••••••••••••••••••••••••••••••	••••••		••••••

STATE OF OREGON, County of Marion,

This is to certify that I have examined the foregoing application and do hereby grant the same,

SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:							
The right herein granted is limited to the amount of water which can be applied to beneficial use							
nd shall not exceed							
The use to which this water is to be applied isirrigation and supplemental irrigation of not to exceed 25 acres.							
If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per econd or its equivalent for each acre irrigated and shall be further limited to a							
diversion of not to exceed $2\frac{1}{2}$ acre feet per acre for each acre irrigated during the							
irrigation season of each year, provided further that the amount of water allowed							
herein, together with the amount secured under any other right existing for the same							
lands shall not exceed the limitation allowed herein,							
and shall be subject to such reasonable rotation system as may be ordered by the proper state officer. The priority date of this permit is							
Actual construction work shall begin on or before November 16, 1952 and shall							
thereafter be prosecuted with reasonable diligence and be completed on or before							
October 1, 1953							
Complete application of the water to the proposed use shall be made on or before							
October 1, 1954							
WITNESS my hand this 16th day of Lecture 1951.							
Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.							

0373 Application No. 26000.

Permit No.

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON District No. PERMIT Division No. ----

This instrument was first received in the

Oregon, office of the State Engineer at Salem, on the 4th day of June.

19 5.1., at 2. 2. o'clock N Returned to applicant:

Corrected application received:

November 16, 1951

Approved:

Recorded in book No.

STATE ENGINEER CHAS. E. STRICKLIN Permits on page ...

Drainage Basin No. 2. Page

Fees Paid