



APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Frank E. Babcock of Cloverdale State of Oregon do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Spring a tributary of

2. The amount of water which the applicant intends to apply to beneficial use is 0.01 cubic feet per second.

**3. The use to which the water is to be applied is Domestic

4. The point of diversion is located 958.3 ft. N and 2254.8 ft. E from the Section corner of Common to sections 27, 28, 33, 34, Twp 4 South of R. 10, W. W. M.

being within the S. E. 1/4 of the S. W. 1/4 of Sec. 27, Tp. 4 South R. 10 - W. W. M., in the county of Tillamook

5. The to be 409.3 feet in length, terminating in the S. E. 1/4 of S. W. 1/4 of Sec. 27, Tp. 4 South R. 10 - W. W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam 3 feet, length on top 10 feet, length at bottom 8 feet; material to be used and character of construction Concrete

(b) Description of headgate drain pipe and intake pipe laid in dam structure

(c) If water is to be pumped give general description

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 380 ft.; size at intake, 2 in.; size at ft. from intake in.; size at place of use 2 in.; difference in elevation between intake and place of use, 4.5 ft. Is grade uniform? fairly so Estimated capacity, 0.02 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range, W.M.	Section	Forty-acre Tract	Number Acres To Be Irrigated
<u>4 S</u>	<u>10 W</u>	<u>27</u>	<u>S.E. 1/4 of S.W. 1/4</u> <u>(Legal Des.)</u>	<u>None</u>
<p><i>That portion of the S.E. 1/4 of the S.W. 1/4 and that portion of the S.W. 1/4 of S.E. 1/4 of Sec. 27, Twp. 4 S., R. 10, W.M., described as follows: Beginning at a point where the center line of the County road intersects the sec. line between sections 27 and 34 of said Twp. and Range, said point being west 630 feet, more or less, of the 1/2 sec. cor. between said sections 27 and 34 and running thence East along said sec. line, 1950 feet, more or less, to the S.E. cor. of the S.W. 1/4 of the S.E. 1/4 of said Sec. 27; thence North along the 1/2 line a distance of 500 feet; thence West a distance of 200 feet, more or less, to the center of said County road; thence southerly along the center line of said County road to the point of beginning, said tract cont. 22 acres, more or less.</i></p>				

(If more space required, attach separate sheet)

(a) Character of soil

(b) Kind of crops raised

Power or Mining Purposes

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.

(Legal subdivision)

Tp. R. W. M.

(No. N. or S.) (No. E. or W.)

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

..... Sec. Tp. R. W. M.

(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply

10. (a) To supply the city of _____
_____ County, having a present population of _____
and an estimated population of _____ in 19_____

(b) If for domestic use state number of families to be supplied _____
(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$ 200,000

12. Construction work will begin on or before July 1st '51

13. Construction work will be completed on or before Sept. 1st '51

14. The water will be completely applied to the proposed use on or before Oct. 1st '51

Frank E. Babcock
(Signature of applicant)

Remarks: _____

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for _____

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before _____, 194_____

WITNESS my hand this _____ day of _____, 194_____

PERMIT

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.01 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from a spring

The use to which this water is to be applied is domestic

If for irrigation, this appropriation shall be limited to - - - - - of one cubic foot per second

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 4, 1951

Actual construction work shall begin on or before November 16, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1953

Complete application of the water to the proposed use shall be made on or before

October 1, 1954

WITNESS my hand this 16th day of November 1951

Charles E. Stricklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 26661
Permit No. 20371

PERMIT
TO APPROPRIATE THE PUBLIC
WATERS OF THE STATE
OF OREGON

Division No. _____ District No. _____

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 4th day of June 1951 at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

November 16, 1951 of

Recorded in book No. 50

Permits on page

CHAS. E. STRICKLIN
STATE ENGINEER

Drainage Basin No. 1 Page 160

Fees Paid 24 STATE PRINTING DEPT