

Permit-

Permit No. 1157



APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

I, Robert G. DuPuis of Birkenfeld Oregon, do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation Not a corporation

1. The source of the proposed appropriation is Nehalem River, a tributary of Pacific Ocean

2. The amount of water which the applicant intends to apply to beneficial use is .5 cubic feet per second.

3. The use to which the water is to be applied is irrigation of pasture

4. The point of diversion is located 1090 ft. S and 990 ft. W from the SW corner of Southeast Quarter of the Northwest quarter of Section 23, Township 6 North, Range 6 West, W.M.

being within the NW 1/4 of the SW 1/4 of Sec. 23, Tp. 6 N., R. 6 W., W. M., in the county of Clatsop

5. The Pipe to be 1900 feet in length, terminating in the SW 1/4 of the NW 1/4 of Sec. 23, Tp. 6 N., R. 6 W., W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works-

6. (a) Height of dam feet, length on top feet, length at bottom feet; material to be used and character of construction

(b) Description of headgate

(c) If water is to be pumped give general description 5 Horsepower-single phase electric motor with a 4" x 6" centrifical pump.

*A different form of application is provided where storage works are contemplated. **Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(b) At miles from headgate: width on top (at water line) feet; width on bottom feet; depth of water feet; grade feet fall per one thousand feet.

(c) Length of pipe, 1900 ft.; size at intake, 4 in.; size at 1900 ft. from intake 4 in.; size at place of use 3 in.; difference in elevation between intake and place of use, 15 ft. Is grade uniform? Yes Estimated capacity, .5 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range, W./T	Section	Forty-acre Tract	Number Acres To Be Irrigated
6 N.	6 W.	23	NW 1/4 of the SW 1/4	16.5
6 N.	6 W.	23	SW 1/4 of the NW 1/4	12.3

R. G. DuPuis and Gladys DuPuis, husband and wife,

An undivided one-half (1/2) interest in and to,

The North one-half (1/2) of the Southwest one-quarter (1/4), and the Southwest one-quarter (1/4), and all of the Northwest one-quarter of the Northwest one-quarter (1/4), lying South of the County Road (said County Road having been heretofore deeded to Clatsop County, Oregon, by deed recorded in Book 91, Page 121, Record of Deeds of said County), all in Section 23, Township 6 North, Range 6 West, Willamette Meridian, Clatsop County, Oregon, excepting the following described property, title to which is retained by the grantors, to-wit:

(Exception)

Commencing at the NE corner of the SW 1/4 of the NW 1/4 of Section 23, T. 6 N. R. 9 W., W.M.

(If more space required, attach separate sheet) (Continued under Remarks)

(a) Character of soil Mehalem Silt Clay Loam

(b) Kind of crops raised Pasture

Power or Mining Purposes—

9. (a) Total amount of power to be developed theoretical horsepower.

(b) Quantity of water to be used for power sec. ft.

(c) Total fall to be utilized feet.
(Head)

(d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in of Sec.
(Legal subdivision)

Tp., R., W. M.

(f) Is water to be returned to any stream?
(Yes or No)

(g) If so, name stream and locate point of return

....., Sec., Tp., R., W. M.
(No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

Municipal or Domestic Supply—

10. (a) To supply the city of

..... County, having a present population of

and an estimated population of in 19.....

(b) If for domestic use state number of families to be supplied

(Answer questions 11, 12, 13, and 14 in all cases)

11. Estimated cost of proposed works, \$2,500.00

12. Construction work will begin on or before May 15, 1951

13. Construction work will be completed on or before June 1, 1951

14. The water will be completely applied to the proposed use on or before

June 1, 1951

Robert G. DePuis
(Signature of applicant)

Remarks: EXPLANATION OF APPLICATION MAP

Irrigation from the Nehalem River is to be by means of a stationary pumping plant and portable aluminum main pipe. A reference monument is set at pump site, which is South 1090' and West 990' from the SW corner of the SE 1/4 of the NW 1/4 of Section 23, Township 6 North, Range 6 West, W.M., at which there is a 3/4 inch iron pipe. Acreage to be irrigated consist of: 12.3 acres in the SW 1/4 of the NW 1/4 and 10.5 acres in the NW 1/4 of the SW 1/4, Section 23, Township 6 North, Range 6 West, W.M.

(Continued from Item 8)

Thence South along the East boundary line of said SW 1/4 of NW 1/4 of said Section 23, a distance of 150 feet;

Thence West and parallel with the North boundary line of said SW 1/4 of the NW 1/4 of said Section 23, a distance of 275 feet to the point of beginning;

Thence South and parallel with the East boundary line of said SW 1/4 of the NW 1/4 of said Section 23, a distance of 130 feet;

Thence West and parallel with the North boundary line of said SW 1/4 of the NW 1/4 of said Section 23, a distance of 130 feet;

Thence North and parallel with the East boundary line of said SW 1/4 of the NW 1/4 of said Section 23, a distance of 130 feet;

Thence East and parallel with the North boundary line of said SW 1/4 of the NW 1/4 of said Section 23, a distance of 130 feet, to the point of beginning.

STATE OF OREGON, }
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before, 19

WITNESS my hand this day of, 19

STATE ENGINEER

PERMIT

STATE OF OREGON, }
County of Marion, }

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 0.36 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Nehalem River

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 8, 1951

Actual construction work shall begin on or before November 16, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before October 1, 1953

Complete application of the water to the proposed use shall be made on or before October 1, 1954

WITNESS my hand this 16th day of November, 1951

Chas. E. Stricklin
STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1953.

Application No. 20651
Permit No. 6125

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon, on the 8th day of June, 1951, at 8:00 o'clock A. M.

Returned to applicant:

Corrected application received:

Approved:

November 16, 1951

Recorded in book No. 50 of

Permits on page 4

CHAS. E. STRICKLIN

STATE ENGINEER

Drainage Basin No. 1 Page 9

Fees Paid 41.00