

Permit No.

(1)

*APPLICATION FOR PERMIT

To Appropriate the Public Waters of the State of Oregon

I, HENRY PERMY	
BROCKWAY	,
tate ofO.P.F.G.N., do hereby make application for a permit to appropria	te the
llowing described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:	
If the applicant is a corporation, give date and place of incorporation	
1. The source of the proposed appropriation is Ollala Creek	
a tributary of South Une pour a Ri	<i>K.</i> G . <i>K</i> .
2. The amount of water which the applicant intends to apply to beneficial use isubic feet per second.	
(If water is to be used from more than one source, give quantity from each)	
**3. The use to which the water is to be applied is (Irrigation, power, mining, manufacturing, domestic supplies, of	rtc.)
Between +N8°E-	1200= Ft
4. The point of diversion is located ft. and ft. 250 from the M	ARY, Int Co
There of Elijah CRASTON D. L.C. Nº 45 - Tp. 195 Rg TW W	M.
PCATABLE POMPINZ BETWEENA MINT WHICH IS 250 FEE	TWEST
PTHE NORTHWEST INTERIOR OF THER OF THE ELIJAH CROSTA	M.P.L.C.NO
NO NEATH TO BAST 1800 FEET FROM THEADENE MENTIONED CO	R.N.F.B
(If there is more than one point of diversion, each must be described. The sensors to then it recovery)	
eing within the of Sec. 3 de Tp. 29	<u>S</u> ,
. 7 W. M., in the county of Douglas Go, Org	.,
5. The	
(Main attal, canal or page line) (Intles or foot) Length, terminating in the	
(M. or s. W. M., the proposed location being shown throughout on the accompanying map	• •
(R. er W.)	
DESCRIPTION OF WORKS	
iversion Works—	
6. (a) Height of dam feet, length on top feet, length at bo	
feet; material to be used and character of construction (Loose reds. concrete, m	
k and brush, timber crib, etc., westeway over or ground dom)	
(b) Description of headgate	
(c) If water is to be pumped give general description 8 FIXE GALLONS SP	RiNKL F
	RiNKL F

**Application for permits to appropriate waver for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission. Either of the above forms may be secured, without cost, together with instructions by addressing the State Engineer, Saless.

[&]quot;A different form of application is provided where storage works are contemnated

-	lgate: width or	top (at water i	line)		feet; width on botton
wand feet.	eet; depth of	water	feet	; grade	feet fall per or
-	***********	. miles from he	adgate: width	on top (at we	ster line)
	_				f water fee
		ll per one thous		jour, mopera v	,,
					in.; size at
					difference in elevation betwee
					Estimated capacit
		······································	grade unijori	// 6:	Dittimated capacit
	•	··	•		
Township	Range	Section		icre Tract	Number Acres To Be Irrigated
295	7 4	4	NE 4	IV F 4	298-
•	· · ·	و		NNY	3.7 Ac
~	.,	3		NWY	31.7 Ac
			70 2		, o . t
nning at	tne south	west corne	r of the	Croxta	n Jonation Land Ului
ownahipa	twent / ei	, , , , , , , , , , , , ,	CI CILC -	A OLOXO	n ponation last to the
Jost	ho // 17 om	ent (25) a	nd twent -	nipe (29) Bouth, Mange Seven
residenti	he (i lam t boundar	to Carid	lan; coe	nipe (29) South, Range Sever
Paylogicaling	he (illem t boundar 1340 0 200	ette (20) a atte Marid of said a so seed	lan; thent. Constion:	nipe (29)	Hast 1130.87feet
3.10 feat	thence all	of said of said of said of said of said r	lan; twent lan; twent onstion it; of the ant-of wa	nine (29) and Claimest Mighty line a	Jouth, Range Sever Rast 1130.87feet a point; thence at the war line of the second seco
3.10 feat ce 345 la coint wa	to a poi	of said of said of said of said of said to a poin to themea	an; twent onstion it; of the ant-of we point, tr	and Clair West Mig Ty line a 1 1:237.7	Journ, Range Sever 139.87feet 139
3.10 feat ce 345 ly coint wa d. Crosto ne north	thence altered to the second t	of said to a point of the to a right of windary	an; the constitution of the s.	nine (29) Land Clair West Mig. Ly line a Ly line a Ly lence 5 4 Lersects Cruxtun	Jouth, Range Sever Rast 1130.83feet Sever Rast 1130.83feet Sever Rast Sever R
ce say ly control of the control of	thence altropic to a point point of the said of the sa	of said	point, true in of the sutre	west lie a line a line set lie a line sects. Cruxtun	Jouth, Range Sever last 1130.83feet 1130.83feet 1130.83feet 1130.83feet 1130.83feet 1130.84feet 1130.8
in road, 3.10 feat de 345 le point was north a north 45 de 35 de 3	thence altered to a 150 7.50 ere said of a 120 7.4 for the place	of said of said of said of said of said rest. Themes feet to a mignt of we boundary mior corner test along of more specifications	point, troine in of the sutr	mine (29) and Claimestrick West Mig Tyline a West Mig Tyline 3 Hiteraects Cruxton Donation Thoundary	Jouth, Range Sever Rast 1130.876et Sever Rast 1130.876et Sever Rast Sever Rat Sever Ra
ce 345 la boint when the near the nerth- and the contraction of the nerth- duty and the contraction of the nerth-	thence altrice to a 150 1.50 1.50 1.50 1.50 1.50 1.50 1.50	of said of said of said of said to a poin to themea feet to a igni of we boundary ior cornar est along of mere pace	point, try line in of the sutrequired states and the sutre sutre sutre sucre s	mine (29) and Claimest Mig and Claimest Mig and Claimest Mig lence 3 4 ltersects Cruxtun constitut constit	Bust 1139. Effect a point; thence at Ef we willine if to scott a point; thence at Ef we willine if to scott a point; the west boundary of the west boundary of said D mate a country, or said D mate a country a
ce 345 la boint when the near the nerth- and the contraction of the nerth- duty and the contraction of the nerth-	thence altrice to a 150 1.50 1.50 1.50 1.50 1.50 1.50 1.50	of said of said of said of said of said rest. Themes feet to a mignt of we boundary mior corner test along of more specifications	point, try line in of the sutrequired states and the sutre sutre sutre sucre s	mine (29) and Claimest Mig and Claimest Mig and Claimest Mig lence 3 4 ltersects Cruxtun constitut constit	Bust 1139. Effect a point; thence at Ef we willine if to scott a point; thence at Ef we willine if to scott a point; the west boundary of the west boundary of said D mate a country, or said D mate a country a
ce 345 la boint when the near the nerth- and the contraction of the nerth- duty and the contraction of the nerth-	thence alternation (129).4 in the place of soil of crops raised	of said of said of said of said to a poin to themea feet to a igni of we boundary ior cornar est along of mere pace	point, try line in of the sutrequired states and the sutre sutre sutre sucre s	mine (29) and Claimest Mig and Claimest Mig and Claimest Mig lence 3 4 ltersects Cruxtun constitut constit	Bust 1139. Effect a point; thence at Ef we willine if to scott a point; thence at Ef we willine if to scott a point; the west boundary of the west boundary of said D mate a country, or said D mate a country a
(a) Character of Mining	thence alter to a 150 3.50 are said in Donation west intervals 129 3.4 intervals of crops raised. Purposes—	of said of sai	point, tree of said the sutre	ine (29) and Claimed Tipe and Claimed Ti	Bust 1139. Effect a point; thence at Ef we willine if to scott a point; thence at Ef we willine if to scott a point; the west boundary of the west boundary of said D mate a country, or said D mate a country a
(a) Charace (b) Kind of the or or Mining 9. (a) Total	trence altress (150).50 ere said in Donation west intervented (120).4 intervented (120	of said of sai	point, try line in of the sutre sutr	ine (29) and Claimed Tipe and Claimed Ti	South, hance sever last 1139. Effect in a point; thence at the west line of the fact the west boundary of raid claim; the west boundary of said D mitton was claim; the west country of said D mitton of the west country of said D mitton of the country, the country of the west country of said D mitton of the country of the country of said D mitton of the country of t
(a) Charace (b) Kind of the or Mining 9. (a) Total	trience altress (150).50 ere said in Donation west intervented (120).4 intervented (12	of said of said of said of said to a poid fe t to a might of with a signit of windary mior corner fe t along of begin (umore seed to be used for	point, tree of anid the sutre	nine (29) and Claiment Viest Mig. Ine a view of the process of the	South, hance sever last 1139. Effect in a point; thence at the west line of the fact the west boundary of raid claim; the west boundary of said D mitton was claim; the west country of said D mitton of the west country of said D mitton of the country, the country of the west country of said D mitton of the country of the country of said D mitton of the country of t
(a) Charace (b) Kind o yer or Mining 9. (a) Tote (b) Qua (c) Tote	thence all to be utilized all to be utilized all to be utilized all to be utilized.	of said of the bea fe t to a might of with a said of with a said of said of with a said of with	roint, tree of anid the sutrement of the	nine (29) and Claiment Signature of the Cruxtun soundary construction of the Cruxtun	Start 1139. Effect East 1139. Effect The point; thence at the west line if the continuation and claim of said D note a cunty, cream. theoretical horsepown sec. ft.
(a) Charace (b) Kind o yer or Mining 9. (a) Tote (b) Qua (c) Tote	thence all to be utilized all to be utilized all to be utilized all to be utilized.	of said of said of said of said to a special feet to a right of windary rior corner to along where special ower to be deve	roint, tree of anid the sutrement of the	nine (29) and Claiment Signature of the Cruxtun soundary construction of the Cruxtun	Start 1139. Effect East 1139. Effect The point; thence at the west line if the continuation and claim of said D note a cunty, cream. theoretical horsepown sec. ft.
(a) Charace (b) Kind of the Control of Charace (b) Kind of Control of Control of Charace (c) Tote (d) The	thence all to be utilized all to be utilized all to be utilized all to be utilized.	of said of said of said of said to a poi in the ba fe t to a right of with a said of with a said cumora said fe t to a right of with a said be undary fe t along of with a said fe t to a right of with a said be undary fe t along of with a said of with	point, tree of acid the sutre	ripe (29) and Clair west rig yest rig yest rig yest rig thereof 4 thereofs Cruxton constination constitution constitu	State 1139. Effect That 1139. Effect The point; thence at the west boundary of said Dairs The w
(a) Charace (b) Kind of the Control	trience al. 'to a point /50).50 ere said in term of soil and place ter of soil and place ter of soil and place ter of soil and place al amount of printity of water al fall to be utilized to be utilized to be utilized.	of said of said of said to a point it the bea fe t to a might of windary mior corner fe t along or begin (umore see to be used for paid ilized works by means located in	point, the surface of anid the sutre	ripe (29) and Clair west rig yest rig yest rig yest rig thereof 4 thereofs Cruxton constination constitution constitu	Start 1139. Effect East 1139. Effect The point; thence at the west line if the continuation and claim of said D note a cunty, cream. theoretical horsepown sec. ft.
(a) Charace (b) Kind o yer or Mining 9. (a) Tote (b) Que (c) Tot (d) The	trience al. to a point n Donation n Don	of said of said of said to a point fe t to a might of with o undary mior corner fe t along oundary fe t along oundary it begin (u more more to be used for part ilized works by means located in Located in	constion it; shith a series of the surred areas utrested by the surred areas of which the surred so which	rive (29) and Clair West Mig. Ine a Visit Tine a Visi	State 1139. Effect That 1139. Effect The point; thence at the west boundary of said Dairs The w
(a) Charace (b) Kind o yer or Mining 9. (a) Tote (b) Que (c) Tot (d) The (e) Suc	thence all to be utilized and the place of soil and amount of purposes—al amount of purposes—al fall to be utilized to be util	of said of said of said to a point fe t to a migni of with or corner cumore special ower to be deve to be used for part ilized works by means located in Located to any str	constion it ship to ship the surrection of the s	rive (29) and Claimer of the state of the st	East 1139. Effect East 1139. Effect The point; thence at the west line if the beat soundary of county, creepen. Theoretical horsepower. Sec. ft. The developed Theoretical horsepower. The developed The developed The developed The developed
(a) Charace (b) Kind of the Control (c) Tote (d) The (e) Suctions (f) Is u	thence all to be utilized and the place of soil and amount of purposes—al amount of purposes—al fall to be utilized to be util	of said of said of said fe t to a right of will bundary rior corner along works by means located in Located in Located to any structured to any structured n and locate positions	constion it of the series of the series constion it of the series constion roint, to y line in of the series the series AND cloped constituted or and cloped constituted or and constituted or a	ine (29) and Clair west Mig and Clair west Mig and Clair west Mig and Clair line a lin	East 1139. Effect That I 139. Effect The point; thence at the west line if the beat soundary of continued the section ontion and claim ounty, cream theoretical horsepowers sec. ft. be developed
(a) Charace (b) Kind of the Control (c) Tote (d) The (e) Suction (f) Is used to the Control (g) If such the Control (g) If suc	trence all to be utilized fall to be utilized to be retained to be	of said of said of said to a point fe t to a migni of with or corner cumore special ower to be deve to be used for part ilized works by means located in Located to any str	roint, try line in of the sutrement of which	ine (29) and Clair Mest Mig Ine a Milling a Millin	East 1139. Effect East 1139. Effect The war line of the section of Sec. It is a point; thence of the wast bountary of said D material formation with the west bountary of said D material formation. The west bountary of the west bountary of said D material formation with the west bountary of said D material formation. The west bountary of said D material formation with the west bountary of said D material formation. The west bountary of said D material formation with the west bountary of said D material formation. The west bountary of said D material formation with the west bountary of said D material formation. The west bountary of said D material formation with the west bountary of said D material formation. The west bountary of said D material formation with the west bountary of said D material formation. The west bountary of said D material formation with the west bountary of said D material formation. The west bountary of said D material formation with the west bountary of said D material formation. The west creek Silver of the west bountary of said D material formation. The west creek Silver of the west bountary of said D material formation. The west creek Silver of the west bountary of said D material formation. The west creek Silver of the west bountary of said D material formation. The west creek Silver of the west bountary of said D material formation. The west creek Silver of the west bountary of said D material formation.

A contract of the contract of

JUL 1951
STATE ENGINEER

SALEM. OREGON

thebet a constant

STATE OF OREGON, County of Merion,

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceedQ.\ldots\begin{align*} 2.\ldots\begin{align*} 2.\ldotsa										oot per			
irrigati	ion season of	.each	year									•••••	
			······································	••••••					••••••				
•	be subject to so e priority date o												
	tual constructio												
	r be prosecuted		easone	able diliq	gence	and be	completed	ON 01	befo	re	•••••	•	
	ober 1, 1953 mplete applicat		he w	ater to ti	he pro	 oposed 1	use shall be	e mad	e on c	or befo	re		
	ober 1, 1954			••••									
W	ITNESS my han	ıd this	161	th	day o	of []	O TAG	 En É		(19)	Suc		lin
Pen	mits for power develo	penent are	subject	to the pays	nent of	ammual de	n as provided	ta secti	eno 1 e	ad 2, ch	ST/	Oregon I	::::::::::::::::::::::::::::::::::::::
									•	•	•		•
Application No. A.C.L.L.	PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON	Division No. District No.	This instrument was first received in the	office of the State Engineer at Salem, Oregon, on the Lin day of UNE	19 51, at 3,00 o'clock A. M.	Returned to applicant:	Corrected application received:	Approved:	November 16, 1951	Recorded in book No. 50 of	Permits on page CHAS, E. STRICKLIN	FIATE BOOMER	Drainage Basin No. K. Fage C. Fees Paid W. C.