

APPLICATION FOR PERMIT

To appropriate the Public Waters of the State of Oregon

Crybation Farms by C. V. Crybation
of Box 234 Astoria
State of Oregon

do hereby make application for a permit to appropriate the following described public waters of the State of Oregon, SUBJECT TO EXISTING RIGHTS:

If the applicant is a corporation, give date and place of incorporation

1. The source of the proposed appropriation is Fishhawk Creek, a tributary of Nehalem River

2. The amount of water which the applicant intends to apply to beneficial use is 150 cubic feet per second.

3. The use to which the water is to be applied is Irrigation

4. The point of diversion is located anywhere along creek within the NW 1/4 of NE 1/4 Sect 10, and SW 1/4 of SE 1/4, and NE 1/4 of SW 1/4 of Sect 3 all in T5NR7WWM. By means of portable pump along creek.

being within the ... of Sec. ... Tp. ... R. ... W. M. in the county of Clatsop.

5. The ... to be in length, terminating in the ... of Sec. ... Tp. ... R. ... W. M., the proposed location being shown throughout on the accompanying map.

DESCRIPTION OF WORKS

Diversion Works—

6. (a) Height of dam ... feet, length on top ... feet, length at bottom ... feet; material to be used and character of construction

(b) Description of headgate ...

(c) If water is to be pumped give general description 30 H.P. 500 G.P.M. Centrifugal pump 4 1/2 No. 40 Rowbird Pumps 10 1/2 x 5 1/2 - 10 RPM.

\*A different form of application is provided where storage works are contemplated. \*\*Application for permits to appropriate water for the generation of electricity, with the exception of municipalities, must be made to the Hydroelectric Commission.

Canal System or Pipe Line—

7. (a) Give dimensions at each point of canal where materially changed in size, stating miles from headgate. At headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(b) At ..... miles from headgate: width on top (at water line) ..... feet; width on bottom ..... feet; depth of water ..... feet; grade ..... feet fall per one thousand feet.

(c) Length of pipe, 1200 ft.; size at intake, 6" in.; size at 1200 ft. from intake 6" in.; size at place of use 4" in.; difference in elevation between intake and place of use, 20 ft. Is grade uniform? Yes Estimated capacity, 1.5 sec. ft.

8. Location of area to be irrigated, or place of use

Township	Range, W/A	Section	Forty-acre Tract	Number Acres To Be Irrigated
T5N	R7W	10	NE <sup>1</sup> / <sub>4</sub> - NE <sup>1</sup> / <sub>4</sub>	16 <sup>±</sup>
"	"	10	NW <sup>1</sup> / <sub>4</sub> - NE <sup>1</sup> / <sub>4</sub>	15
"	"	3	SE <sup>1</sup> / <sub>4</sub> - SE <sup>1</sup> / <sub>4</sub>	27 <sup>±</sup>
"	"	3	SW <sup>1</sup> / <sub>4</sub> - SE <sup>1</sup> / <sub>4</sub>	22 <sup>±</sup>
"	"	3	NE <sup>1</sup> / <sub>4</sub> - SE <sup>1</sup> / <sub>4</sub>	46
"	"	3	NW <sup>1</sup> / <sub>4</sub> - SE <sup>1</sup> / <sub>4</sub>	33 <sup>±</sup>
"	"	3	NE <sup>1</sup> / <sub>4</sub> - SW <sup>1</sup> / <sub>4</sub>	15 <sup>±</sup>
"	"	3	SE <sup>1</sup> / <sub>4</sub> - NW <sup>1</sup> / <sub>4</sub>	15 <sup>±</sup>
Clatsop Co. Ore.				

(If more space required, attach separate sheet)

(a) Character of soil High bottom land - sandy loam  
 (b) Kind of crops raised seed grasses.

Power or Mining Purposes—

9. (a) Total amount of power to be developed ..... theoretical horsepower.  
 (b) Quantity of water to be used for power ..... sec. ft.  
 (c) Total fall to be utilized ..... feet.  
 (d) The nature of the works by means of which the power is to be developed

(e) Such works to be located in ..... of Sec.

Tp. (No. N. or S.) R. (No. E. or W.) W. M.

(f) Is water to be returned to any stream? (Yes or No)

(g) If so, name stream and locate point of return

Sec. Tp. R. W. M. (No. N. or S.) (No. E. or W.)

(h) The use to which power is to be applied is

(i) The nature of the mines to be served

**Municipal or Domestic Supply**

10. (a) To supply the city of .....  
..... County, having a present population of .....  
and an estimated population of ..... in 19.....

(b) If for domestic use state number of families to be supplied .....

(Answer questions 11, 12, 13, and 14 in all cases)

- ✓ 11. Estimated cost of proposed works, \$ 5,000
- ✓ 12. Construction work will begin on or before July 1, 1951
- ✓ 13. Construction work will be completed on or before Sept 1, 1951
- ✓ 14. The water will be completely applied to the proposed use on or before May 15, 1952

*Engleton Farms*  
(Signature of applicant)  
*by C. Y. Engleton*

Remarks: .....

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application, together with the accompanying maps and data, and return the same for .....

In order to retain its priority, this application must be returned to the State Engineer, with corrections on or before ..... 194.....

WITNESS my hand this ..... day of June, 194.....

.....  
STATE ENGINEER  
By Robert D. Conlin

PERMIT

STATE OF OREGON, }  
County of Marion, } ss.

This is to certify that I have examined the foregoing application and do hereby grant the same, SUBJECT TO EXISTING RIGHTS and the following limitations and conditions:

The right herein granted is limited to the amount of water which can be applied to beneficial use and shall not exceed 1.50 cubic feet per second measured at the point of diversion from the stream, or its equivalent in case of rotation with other water users, from Fishhawk Creek

The use to which this water is to be applied is irrigation

If for irrigation, this appropriation shall be limited to 1/80th of one cubic foot per second or its equivalent for each acre irrigated and shall be further limited to a diversion of not to exceed 2 1/2 acre feet per acre for each acre irrigated during the irrigation season of each year, and shall be still further limited to a diversion of not to exceed 1.50 c.f.s.,

and shall be subject to such reasonable rotation system as may be ordered by the proper state officer.

The priority date of this permit is June 14, 1951

Actual construction work shall begin on or before November 16, 1952 and shall thereafter be prosecuted with reasonable diligence and be completed on or before

October 1, 1953

Complete application of the water to the proposed use shall be made on or before

October 1, 1954

WITNESS my hand this 16th day of November 1951

*Chas. E. Stricklin*

STATE ENGINEER

Permits for power development are subject to the payment of annual fees as provided in sections 1 and 2, chapter 74, Oregon Laws 1933.

Application No. 26044

Permit No. 2178

PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF OREGON

Division No. District No.

This instrument was first received in the office of the State Engineer at Salem, Oregon,

on the 14 day of June

1951 at 1:00 o'clock P. M.

Returned to applicant:

Corrected application received:

Approved:

November 16, 1951

Recorded in book No. 50 of

Permits on page

CHAS. E. STRICKLIN  
STATE ENGINEER

Drainage Basin No. Page 120

Fees Paid \$1.00

STATE PRINTING DEPT